

Z kdwl#Dffhv#Z hwhuq#Edngg#FuxghB

Access Western Blend (AWB) is a heavy, high TAN dilbit produced by [Devon Energy Canada](#) and [MEG Energy Corp.](#) Production is from the Athabasca region south of Fort McMurray, Alberta. Production is generated by SAGD thermal methods. Diluent is supplied to the production sites from Edmonton and dilbit is pumped back to Edmonton on the Access Pipeline. AWB is available for upgrading in the Edmonton area, and for export on the Enbridge and Kinder Morgan systems.



P rrv#Jhfhq#Wdp sch#Rrp p hqw=
DZ E09: #Ehf# #5348

[Last 6 Samples](#)

Apart from marginally increased butanes, the December sample of Access Western Blend was consistent with historical averages. Simulated distillation results indicated less resid.

[Monthly Reports](#)

Edvlf#Dqdd|v|v


Property	Most Recent Sample	6 Month Average	1 Year Average	5 Year Average
<input type="checkbox"/> Density (kg/m ³)	919.5	926.2	921.8	922.8
<input type="checkbox"/> Gravity (°API)	22.3	21.2	21.9	21.7
<input type="checkbox"/> Sulphur (wt%)	3.79	3.95	3.86	3.92
<input type="checkbox"/> MCR (wt%)	10.60	10.83	10.69	10.70
<input type="checkbox"/> Sediment (ppmw)	-	128	135	119
<input type="checkbox"/> TAN (mgKOH/g)	1.63	1.81	1.74	1.70
<input type="checkbox"/> Salt (ptb)	-	4.7	4.8	5.6
<input type="checkbox"/> Nickel (mg/L)	71.0	72.5	71.2	72.8
<input type="checkbox"/> Vanadium (mg/L)	179.0	189.5	185.7	192.6
<input type="checkbox"/> Olefins (wt%)	-	-	-	ND

*ND indicates a tested value below the instrument threshold.

Wuhgg#Fkdww

[Open fullscreen charts](#)

Choose a property:



Oljkw#Iggv#xp p du|

Property (vol%)	Most Recent Sample	6 Month Average	1 Year Average	5 Year Average
<input type="checkbox"/> C3-	0.14	0.07	0.07	0.05
<input type="checkbox"/> Butanes	1.22	0.94	0.92	0.71
<input type="checkbox"/> Pentanes	10.07	8.93	9.42	9.09
<input type="checkbox"/> Hexanes	6.99	5.97	6.29	6.64
<input type="checkbox"/> Heptanes	4.56	3.81	3.93	4.12
<input type="checkbox"/> Octanes	2.89	2.42	2.48	2.36
<input type="checkbox"/> Nonanes	1.54	1.42	1.44	1.18
<input type="checkbox"/> Decanes	0.79	0.71	0.70	0.54

EWH [

Property (vol%)	Most Recent Sample	6 Month Average	1 Year Average	5 Year Average
<input type="checkbox"/> Benzene	0.26	0.19	0.20	0.27
<input type="checkbox"/> Toluene	0.54	0.35	0.38	0.46
<input type="checkbox"/> Ethyl Benzene	0.05	0.04	0.04	0.05
<input type="checkbox"/> Xylenes	0.52	0.32	0.34	0.35

G lwwdlw|q

TBP	ASTM D2892 & D5236	Select an assay date... ▾
<input type="checkbox"/> HTSD	ASTM D7169	Most Recent Sample Historical Average

H{sruw#Dffhv#Z hwhuq#Edngg#E dwd

Select all properties for export or select specific properties using adjacent checkboxes
 Export custom report in xls: [Download](#)

Download PDF:
 ▾

[Download](#)

