



C o u n t y o f S a n L u i s O b i s p o
GENERAL SERVICES AGENCY

Janette D. Pell, Director

Helen McCann, Department Administrator

**INVITATION TO BID #3512-10
NEW AND UNUSED TRUCKS**

December 14, 2010

The County of San Luis Obispo is currently soliciting bids for New and Unused Trucks as noted.

Each bid shall specify each and every item as set forth in the attached specifications. Any and all exceptions must be clearly stated in the bid. Failure to set forth any item in the specifications shall be grounds for rejection. The County of San Luis Obispo reserves the right to reject all bids and to waive any informalities.

Please submit your bids on the attached form. They must be received at the office of the General Services Agency **no later than 3:00 p.m. on January 6, 2011.**

Any and all comments and suggestions are sincerely encouraged prior to the bid opening.

Barbara Adams
Buyer – GSA Purchasing
beadams@co.slo.ca.us

TO: ALL PROSPECTIVE BIDDERS

SUBJECT: LOCAL BIDDERS PREFERENCE

The County of San Luis Obispo has established a local vendor preference. All informal and formal bids for contracts will be evaluated with a 5% preference for local vendors. Note the following exceptions:

1. Those contracts which State Law requires be awarded to the lowest responsible bidder.
2. Public works construction projects.

A "local" vendor will be approved as such when, 1) It conducts business in an office with a physical location within the County of San Luis Obispo; 2) It holds a valid business license issued by the County or a city within the County; and 3) Business has been conducted in such a manner for not less than six (6) months prior to being able to receive the preference.

As of March 3, 1994 individual County Buyers evaluate bids considering the local vendor preference described above. The burden of proof will lie with bidders relative to verification of "local" vendor preference. Should any questions arise, please contact a buyer at (805) 781-5200. All prospective bidders are encouraged to quote the lowest prices at which you can furnish the items or services listed in County bids.

	YES	NO
Do you claim local vendor preference?		
Do you conduct business in an office with a physical location within the County of San Luis Obispo?		
Business Address: _____ _____		
Years at this Address: _____		
Does your business hold a valid business license issued by the County or a City within the County?		
Name of Local Agency which issued license: _____		

Business Name: _____

Authorized Individual: _____ Title: _____

Signature: _____ Dated: _____

TO: ALL PROSPECTIVE BIDDERS

**SUBJECT: POLICY ON PURCHASING PRODUCTS MADE WITH OR CONTAINING
CHLOROFLUOROCARBONS (CFC's)**

Summary

Many products contain chlorofluorocarbons (CFC's), a known depleter of ozone in the atmosphere. Under the U.S. Clean Air Act and the Montreal Protocol on Substances that Deplete the Ozone Layer, CFC production for use in industrialized nations is to be totally phased out by January 1, 1996. There are still many products on the market that contain CFC's or are made with CFC's. The Department of General Services, purchasing staff must identify products made with or containing CFC's and purchase alternative products whenever practical and possible.

Policy

To this end, it shall be the policy of the County of San Luis Obispo that all bidders, who wish to do business with the County are required to identify all products that contain CFC's or use CFC's in the manufacturing or shipping processes. Bidders are required to identify alternative products that do not use CFC's, for possible purchase by the County.

Bidder Response

	YES	NO
Do any products offered herein contain CFC's or use CFC's in the manufacturing or shipping process?		
If yes, please offer an alternative product by copying bid forms and submitting an alternate bid. Will you offer an alternate?		
Please provide any other information that may be helpful to the County. Attachments are acceptable.		

Bidder: _____

GENERAL CONDITIONS AND INSTRUCTIONS

1. All bids submitted by Seller to Purchaser should be submitted upon the attached bidder's form, completed and signed, (only typewritten or ink shall be accepted with no erasures or corrections unless properly authenticated by signature) in accordance with the instructions contained herein.
2. The issuance of this bid request creates no obligation on the part of the County and the County reserves the unconditional right at its option to either reject all bids or waive any irregularities or informalities therein. Each bid shall be in a separate sealed envelope with the bid number, name of bidder, title of the bid, date and time due showing on the outside of the envelope.
3. All prices must be firm for 45 days from the date of the bid opening and be inclusive. Upon award, prices will be in effect for the term of the contract.
4. If you offer any prompt payment discounts, please indicate this on your bid.
5. Awards will be made to realize the greatest savings to the County. Award may be made to one (1) or more than one vendor.
6. Submission of a signed bid will be interpreted to mean that the bidder has thereby agreed to all conditions, instructions, descriptions and specifications contained herein.
7. All materials included in the contract shall be in compliance with all Federal and State OSHA laws.
8. All applicable City, State, and Federal taxes and fees are to be included in the proposal.
9. The only terms that will be honored are those terms included in general and special conditions and instructions, purchase order or other documents issued by the County.
10. In the event of any conflicts or ambiguities between these instructions and State or Federal laws, regulations or rules, then the latter shall prevail.
11. Only one bid will be accepted per vendor.
12. Bidders may withdraw their bid either personally, by written request, or by telegraphic request confirmed in the manner specified above at any time prior to the scheduled closing time for receipt of bids. No bidder may withdraw their bid after the time set for the opening.
13. All time limits stated are of the essence. Any bids received after closing time stipulated will be returned unopened.

14. All bids must be submitted in a manner so they can be readily hole punched and placed in a standard legal size file folder.
15. The County may make partial payments after a substantial portion of the merchandise has been delivered. On all items, a 10% retention will be withheld until all merchandise has been accepted.
16. Brand names are used to establish a level of quality only. Any alternates must be approved five (5) days prior to the bid opening date, by the Buyer, who will have the sole right to make the determination. If an alternate is submitted without going through the above- described process, the County will have the sole right to decide whether or not an alternate is acceptable.
17. Vendor agrees that it will not discriminate against any employee or applicant for employment because of race, color, religion, sex or national origin and that it will comply with the "Contractor's Agreements" provisions of Presidential Executive Order No. 11246.
18. **NO FAXED** Bids will be accepted.
19. Return bid by January 6, 2011 at 3:00 p.m. to:

COUNTY OF SAN LUIS OBISPO
GENERAL SERVICES AGENCY
BARBARA ADAMS, BUYER
1087 SANTA ROSA STREET
SAN LUIS OBISPO, CALIFORNIA 93408

SPECIAL TERMS, CONDITIONS AND INSTRUCTIONS

It is the intent of these specifications to describe New and Unused Trucks equivalent in style, quality and appointments to those offered of standard manufacture. The vehicles shall be supplied with all new equipment and accessories indicated as standard equipment in the manufacturer's published literature. All equipment/options are to be factory installed. If some equipment/options are not available from the factory, dealer installation may be acceptable if specified as dealer installed in the bid response and accepted by the County.

1. Deviations: The specifications describe minimum or average requirements. Minor deviations from specifications may be acceptable provided that the operating capacities or characteristics of the vehicles are not adversely affected. Such deviations are to be submitted in writing with the bid submission and the County reserves the right to make the final determination as to whether or not any deviations are acceptable.
2. Regulations: All equipment and accessories shall meet OSHA, Department of Industrial Safety and California Highway Patrol regulations. The following regulations are a partial listing of regulations which may be in effect at the closing of the bid are incorporated to the extent applicable. Seller is responsible for ensuring that the vehicles offered meet all applicable laws including but not limited to:

Department of Transportation, Federal Highway Administration, 49 CFR - Motor Carrier Safety Regulations
Federal Motor Vehicle Safety Regulations and Standards
U.S. Environmental Protection Agency - Federal Energy Administration, 1984 Gas Mileage Guide, California
California Vehicle Code
California Administrative Code
3. Shipping Terms: All prices quoted are to be FOB Destination, no additional Freight charges. Bids quoting otherwise may be rejected.
4. Weight Certificates: If required by DMV to register the vehicle, **weight certificates must be submitted by the vendor upon final delivery of the vehicle.**
5. Fuel: **Each vehicle shall be delivered with a full tank of manufacturer's recommended fuel.**
6. Licensing and Registration: The County may elect to register vehicles supplied under this bid. In this case, the seller shall provide ownership documents, free and clear. In the event that the County elects to have the seller provide vehicle registration service, the seller will provide this service with no additional fees. In this case, the County will provide an exact registration address on the Purchase Order.
7. Warranty: Standard manufacturer's warranties are to be provided and listed for each vehicle. The County's established preventive maintenance procedures and practices shall be accepted in lieu of the manufacturer/dealer's prescribed procedures. This provision shall also apply to any extended warranties.

Special body and equipment warranties shall be a minimum of one year from date of acceptance and include all parts and labor.

All of the above mentioned warranty literature shall be included with the vehicle at the time of delivery.

Warranty offers are important and may be considered in the evaluation of the bids.

8. Manufacturers Literature: One copy of the vehicle owners/operators manual, any other instructions for operation and any other supporting literature is required for each vehicle.

One copy of equipment operating instructions, a complete and current parts list and all other supporting literature is required for all equipment added to a vehicle.

All of the above mentioned manufacturers' literature shall be included with the vehicle at the time of delivery.

9. Award: The County reserves the right to award to one vendor for all vehicles, or to split the award to more than one vendor in order to achieve the best mix of vehicles to meet County requirements for the equipment in place and use. There is no guarantee as to the quantity of vehicles the County will purchase.
10. Delivery: All units are to be delivered F.O.B. Destination to the County Garage, Fleet Services, County Operational Center, 1355-A Kansas Avenue, San Luis Obispo, CA 93401. Final acceptance of vehicles for conformance with the specifications will be made only by the Fleet Manager. Final acceptance will be made within 20 days of receipt of the vehicles.
11. Additional Vehicles: The County may utilize bid results to purchase vehicles and negotiate pricing for additional multiple years with the approval of the County and the vendor.
12. Three sets of keys shall be furnished with each vehicle. A warranty and Owner's instruction manual shall be furnished with each model group.

FINAL COST TO THE COUNTY

The County will award bids based on the bid cost only. Additional charges will not be accepted nor paid by the County. Smog check fees, destination charges, shipping charges, documentation fees, and dealer prep fees may not be charged by the dealer.

FLEET INFORMATION

The County Ford Fleet I.D. #QB495 and General Motors Fleet I. D. #626129.

VEHICLE CLASSIFICATION

The County uses the U.S. Environmental Protection Agency Fuel Economy Guide to determine vehicle class size.

OTHER STANDARD EQUIPMENT (continued):

DEVIATIONS

Corrosion protection	Yes	<hr/>
Fire Extinguisher	County Standard, General TCP5J with Heavy Duty Mount	<hr/>
Emergency Kit	Reflector Type	<hr/>
Undercoating	Yes	<hr/>

COLORS:

Exterior	National School Bus Yellow	<hr/>
Interior	Tan or gray, trim standard	<hr/>

TIRES:

Spare Tire Mount	Standard	<hr/>
Tires	Seven (7) each black wall tires, LT 225/70R X 19.5F	<hr/>
Wheels	Standard, 19.5" steel	<hr/>

UTILITY BED:

The truck is to come complete with one of the following, Low Profile, or equal beds:

- Scelzi Enterprises #SSBD108 V 33
- Royal Truck Body #33-VDO-108

Dimensions: Bed is to be approximately 33" high by 89" wide by 108" long. Compartments to be a minimum of 19" deep, interior of bed to be not less than 49" wide.

Construction: The bed is to be low profile style with a vertical arrangement of doors on the street side and a horizontal arrangement on the curb side, both sides to have non-top opening compartments. All doors are to be double panel, 16 gauge outer panel, 18 gauge inner panel.

Floor: To be of 11 gauge or better diamond plate steel.

Compartments: All compartments are to be weather tight and keyed alike. Doors to be sealed with automotive type neoprene rubber seals. Side compartments are to have adjustable galvanized metal shelves, two each. Side compartments are to have a full length drip rail with a good quality weather stripping.

Rear Platform/Bumper: Rear of bed to be fitted with an 18" wide work platform with a "V" channel incorporated into the top surface for pipe work. A heavy duty 6" pipe vice shall be mounted into the right hand side of the work surface in such a manner as to allow the pipe to lay in the "V" groove while being held in the vice. A standard step bumper shall be mounted on work platform.

Crane: The bed to is to come complete with a 3,200# crane mounted on top of the right rear bed compartment. The bed is to be fitted with an appropriate outrigger to assist in support of the crane when in use. Right rear spring pack shall have an additional spring added to accommodate the weight of the crane.

**County of San Luis Obispo Invitation to Bid #3512-10 December 13, 2010 Page 10
NEW AND UNUSED TRUCKS**

UTILITY BED (continued):

DEVIATIONS

The supplied crane shall be a 3,200 pound capacity, power rotation, power extension, "Auto Crane, Model 3203PRX" or "Palfinger Model PSC 1100." The crane shall include a master shut off switch mounted in the rear compartment under the crane and a removable remote control head on at least 12' of cable.

Cab Protector: Front of bed shall be fitted with a cab height, expanded metal, protector screen to shield the truck cab

Lights: The cab shield is include an adjustable sealed beam work light mounted on each side, two round amber rotating beacons mounted on top and two rear facing work lights. Lights on cab shield shall be wired to four fused switches mounted below dashboard. Each work light shall have a separate switch with a common switch for the two rotating beacons and one for the rear facing lights. All switches should be lighted or have separate indicator lights showing use.

Bed Finish: All exposed metal surfaces cleaned and treated with a suitable metal etching or preparation solution and coated with at least one coat of a premium primer/undercoat then painted with at least one coat of a premium gloss acrylic enamel, school bus yellow per FED-STD-595 color; Acme color No. 85-43350-Y.

This vehicle will be operated in coastal and high alkali areas which require a superior paint finish. **An inferior or incomplete paint job will not be accepted.**

Weight Certificate:

One

DELIVERY:

Complete unit shall be delivered to the Fleet Services Shop at 1355A Kansas Ave., SLO.
Any questions regarding delivery or construction shall be directed to Scott Wetmore at (805) 781-5288.

Three sets of keys shall be furnished with each vehicle.

WARRANTY: (Minimum Requirement)

36 month/36,000 miles minimum "Bumper to Bumper"
60 Month/100,000 Miles power train

TRUCK MAKE: _____ MODEL YEAR & NAME: _____

WARRANTY PERIOD: _____ MODEL NO: _____

	<u>UNIT COST</u>	<u>TOTAL PRICE</u>
Vehicle as Specified	\$ _____	\$ _____
8 ¼ % Sales Tax:		\$ _____
Total Bid Price:		\$ _____

VIEWS OF CURRENT BED



County of San Luis Obispo Invitation to Bid #3512-10 December 13, 2010 Page 13
NEW AND UNUSED TRUCKS

UTILITY BED:

DEVIATIONS

The truck is to come complete with one of the following, Low Profile, or equal beds:

- Scelzi Enterprises # SSBD-108-94-H 38
- Royal Truck Bodies..... # 40-VDO-108

Dimensions: Bed is to be approximately 38" high by 94" wide by 132" long. Compartments to be a minimum of 19" deep, interior of bed to be not less than 52" wide.

Construction: The bed is to have a vertical arrangement of doors forward and aft and horizontal arrangement in center of box as follows:
(Inside measurements)
Driver side front: vertical double door 34" wide, single door 24" wide,
Horizontal single door 50"x 18" high, driver side aft: single door 24" wide
Passenger Side front: vertical double door 34" wide, single door 24" wide,
Horizontal single door 74" wide 18" high, back compartment below, 24" wide, 19" high.
Both sides to have **non-top** opening compartments with an aluminum diamond plate.
All doors are to be double panel, 16 gauge outer panel, 18 gauge inner panel.
Tail Gate: Heavy duty fold down style, 12" high with single T-bar handle latch.
On Top of Utility box on both sides are to have full length sign post bins with metal mesh sides and a 10 gauge diamond plate steel top, welded to 1/4" angle iron bracing on the outside of bin. Bins shall have solid steel plate in front and an opening in back with the following dimensions: 11' long, Inside width 15", Minimum 22" in height (must be higher than the cab door height when opened)
Bins shall be securely bolted to utility box. (See attached pictures)

Floor: To be of 12 gauge or better diamond plate steel.

Compartments: All compartments are to be weather tight and keyed alike. Doors to be sealed with automotive type neoprene rubber seals. Side compartments are to have adjustable galvanized metal shelves, two each. Side compartments are to have a full length drip rail with a good quality weather stripping.

Inverter: For additional electrical power generation, a dynamic, 120V AC, power inverter capable of continuous operation, at a rated output of not less than 4,000 watts, shall be supplied and installed in driver side rear compartment.

Mounting: The inverter shall be mounted securely on the top shelf of the left (driver side), rear compartment. The shelf shall be reinforced and permanently mounted to support the weight of the inverter. This compartment shall be vented to allow adequate airflow as per the inverter manufacturers recommendation. The louvers shall be rain resistant and guarded from road splash.

Electrical outlets: One, 120-volt external duplex, weather resistant, receptacles with flip up weather caps obtaining power source from inverter mounted on the drivers side outside rear of utility box

UTILITY BED (continued):

DEVIATIONS

Battery: The inverter shall be connected directly to the second battery that is inside the engine compartment. This additional 625 C.C.A battery shall be isolated from the remaining electrical system other than it shall be charged by the vehicle alternator, and is dedicated solely for the purpose of providing power to the inverter.

Conduit: All conduit to receptacles shall be water proof, vinyl coated metal and connected boxes with steatite fitting. All outlets shall be GFCI protected. Outlets shall have circuit breaker protection from a panel independent of the circuit breakers in the inverter.

Trailer Hitch: Receiver Hitch, Frame Mount with 2 x2" Opening, 10,000# GVWR, with Ball Mount Rated 5,000 / 500 at 18" from ground to Top of Mount, 2" Chrome Ball

Trailer Package: Rear Bumper to be fitted with 6 Pole Trailer Plug

Cab Protector: Weather Guard or equal
Front of bed is to be fitted with a cab height, expanded metal, protector screen to shield the truck cab.

Lights: The cab shield is to include an adjustable sealed beam work light mounted on each side, 2 rear facing stationary sealed beam work lights and two round amber rotating beacons mounted on top. Lights on cab shield shall be wired to four fused switches mounted in dash board. Each side work light shall have a separate switch, with a common switch for the two rear facing work lights and one switch for the beacons All switches should be lighted or have separate indicator lights showing use.

COLORS:

Exterior: National School Bus Yellow with a clear coat

Interior: Tan or Gray, Trim Standard

Bed: National School Bus Yellow

Bed Finish: All exposed metal surfaces shall be cleaned and treated with a suitable metal etching or preparation solution and coated with at least one coat of a premium primer/undercoat then painted with at least one coat of a premium gloss acrylic enamel or polyurethane, school bus yellow. With the exception that:

1. Underside of bed and frame rails may be black.
 2. Interior shelves of compartments may be galvanized or painted a different color.
-

This vehicle will be operated in coastal and high alkali areas which require a superior paint finish. **An inferior or incomplete paint job will not be accepted.**

WEIGHT CERTIFICATE

One

TIRES:

Spare Tire Mount: Standard

Tires: Seven (7) Each Black wall Tires, LT 245/ 75 R17, 6 Ply

Wheels: Standard

DELIVERY:

Complete unit shall be delivered to the Fleet Services Shop at 1355A Kansas Ave., SLO.
Any questions regarding delivery or construction shall be directed to Scott Wetmore at (805) 781-5288.

Three sets of keys shall be furnished with each vehicle.

WARRANTY: (Minimum Requirement)

36 month/36,000 miles minimum "Bumper to Bumper"
60 Month/100,000 Miles power train

TRUCK MAKE: _____ MODEL YEAR & NAME: _____

WARRANTY PERIOD: _____ MODEL NO: _____

	<u>UNIT COST</u>	<u>TOTAL PRICE</u>
Vehicle as Specified	\$ _____	\$ _____
	8 ¼ % Sales Tax:	\$ _____
	Total Bid Price:	\$ _____

VIEWS OF CURRENT BED



VIEWS OF CURRENT BED (continued)



County of San Luis Obispo Invitation to Bid #3512-10 December 13, 2010 Page 18
NEW AND UNUSED TRUCKS

UTILITY BED:

DEVIATIONS

The truck is to come complete with one of the following, Low Profile, or equal beds:

- Scelzi Enterprises # SSBD108v33
 - Royal Truck Bodies..... # 33-VDO-108
-

Dimensions: Bed is to be approximately 33" high by 89" wide by 108" long. Compartments to be a minimum of 20" deep, interior of bed to be not less than 49" wide.

Construction: The bed is to be low profile style with vertical arrangement of doors forward and aft and horizontal arrangement in center of box. Both sides to have **non**-top opening compartments with an aluminum diamond plate on top. All doors are to be double panel, 16 guage outer panel, 18 guage inner panel. Tail Gate: Heavy duty fold down style, 12" high with single T-bar handle latch.

Floor: To be of 12 guage or better diamond plate steel.

Compartments: All compartments are to be weather tight and keyed alike. Doors to be sealed with automotive type neoprene rubber seals. Side compartments are to have adjustable galvanized metal shelves, two each. Side compartments are to have a full length drip rail with a good quality weather stripping.

Trailer Hitch: Receiver Hitch, Frame Mount with 2 x2" Opening, 10,000# MGTWR, with Ball Mount Rated 5,000 / 500 at 18" from ground to Top of Mount, 2" Chrome Ball

Trailer Package: Rear Bumper to be fitted with Factory Standard Tow with a 6 Pole Trailer Plug

Cab Protector: Weather Guard or equal
Front of bed is to be fitted with a cab height, expanded metal, protector screen to shield the truck cab.

Lights: The cab shield is to include an adjustable sealed beam work light mounted on each side, two rear facing sealed beam work lights and a "Meteorlite model SY9385-A" or equal, 24" wide amber light bar, mounted on top. Lights on cab shield shall be wired to four fused switches mounted in dashboard. Each side work light shall have a separate switch, with a common switch for the two rear facing work lights and one switch for the 22' light bar. All switches should be lighted or have separate indicator lights showing use.

COLORS:

- Exterior: National School Bus Yellow with a clear coat
 - Interior: Gray, Trim Standard
 - Bed: National School Bus Yellow
-

Bed Finish: All exposed metal surfaces shall be cleaned and treated with a suitable metal etching or preparation solution and coated with at least one coat of a premium primer/undercoat then painted with at least one coat of a premium gloss acrylic enamel or polyurethane, school bus yellow. With the exception that:

1. Underside of bed and frame rails may be black.
2. Interior shelves of compartments may be galvanized or painted a different color.

**County of San Luis Obispo Invitation to Bid #3512-10 December 13, 2010 Page 19
NEW AND UNUSED TRUCKS**

This vehicle will be operated in coastal and high alkali areas which require a superior paint finish. **An inferior or incomplete paint job will not be accepted.**

TIRES:

Spare Tire Mount: Standard _____
Tires: Seven (7) Each Black wall Tires, LT 245/ 75 R17, 6 Ply _____
Wheels: Standard _____

WEIGHT CERTIFICATE

One _____

DELIVERY:

Complete unit shall be delivered to the Fleet Services Shop at 1355A Kansas Ave., SLO.
Any questions regarding delivery or construction shall be directed to Scott Wetmore at (805) 781-5288.

Three sets of keys shall be furnished with each vehicle

WARRANTY: (Minimum Requirement)

36 month/36,000 miles minimum "Bumper to Bumper"
60 Month/100,000 Miles power train

TRUCK MAKE: _____ MODEL YEAR & NAME: _____

WARRANTY PERIOD: _____ MODEL NO: _____

	<u>UNIT COST</u>	<u>TOTAL PRICE</u>
Vehicle as Specified	\$ _____	\$ _____
	8 ¼ % Sales Tax:	\$ _____
	Total Bid Price:	\$ _____

CUSTOM CONE BODY:

DEVIATIONS

The truck is to come complete with a Custom Cone Body from one of the following Truck Body Manufactures:

TRAF-Tech Traffic Management Equipment
Scelzi Enterprises Inc.
Western Truck Fabrication, Inc.
ROADLINE Products Inc.

Truck Cone Body shall be 8' x 12' and to include:

Two Seat Well Compartments/Man Baskets approximately 50" L x 24" W x 17"D with Waterproof high back seats that have reversible mounts with seat belts. 3/16" steel diamond plate floor, Double wall 3/16" smooth steel sides, front and back.

Rear of body (behind Seat Wells) shall be approximately 80" long x 96" wide enclosed with 16" tall fixed sides, 3/16" steel smooth side with channel on top, 3/16" smooth steel floor

- Tie down hooks are to be place on the fixed sides at top to the four corners and on both sides in the center, welded to support members.
- All Stainless steel or grade 8 fasteners and shafts
- 4" Cross Members on 16" centers for floor
- Minimum 10 gauge gal anneal smooth sides with full length side skirting, wheel well cut-outs
- Stainless steel wheel well trim
- 16" high rear fold down gate, steel smooth
- 16" high front perforated removable panel
- Two rear underbody boxes, double panel doors, stainless steel three point twist handles compartments are to be weather tight and keyed alike. Doors to be sealed with automotive type neoprene rubber seals.
- 8" perforated step bumper
- Recessed LED tail and clearance lights, recessed incandescent back-up lights undersealed and painted yellow
- Recessed fuel filler box
- Frame Mounted Class 4 receiver hitch with six pole trailer plug

Cab Protector
Light Rack: Two Amber Strobe beacons, one on each side of an Arrow Board 24" x 48" 15 LED light with 180 degree power rotation, mounted on fixed rack behind cab. Perforated Headboard 10 Gauge. Three shovel/bar racks mounted on rack, accessible from side of truck.

Lights: The cab shield is to include 2 rear facing stationary sealed beam work lights. All lights and Arrow Board shall be wired to fused switches mounted in Dash board. A common switch for the two rear facing work lights, one switch for the beacons and the control switches (Box) for the Arrow Board. All switches should be lighted or have separate indicator lights showing use.

COLORS:

Exterior: National School Bus Yellow with a clear coat
Interior: Tan or Gray, Trim Standard
Bed: National School Bus Yellow

Bed Finish: All exposed metal surfaces shall be cleaned and treated with a suitable metal etching or preparation solution and coated with at least one coat of a premium primer/undercoat then painted with at least one coat of a premium gloss acrylic enamel or polyurethane, school bus yellow. With the exception that:

**County of San Luis Obispo Invitation to Bid #3512-10 December 13, 2010 Page 22
NEW AND UNUSED TRUCKS**

1. Underside of bed and frame rails may be black.
2. Interior shelves of compartments may be galvanized or painted a different color.

This vehicle will be operated in coastal and high alkali areas which require a superior paint finish. **An inferior or incomplete paint job will not be accepted.**

TIRES:

Spare Tire Mount: Standard
Tires: Seven (7) Each Black wall Tires, LT 245/ 75 R17, 6 Ply
Wheels: Standard

WEIGHT CERTIFICATE:

One

Full one year warranty on materials, craftsmanship and function

For Truck Cone Body

DELIVERY:

Complete unit shall be delivered to the Fleet Services Shop at 1355A Kansas Ave., SLO.
Any questions regarding delivery or construction shall be directed to Scott Wetmore at (805) 781-5288.

Three sets of keys shall be furnished with each vehicle

WARRANTY: (Minimum Requirement)

36 month/36,000 miles minimum "Bumper to Bumper"
60 Month/100,000 Miles power train

TRUCK MAKE: _____ MODEL YEAR & NAME: _____

WARRANTY PERIOD: _____ MODEL NO: _____

	<u>UNIT COST</u>	<u>TOTAL PRICE</u>
Vehicle as Specified	\$ _____	\$ _____
8 ¼ % Sales Tax:		\$ _____
Total Bid Price:		\$ _____

VIEWS OF CURRENT BED



VIEWS OF CURRENT BED (continued)



**County of San Luis Obispo Invitation to Bid #3512-10 December 13, 2010 Page 25
NEW AND UNUSED TRUCKS**

The undersigned agrees to:

Deliver FOB San Luis Obispo to Fleet Services, 1355-A Kansas Avenue, San Luis Obispo, CA 93401, the vehicles itemized below and in accordance with the Specifications attached. All equipment to be new and unused of the latest model year and all attachments shall be compatible with the vehicles proposed.

All equipment and accessories shall comply with the applicable State and Federal Codes, Regulations and Requirements.

Equipment shall be delivered serviced and ready to operate and in accordance with the vehicle checklist.

Bid Summary

ITEM	SPEC	QUANTITY	UNIT COST	8.25 % SALES TAX	TOTAL BID PRICE
1	A	1 each	\$ _____	\$ _____	\$ _____
2	Extended Warranty As Specified		\$ _____	N/A	\$ _____
3	B	1 each	\$ _____	\$ _____	\$ _____
4	Extended Warranty As Specified		\$ _____	N/A	\$ _____
5	C	1 each	\$ _____	\$ _____	\$ _____
6	Extended Warranty As Specified		\$ _____	N/A	\$ _____
7	D	1 each	\$ _____	\$ _____	\$ _____
8	Extended Warranty As Specified		\$ _____	N/A	\$ _____

PAYMENT TERMS: _____

DATE OF DELIVERY: _____

Authorized Official Name (Print) _____

Authorized Official Title (Print) _____

Signature _____

Firm Name _____

Address _____

City _____ State _____ Zip Code _____

Telephone _____ FAX _____

Federal Taxpayer ID# _____

**BIDS MUST BE RECEIVED BY 3:00 P.M., JANUARY 6, 2011 AND
WILL BE OPENED IN THE OFFICE OF THE GENERAL SERVICES AGENCY
Bid #3512-10**

**GENERAL SERVICES DEPARTMENT
 COUNTY GARAGE
 VEHICLE INSPECTION CHECKLIST**

NEW VEHICLES WILL NOT BE ACCEPTED UNTIL THE CONTRACT VENDOR HAS PERFORMED THE PRE-DELIVERY SERVICE ON THE VEHICLE IN ACCORDANCE WITH THIS LISTING OR OTHER INDUSTRY APPROVED CHECKLIST.

<p><u>UNDER HOOD – ENGINE OFF</u></p> <p>Engine oil level; Steering gear housing fluid level; Brake master cylinder fluid level; Radiator coolant level; Battery fluid level; Drive belt tensions; Battery voltage & load-voltage drop; Ignition system; Fuel injection system.</p>	<p><u>ON INSIDE</u></p> <p>Operation of lights, turn signals, stop signals, horn, courtesy lights, oil pressure & alternator warning lights; Front seat control-Operation (manual or power); Station wagon rear seat & floor - operation; Windows & vents-operation & fit; Glass condition; Cigarette lighter-install & test.</p>
<p><u>UNDER HOOD – ENGINE OPERATING</u></p> <p>Automatic transmission fluid level.</p>	<p><u>ON HOIST – OR UNDERSIDE</u></p> <p>Axle fluid level; Hydraulic lines, fittings, connections & components on underside for leaks; Tire pressure; Steering linkage & connections.</p>
<p><u>UNDER HOOD – ENGINE OPERATING & HOT</u></p> <p>Initial ignition timing; Alternator & voltage regulator operation.</p>	<p><u>ALIGNMENT STALL</u></p> <p>Front wheel toe-in.</p>
<p><u>OTHER OPERATIONS</u></p> <p>Engine cold and hot idle speeds; Hydraulic lines, fittings, connections & components for leaks; Fuel system for leaks.</p>	<p><u>ROAD TEST</u></p> <p>Neutral switch-operation (automatic transmission); Parking brake-operation; Horn, windshield wipers & washers-operation; Heater & air vents-operation; Brake-operation; Transmission shift level-operation; Automatic transmission shift timing & quality; Accelerator pedal-operation; Engine performance; Drive belts; Steering control; Squeaks, rattles & wind noise; Speedometer, odometer, fuel & temperature gauge-operation; Other operational equipment-operation.</p>

**GENERAL SERVICES DEPARTMENT
COUNTY GARAGE
VEHICLE INSPECTION CHECKLIST**

<u>ON OUTSIDE</u>	<u>AFTER ROAD TEST</u>
Latches, keys & locks-operation; Hand, deck & door panels for fit & alignment; Bumpers & moldings-alignment; Weather strips-adhesion & fit; Wheel nut torques; Five gallons of fuel in fuel tank.	Wash vehicle & check for leaks; Inspect for interior & exterior metal paint damage; Check soft trim for soilage & excess sealer.

County Contact: Rocky Buoy, (805) 781-2459

Vehicle warranty shall be the standard warranty furnished by the manufacturer of the vehicle supplied. All vehicles covered by factory warranty shall be corrected by contractor, or any factory authorized dealer for that vehicle, at cost to the agency.

The checklist was completed by:

VENDOR NAME: _____

VENDOR EMPLOYEE NAME: _____

DATE: _____

FOR VEHICLE MAKE & MODEL: _____