



C o u n t y o f S a n L u i s O b i s p o  
**GENERAL SERVICES AGENCY**

Janette D. Pell, Director

---

Helen McCann, Department Administrator

**INVITATION TO BID #3541-11  
NEW AND UNUSED TRUCKS**

September 22, 2010

The County of San Luis Obispo is currently soliciting bids for New and Unused Trucks as noted.

Each bid shall specify each and every item as set forth in the attached specifications. Any and all exceptions must be clearly stated in the bid. Failure to set forth any item in the specifications shall be grounds for rejection. The County of San Luis Obispo reserves the right to reject all bids and to waive any informalities.

Please submit your bids on the attached form. They must be received at the office of the General Services Agency **no later than 3:00 p.m. on October 13, 2011.**

All questions pertaining to the content of this Request for Proposal must be made in writing via e-mail to Barbara Adams at: [beadmas@co.slo.ca.us](mailto:beadmas@co.slo.ca.us). All questions will receive a response within five (5) business days. The question and its response will be posted (anonymously) on the County's Purchasing web site located at [http://www.slocounty.ca.gov/GSA/Purchasing/Current\\_Formal\\_Bids\\_and\\_Proposals.htm](http://www.slocounty.ca.gov/GSA/Purchasing/Current_Formal_Bids_and_Proposals.htm). The County reserves the right to determine the appropriateness of comments/questions that will be posted on the website.

Any and all comments and suggestions are sincerely encouraged prior to the bid opening.

Barbara Adams  
Buyer – GSA Purchasing  
[beadams@co.slo.ca.us](mailto:beadams@co.slo.ca.us)

**NEW AND UNUSED TRUCKS**

**TO: ALL PROSPECTIVE BIDDERS**

**SUBJECT: LOCAL BIDDERS PREFERENCE**

The County of San Luis Obispo has established a local vendor preference. All informal and formal bids for contracts will be evaluated with a 5% preference for local vendors. Note the following exceptions:

1. Those contracts which State Law requires be awarded to the lowest responsible bidder.
2. Public works construction projects.

A "local" vendor will be approved as such when, 1) It conducts business in an office with a physical location within the County of San Luis Obispo; 2) It holds a valid business license issued by the County or a city within the County; and 3) Business has been conducted in such a manner for not less than six (6) months prior to being able to receive the preference.

As of March 3, 1994 individual County Buyers evaluate bids considering the local vendor preference described above. The burden of proof will lie with bidders relative to verification of "local" vendor preference. Should any questions arise, please contact a buyer at (805) 781-5200. All prospective bidders are encouraged to quote the lowest prices at which you can furnish the items or services listed in County bids.

	YES	NO
Do you claim local vendor preference?		
Do you conduct business in an office with a physical location within the County of San Luis Obispo?		
Business Address: _____ _____		
Years at this Address: _____		
Does your business hold a valid business license issued by the County or a City within the County?		
Name of Local Agency which issued license: _____		

Business Name: \_\_\_\_\_

Authorized Individual: \_\_\_\_\_ Title: \_\_\_\_\_

Signature: \_\_\_\_\_ Dated: \_\_\_\_\_

**NEW AND UNUSED TRUCKS**

**TO: ALL PROSPECTIVE BIDDERS**

**SUBJECT: POLICY ON PURCHASING PRODUCTS MADE WITH OR CONTAINING CHLOROFLUOROCARBONS (CFC's)**

Summary

Many products contain chlorofluorocarbons (CFC's), a known depleter of ozone in the atmosphere. Under the U.S. Clean Air Act and the Montreal Protocol on Substances that Deplete the Ozone Layer, CFC production for use in industrialized nations is to be totally phased out by January 1, 1996. There are still many products on the market that contain CFC's or are made with CFC's. The Department of General Services, purchasing staff must identify products made with or containing CFC's and purchase alternative products whenever practical and possible.

Policy

To this end, it shall be the policy of the County of San Luis Obispo that all bidders, who wish to do business with the County are required to identify all products that contain CFC's or use CFC's in the manufacturing or shipping processes. Bidders are required to identify alternative products that do not use CFC's, for possible purchase by the County.

Bidder Response

	YES	NO
Do any products offered herein contain CFC's or use CFC's in the manufacturing or shipping process?		
If yes, please offer an alternative product by copying bid forms and submitting an alternate bid. Will you offer an alternate?		
Please provide any other information that may be helpful to the County. Attachments are acceptable.		

Bidder: \_\_\_\_\_

**NEW AND UNUSED TRUCKS****GENERAL CONDITIONS AND INSTRUCTIONS**

1. All bids submitted by Seller to Purchaser should be submitted upon the attached bidder's form, completed and signed, (only typewritten or ink shall be accepted with no erasures or corrections unless properly authenticated by signature) in accordance with the instructions contained herein.
2. The issuance of this bid request creates no obligation on the part of the County and the County reserves the unconditional right at its option to either reject all bids or waive any irregularities or informalities therein. Each bid shall be in a separate sealed envelope with the bid number, name of bidder, title of the bid, date and time due showing on the outside of the envelope.
3. All prices must be firm for 45 days from the date of the bid opening and be inclusive. Upon award, prices will be in effect for the term of the contract.
4. If you offer any prompt payment discounts, please indicate this on your bid.
5. Awards will be made to realize the greatest savings to the County. Award may be made to one (1) or more than one vendor.
6. Submission of a signed bid will be interpreted to mean that the bidder has thereby agreed to all conditions, instructions, descriptions and specifications contained herein.
7. All materials included in the contract shall be in compliance with all Federal and State OSHA laws.
8. All applicable City, State, and Federal taxes and fees are to be included in the proposal.
9. The only terms that will be honored are those terms included in general and special conditions and instructions, purchase order or other documents issued by the County.
10. In the event of any conflicts or ambiguities between these instructions and State or Federal laws, regulations or rules, then the latter shall prevail.
11. Only one bid will be accepted per vendor.
12. Bidders may withdraw their bid either personally, by written request, or by telegraphic request confirmed in the manner specified above at any time prior to the scheduled closing time for receipt of bids. No bidder may withdraw their bid after the time set for the opening.
13. All time limits stated are of the essence. Any bids received after closing time stipulated will be returned unopened.

**NEW AND UNUSED TRUCKS**

14. All bids must be submitted in a manner so they can be readily hole punched and placed in a standard legal size file folder.
15. The County may make partial payments after a substantial portion of the merchandise has been delivered. On all items, a 10% retention will be withheld until all merchandise has been accepted.
16. Brand names are used to establish a level of quality only. Any alternates must be approved five (5) days prior to the bid opening date, by the Buyer, who will have the sole right to make the determination. If an alternate is submitted without going through the above- described process, the County will have the sole right to decide whether or not an alternate is acceptable.
17. Vendor agrees that it will not discriminate against any employee or applicant for employment because of race, color, religion, sex or national origin and that it will comply with the "Contractor's Agreements" provisions of Presidential Executive Order No. 11246.
18. **NO FAXED** Bids will be accepted.
19. Return bid by October 13, 2011 at 3:00 p.m. to:

COUNTY OF SAN LUIS OBISPO  
GENERAL SERVICES AGENCY  
BARBARA ADAMS, BUYER  
1087 SANTA ROSA STREET  
SAN LUIS OBISPO, CALIFORNIA 93408

## NEW AND UNUSED TRUCKS

## SPECIAL TERMS, CONDITIONS AND INSTRUCTIONS

It is the intent of these specifications to describe New and Unused Trucks equivalent in style, quality and appointments to those offered of standard manufacture. The vehicles shall be supplied with all new equipment and accessories indicated as standard equipment in the manufacturer's published literature. All equipment/options are to be factory installed. If some equipment/options are not available from the factory, dealer installation may be acceptable if specified as dealer installed in the bid response and accepted by the County.

1. Deviations: The specifications describe minimum or average requirements. Minor deviations from specifications may be acceptable provided that the operating capacities or characteristics of the vehicles are not adversely affected. Such deviations are to be submitted in writing with the bid submission and the County reserves the right to make the final determination as to whether or not any deviations are acceptable.
2. Regulations: All equipment and accessories shall meet OSHA, Department of Industrial Safety and California Highway Patrol regulations. The following regulations are a partial listing of regulations which may be in effect at the closing of the bid are incorporated to the extent applicable. Seller is responsible for ensuring that the vehicles offered meet all applicable laws including but not limited to:  
Department of Transportation, Federal Highway Administration, 49 CFR - Motor Carrier Safety Regulations  
Federal Motor Vehicle Safety Regulations and Standards  
U.S. Environmental Protection Agency - Federal Energy Administration, 1984 Gas Mileage Guide, California  
California Vehicle Code  
California Administrative Code
3. Shipping Terms: All prices quoted are to be FOB Destination, no additional Freight charges. Bids quoting otherwise may be rejected.
4. Weight Certificates: If required by DMV to register the vehicle, **weight certificates must be submitted by the vendor upon final delivery of the vehicle.**
5. Fuel: **Each vehicle shall be delivered with a full tank of manufacturer's recommended fuel.**
6. Licensing and Registration: The County may elect to register vehicles supplied under this bid. In this case, the seller shall provide ownership documents, free and clear. In the event that the County elects to have the seller provide vehicle registration service, the seller will provide this service with no additional fees. In this case, the County will provide an exact registration address on the Purchase Order.
7. Warranty: Standard manufacturer's warranties are to be provided and listed for each vehicle. The County's established preventive maintenance procedures and practices shall be accepted in lieu of the manufacturer/dealer's prescribed procedures. This provision shall also apply to any extended warranties.

Special body and equipment warranties shall be a minimum of one year from date of acceptance and include all parts and labor.

**All of the above mentioned warranty literature shall be included with the vehicle at the time of delivery.**

Warranty offers are important and may be considered in the evaluation of the bids.

**NEW AND UNUSED TRUCKS**

8. Manufacturers Literature: One copy of the vehicle owners/operators manual, any other instructions for operation and any other supporting literature is required for each vehicle.

One copy of equipment operating instructions, a complete and current parts list and all other supporting literature is required for all equipment added to a vehicle.

**All of the above mentioned manufacturers' literature shall be included with the vehicle at the time of delivery.**

9. Award: The County reserves the right to award to one vendor for all vehicles, or to split the award to more than one vendor in order to achieve the best mix of vehicles to meet County requirements for the equipment in place and use. There is no guarantee as to the quantity of vehicles the County will purchase.
10. Delivery: All units are to be delivered F.O.B. Destination to the County Garage, Fleet Services, County Operational Center, 1355-A Kansas Avenue, San Luis Obispo, CA 93401. Final acceptance of vehicles for conformance with the specifications will be made only by the Fleet Manager. Final acceptance will be made within 20 days of receipt of the vehicles.
11. Additional Vehicles: The County may utilize bid results to purchase vehicles and negotiate pricing for additional multiple years with the approval of the County and the vendor.
12. Three sets of keys shall be furnished with each vehicle. A warranty and Owner's instruction manual shall be furnished with each model group.

FINAL COST TO THE COUNTY

The County will award bids based on the bid cost only. Additional charges will not be accepted nor paid by the County. Smog check fees, destination charges, shipping charges, documentation fees, and dealer prep fees may not be charged by the dealer.

FLEET INFORMATION

The County Ford Fleet I.D. #QB495 and General Motors Fleet I. D. #626129.

VEHICLE CLASSIFICATION

The County uses the U.S. Environmental Protection Agency Fuel Economy Guide to determine vehicle class size.

DELIVERY

Complete unit shall be delivered to the Fleet Services Shop at 1355A Kansas Ave., SLO.

**Any questions regarding delivery or construction shall be directed to Scott Wetmore at (805) 781-5288.**

Three sets of keys shall be furnished with each vehicle.

**WARRANTY: (Minimum Requirement)**

36 month/36,000 miles minimum "Bumper to Bumper"

60 Month/100,000 Miles power train

**NEW AND UNUSED TRUCKS**

**SPECIFICATION A**

**DEPARTMENT:** Public Works & Transportation  
**REPLACING:** Vehicle Number: 1069  
**QUANTITY:** 1

It is the intent of this specification to describe a full-sized standard cab ½ ton pickup with a long-box, fleet-side style side bed, and 8 cylinder engine, factory trailer tow package w/receiver hitch and factory air conditioning. The truck is to be new, unused and the newest production year available. Leftover model year vehicles will not be considered. **Any deviations from these specifications shall be noted under the “Deviations” column or a separate sheet.**

**1.0 TRUCK CHASSIS:**

**DIMENSIONS AND CAPACITY:**

**DEVIATIONS**

Drive System:	2 Wheel Drive 4 x 2	_____
Towing Capacity:	9,800# - Minimum	_____
Fuel Tank:	30 Gallons – Minimum	_____
GVWR Rating:	8,200# – Minimum	_____
Payload Rating:	3,000# Heavy Duty Payload – Minimum	_____
Wheelbase:	144" – Approximate	_____
Bed Length:	8'	_____

**2.0 DRIVE TRAIN:**

Engine:	5.0L V8, 360HP-Minimum	_____
Transmission:	Automatic w/Overdrive	_____
Rear Axle Ratio:	3:73 Limited Slip	_____
Front & Rear Suspension:	Heavy Duty /Trailer Tow Package	_____
Transmission Cooling:	Oil Auxiliary Cooling System	_____

**3.0 OTHER EQUIPMENT:**

Air Conditioning:	Factory Standard	_____
Alternator:	145 Amps - Minimum	_____
Batteries:	650 C.C.A.	_____
Brakes:	Power 4 Wheel Anti-lock Disc	_____
Cooling System:	Heavy Duty for A/C-Towing	_____
Front Bumper:	Standard	_____
Seat:	Vinyl 40/20/40, w/Fold Down Center Counsel, Cup Holder/ Compartment	_____
Gauge Package:	Factory Standard	_____
Glass:	Tinted	_____
Mirrors:	Left & Right, 8" x 5" & Interior Rear View	_____

NEW AND UNUSED TRUCKS

Radio:	AM/FM, Factory Standard	_____
Rear Bumper:	Step, Painted, 2,000#	_____
Steering:	Power Rack-and-Pinion	_____
Trailer Connector:	Rear Bumper to be Fitted with Factory Standard Tow 7plug and 6 Pole Trailer Plug	_____
Fire Extinguisher:	County Standard, General TCPSS With Heavy Duty Mount, Installed Behind Seat	_____
Floor Mats:	Standard	_____
Trailer Hitch:	Receiver Type with 2" x 2" Opening, 5,000# Frame Mounted, with a Slide-in Mount at 18"H with a 2" Ball	_____
Bed:	A Popup or Flip Over Gooseneck Trailer Hitch with 2 5/16" Ball shall be Installed Meeting all Manufactures Recommendations	_____
Cab protector	<u>Weather Guard or equal:</u>	_____

Front of bed shall be fitted with a cab height, expanded metal, protector screen to shield truck cab. The cab shield is to include:

1. Adjustable sealed beam work light mounted on each side;
2. Two round amber rotating beacons mounted on top;
3. Two stationary rear facing sealed beam work lights.

Lights on cab shield shall be wired to four fused switches mounted in dashboard. Each side work-light shall have a separate switch, a common switch for the rotating beacons and a common switch for the rear facing work lights. All switches shall be lighted or have separate indicator showing light is in use.

Corrosion Protection: Yes, factory standard

**4.0 TIRES:**

Spare Tire Mount:	Outside Standard	_____
Tires:	Five (5), LT235/70RX17 Approximate	
Wheels:	Standard	_____

**5.0 FINISH AND COLORS:**

Exterior:	<b><u>National School Bus Yellow with a Clear Coat</u></b>	_____
Trim:	Standard	_____
Interior:	Gray or Tan	_____

**Three sets of keys shall be furnished with each vehicle**

NEW AND UNUSED TRUCKS

**6.0 Delivery:**

Complete unit shall be delivered to the Fleet Services Shop at 1355A Kansas Avenue, San Luis Obispo. **Any questions regarding delivery or construction shall be directed to Scott Wetmore at (805) 781-5288.**

Original "Dealer's Report of Sale" shall be furnished promptly to consignee at time of delivery of units covered by these specifications. Documents issued by the vendor and used for registration purposes must be signed by a responsible officer of the vendor with the title of the signer also indicated.

**7.0 WARRANTY: (Minimum Requirement)**

36 Month/36,000 Miles Minimum "Bumper to Bumper"  
60 Month/100,000 Miles Power Train

TRUCK MAKE: \_\_\_\_\_ MODEL YEAR & NAME: \_\_\_\_\_

WARRANTY PERIOD: \_\_\_\_\_ MODEL NO. \_\_\_\_\_

	<u>UNIT COST</u>	<u>TOTAL PRICE</u>
Vehicle as Specified	\$ _____	\$ _____
	7.25% Sales Tax:	\$ _____
	Total Bid Price:	\$ _____

NEW AND UNUSED TRUCKS

SPECIFICATION B

DEPARTMENT: Public Works & Transportation
REPLACING: Vehicle Number: 1056
QUANTITY: 1

It is the intent of this specification to describe a full-sized 3/4 ton, standard/regular cab pickup truck, with a long-box, fleet-side style side bed, and 8 cylinder gas engine, factory trailer tow package w/receiver hitch and factory air conditioning. The truck is to be new, unused and the newest production year available. Leftover model year vehicles will not be considered. Any deviations from these specifications shall be noted under the "Deviations" column or a separate sheet.

1.0 TRUCK CHASSIS:

DIMENSIONS AND CAPACITY:

DEVIATIONS

Wheelbase: 137" - Approximate
GVW Rating: 9,800# - Minimum
Payload: 4,000# - Minimum
Drive System: 2 Wheel Drive
Fuel Tank: 30 Gallons - Minimum
Bed: Length, 97" inside - Approximate
Width, 68" inside - Approximate

2.0 DRIVE TRAIN:

Engine: V8 Cyl, 5.7L, 360HP-Minimum
Transmission: 5 or 6 Speed Automatic w/Overdrive, Heavy Duty
Transmission Cooling: Oil Auxiliary Cooling System
Differential: 3.73/1 Ratio, Limited Slip
Shock Absorbers: Heavy Duty Front & Rear
Front & Rear Suspension: Heavy Duty/Trailer Tow Package

3.0 OTHER STANDARD & OPTIONAL EQUIPMENT:

Steering: Power
Brakes: Power with ABS
Alternator: 145 Amp - Minimum
Battery: 78 amps. Hr., 750 C.C.A. - Minimum
Front Bumper: Standard
Rear Bumper: Step, painted, 2000#
Trailer Hitch: Class IV Receiver with 2" x 2" Opening 5,000# Frame Mounted
Trailer Connector: Rear Bumper to be fitted with Factory Standard Tow, 7 Plug & 6 Pole Trailer Plug

NEW AND UNUSED TRUCKS

Cooling System:	Factory Heavy Duty for A/C	_____
Air Conditioning:	Factory Standard	_____
Gauge Package:	Oil Pressure, Temp, Voltage, Tachometer	_____
Glass:	Tinted	_____
Mirrors:	Left & Right, Telescoping for Towing	_____
Radio:	AM/FM, Factory Standard	_____
Front Seat:	Vinyl, Split Type with Fold Down Counsel w/Compartment	_____
Fire Extinguisher:	County Standard, General TCPSS With Heavy Duty Mount	_____
Floor Mats:	Standard	_____
Trailer Hitch:	Receiver Type with 2" x 2" Opening, 5,000# Frame Mounted, with a Slide-in Mount at 18" Height with a 2" Ball	_____

Cab Protector and Lighting: Weather Guard or equal:  
 Front of bed shall be fitted with a cab height, expanded metal, protector screen to shield truck cab. The cab shield is to include:

1. Adjustable sealed beam work light mounted on each side;
2. Two round amber rotating beacons mounted on top;
3. Two stationary rear facing sealed beam work lights.

Lights on cab shield shall be wired to four fused switches mounted in dashboard. Each side work-light shall have a separate switch, a common switch for the rotating beacons and a common switch for the rear facing work lights. All switches shall be lighted or have separate indicator showing light is in use.

**4.0 TIRES:**

Spare Tire Mount:	Outside Standard	_____
Tires:	Five (5), Each Blackwall Tires, LT245/75-R17	_____
Wheels:	Standard	_____

**5.0 FINISH AND COLORS:**

Exterior:	<b><u>National School Bus Yellow</u></b> <b><u>with a Clear Coat Finish, Trim Stnd</u></b>	_____
Interior:	Gray or Tan Vinyl	_____
Corrosion Protection:	Factory Standard	_____

This vehicle will be operated in coastal and high alkali areas which require a superior paint Finish. **An inferior or incomplete paint job will not be accepted.**

**Three sets of keys shall be furnished with each vehicle**

NEW AND UNUSED TRUCKS

**6.0 DELIVERY:**

Complete unit shall be delivered to the Fleet Services Shop at 1355A Kansas Avenue, San Luis Obispo. **Any questions regarding delivery or construction shall be directed to Scott Wetmore at (805) 781-5288.**

Original "Dealer's Report of Sale" shall be furnished promptly to consignee at time of delivery of units covered by these specifications. Documents issued by the vendor and used for registration purposes must be signed by a responsible officer of the vendor with the title of the signer also indicated.

**7.0 PUBLICATIONS:**

One copy of the parts book and catalogs, service manuals, installation manual, operator's manuals and any other pertinent materials covering the entire unit shall be furnished. A CD rom disk would be preferred over paper books if available.

**8.0 WARRANTY: (Minimum Requirement)**

36 Month/36,000 Miles Minimum "Bumper to Bumper"  
60 Month/100,000 Miles Power Train

TRUCK MAKE: \_\_\_\_\_ MODEL YEAR & NAME: \_\_\_\_\_

WARRANTY PERIOD: \_\_\_\_\_ MODEL NO. \_\_\_\_\_

	<u>UNIT COST</u>	<u>TOTAL PRICE</u>
Vehicle as Specified	\$ _____	\$ _____
7.25% Sales Tax:		\$ _____
Total Bid Price:		\$ _____

**NEW AND UNUSED TRUCKS**

**SPECIFICATION C**

**DEPARTMENT:** Public Works & Transportation  
**REPLACING:** Vehicle Number: 1084  
**QUANTITY:** 1

It is the intent of this specification to describe a full-sized ¾ ton 4x4, standard/regular cab pickup truck, with an 8’ utility service body, and 8 cylinder engine, factory tow package w/receiver hitch and factory air conditioning. The truck is to be new, unused and the newest production year available. Leftover model year vehicles will not be considered. **Any deviations from these specifications shall be noted under the “Deviations” column or a separate sheet.**

**1.0 TRUCK CHASSIS:**

**DIMENSIONS AND CAPACITY:**

**DEVIATIONS**

Wheelbase:	137” - Approximate	_____
GVWR Rating:	9,800# - Minimum	_____
Payload:	4,000# – Minimum	_____
Drive System:	4 Wheel Drive (Electronic Shift on the fly)	_____
Fuel Tank:	30 Gallons – Minimum	_____

**2.0 DRIVE TRAIN:**

Engine:	V8 Cyl, 5.7L, 360HP - Minimum	_____
Transmission:	5 or 6 Speed Automatic w/Overdrive	_____
Transmission Cooling:	Oil Auxiliary Cooling System	_____
Differential:	3.73/1 Ratio, Limited Slip	_____
Shock Absorbers:	Heavy Duty Front & Rear	_____
Front & Rear Suspension:	Heavy Duty	_____

**3.0 OTHER STANDARD & OPTIONAL EQUIPMENT:**

Steering:	Power	_____
Brakes:	Power with ABS	_____
Alternator:	145 Amp - Minimum	_____
Battery:	78 amps. Hr., 750 C.C.A. - Minimum	_____
Front Bumper:	Standard	_____
Rear Bumper:	Step, painted, 2,000#	_____
Trailer Connector:	Factory Standard	_____
Cooling System:	Factory Heavy Duty for A/C	_____
Air Conditioning:	Factory Standard	_____
Gauge Package:	Oil Pressure, Temp, Voltage, Tachometer	_____
Glass:	Tinted	_____
Mirrors:	Factory Standard	_____
Radio:	AM/FM, Factory Standard	_____

**NEW AND UNUSED TRUCKS**

Front Seat:	Vinyl, 40/20/40, Center Counsel Cup Holder w/Compartment	_____
Fire Extinguisher:	County Standard, General TCPSS With Heavy Duty Mount	_____
Floor Mats:	Standard	_____
Trailer Hitch:	Receiver Type with 2" x 2" Opening, 5,000# Frame Mounted, with a Slide-in Mount at 18" Height with a 2" Ball	_____
Trailer Package:	Rear Bumper to be Fitted with Factory Tow 7 Wire Harness and A-6 Pole Round Trailer Plug, (Standard No. TCP61F or equal)	_____

**4.0 UTILITY BED:**

Truck is to come complete with 8' Low Profile Utility Service Body in Lieu of a Standard Bed:

Layout:	Bed to have vertical and horizontal arrangement of doors as shown on pictures below. Both sides shall have <b>non-top</b> opening compartments with aluminum diamond plate steel on top	_____
Dimensions:	Approximately: 33"H x 98"L x 74"W	_____
Doors:	All doors shall be double panel, keyed alike with weather tight seals and full length drip rail along top portion of bed	_____
Compartments:	Shall have adjustable 16 gauge galvanized metal shelves	_____
Bed Finish:	All exposed metal surfaces of bed shall be cleaned and treated with a suitable metal etching or preparation solution then coated with at least one coat of a premium primer/undercoat then painted National School Bus Yellow with a clear coat to match Truck	_____
Cab Protector:	Front of bed shall be fitted with a cab height, expanded metal protector screen to shield the truck cab	_____
Lights:	The cab shield is to include 1) Two adjustable sealed beam work lights mounted on each side; 2) One 24" Light Bar mounted on top; 3) Two rear facing work lights. Lights on cab shield shall be wired to	

**NEW AND UNUSED TRUCKS**

four fused switches mounted in dashboard. Each side work light shall have a separate switch, one switch for the Light Bar, and one switch for the rear facing lights. All switches should be lighted or have separate indicator lights showing use.

\_\_\_\_\_

**5.0 TIRES:**

Spare Tire Mount: Outside Standard  
Tires: ive (5), Each Blackwall Tires,  
LT245/75-R17  
Wheels: Standard

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**6.0 FINISH AND COLORS:**

Exterior: **National School Bus Yellow  
with a Clear Coat Finish, Trim Stnd**  
Interior: Gray or Tan Vinyl  
Corrosion Protection: Factory Standard

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

This vehicle will be operated in coastal and high alkali areas which require a superior paint Finish. **An inferior or incomplete paint job will not be accepted.**

**Three sets of keys shall be furnished with each vehicle**

\_\_\_\_\_

**7.0 DELIVERY:**

Complete unit shall be delivered to the Fleet Services Shop at 1355A Kansas Avenue, San Luis Obispo. **Any questions regarding delivery or construction shall be directed to Scott Wetmore at (805) 781-5288.**

Original "Dealer's Report of Sale" shall be furnished promptly to consignee at time of delivery of units covered by these specifications. Documents issued by the vendor and used for registration purposes must be signed by a responsible officer of the vendor with the title of the signer also indicated.

**8.0 PUBLICATIONS:**

One copy of the parts book and catalogs, service manuals, installation manual, operator's manuals and any other pertinent materials covering the entire unit shall be furnished. A CD rom disk would be preferred over paper books if available.

**9.0 WARRANTY: (Minimum Requirement)**

36 Month/36,000 Miles Minimum "Bumper to Bumper"  
60 Month/100,000 Miles Power Train

TRUCK MAKE: \_\_\_\_\_ MODEL YEAR & NAME: \_\_\_\_\_

WARRANTY PERIOD: \_\_\_\_\_ MODEL NO. \_\_\_\_\_

**NEW AND UNUSED TRUCKS**

	<u>UNIT COST</u>	<u>TOTAL PRICE</u>
Vehicle as Specified	\$ _____	\$ _____
	7.25% Sales Tax:	\$ _____
	Total Bid Price:	\$ _____

**VIEW OF CURRENT VEHICLE**



**NEW AND UNUSED TRUCKS**

**SPECIFICATION D**

**DEPARTMENT:** Public Works & Transportation  
**REPLACING:** Vehicle Number: 1103  
**QUANTITY:** 1

It is the intent of this specification to describe a heavy duty 1 ½ Ton 4WD utility truck such as a Ford F450 with a diesel engine, dual rear wheels and a 9’ heavy duty utility body, standard cab, factory heavy tow package w/ receiver hitch and factory air conditioning. The truck is to be new, unused and the newest production year available. Leftover model year vehicles will not be considered. **Any deviations from these specifications shall be noted under the “Deviations” column or a separate sheet.**

**1.0 TRUCK CHASSIS:**

**DIMENSIONS AND CAPACITY:**

**DEVIATIONS**

Cab to Rear Axle:	60”	_____
Drive System:	4 Wheel Drive (Electronic Shift on the fly)	_____
Fuel Tank:	5+ Gallons – Minimum	_____
GVWR Rating:	16,500# - Minimum	_____
Payload Rating:	5,800# – Minimum	_____
Wheelbase:	140” - Approximate	_____

**2.0 DRIVE TRAIN:**

Engine:	6.6L Diesel - Minimum	_____
Front Axle Cap:	4,000# - Minimum	_____
Rear Axle Cap:	8,000# - Minimum	_____
Rear Axle Ratio:	4.10:1 Approximate Limited Slip	_____
Suspension:	Heavy Duty Service Suspension	_____
Shock Absorbers:	Heavy Duty Front & Rear	_____
Transmission:	Auto, HD 5 or 6 Speed w/Overdrive	_____

**3.0 OTHER STANDARD & OPTIONAL EQUIPMENT:**

Air Conditioning:	Factory Standard	_____
Alternator:	200 Amp	_____
Batteries:	Dual, 78 Amp Hr., 750 C.C.A.	_____
Brakes:	Power, 4 Wheel Disc, ABS	_____
Cooling System:	Heavy Duty Radiator	_____
Engine Oil Cooler:	Yes	_____
Transmission Cooler:	Oil Auxiliary Heavy Duty External	_____
Front Bumper:	Standard	_____
Front Seat:	Vinyl, 40/20/40, Center Counsel Cup Holder w/Compartment	_____

**NEW AND UNUSED TRUCKS**

Floor Mats:	Standard, Removable Rubber	_____
Gauge Package:	Oil Pressure, Temp, Voltage	_____
Glass:	Tinted	_____
Mirrors:	Extendable, Wide Angle Day-Night Rear View	_____
Radio:	AM/FM, Factory Standard	_____
Rear Bumper:	Step, Painted, Included in Bed	_____
Steering:	Power	_____
Steps:	6" Angular Molded-in Cab Steps	_____
Trailer Hitch:	Receiver Type with 2"x2" Opening, Rated at 10,000# MGTWR	_____
Trailer Package:	Rear Bumper to be Fitted with Factory Tow 7 Wire Trailer Harness and a 6 Pole Round Trailer Plug, (Standard No. TCP61F or equal)	_____
Corrosion Protection:	Yes	_____
Jack:	Standard	_____
Fire Extinguisher:	County Standard, General TCP5J With Heavy Duty Mount	_____
Emergency Kit:	Reflector Type	_____
Undercoating:	Yes	_____

**4.0 FINISH AND COLORS:**

Exterior:	<b><u>National School Bus Yellow</u></b> <b><u>with a Clear Coat Finish, Trim Stnd</u></b>	_____
Interior:	Gray or Tan Vinyl, Trim Standard	_____

**5.0 TIRES:**

Spare Tire Mount:	Standard	_____
Tires:	Seven (7), Each Blackwall Tires, LT265/70-R17 - Approximate	_____
Wheels:	Standard, 17" Steel	_____

**6.0 UTILITY BED:**

Truck is to come complete with a 9' Utility Service Body		_____
Dimensions:	Approximately: 38"H x 94"W x 108"L. Compartments to be 22" deep, interior of bed shall be 49"W	_____
Construction:	The bed is to have a vertical arrangement of doors forward and aft, and horizontal arrangement in center of box as follows (Inside Measurements): Driver Side Front: Vertical single door 34"W x 38"H;	

NEW AND UNUSED TRUCKS

Driver Side Center: Horizontal single door 50"W x 18"H;  
 Drive Side Aft: Vertical 24"W x 38"H;  
 Driver Side Top: Non-opening compartment with aluminum diamond plate on top;  
 Passenger Side Front: Vertical single door 34"W x 35"H  
 Passenger Side Center: Horizontal single door 50"W x 16"H;  
 Passenger Side Aft: Vertical 24"W x 35"H  
 Passenger Side Top: Top opening compartment 9'L x 4"H w/ aluminum diamond plate on top;  
 All doors are to be double panel, 16 gauge outer panel, 18 gauge inner panel.  
 Tail Gate: Heavy duty fold down style, 12"H with single T-bar handle latch.

\_\_\_\_\_

Floor: To be of 11 gauge or better diamond plate steel

\_\_\_\_\_

Compartments: All compartments are to be weather tight and keyed alike. Doors to be sealed with automotive type neoprene rubber seals. Side vertical compartments are to have adjustable galvanized metal shelves (two each). No shelves in horizontal compartments. Side compartments are to have a full length drip rail with a good quality weather stripping

\_\_\_\_\_

Cab Protector: Front of bed shall be fitted with a cab height, expanded metal protector screen to shield the truck cab

\_\_\_\_\_

Bed Finish: All exposed metal surfaces cleaned and treated with a suitable metal etching or preparation solution and coated with at least one coat of a premium primer/undercoat then painted with at least one coat of premium gloss acrylic enamel, School Bus Yellow to match truck.

\_\_\_\_\_

NEW AND UNUSED TRUCKS

Lights:

The cab shield is to include 1) Two adjustable sealed beam work lights mounted on each side; 2) One 24" Light Bar mounted on top; 3) Two rear facing work lights. Lights on cab shield shall be wired to four fused switches mounted in dashboard. Each side work light shall have a separate switch, one switch for the Light Bar and one switch for the rear facing lights. All switches should be lighted or have separate indicator lights showing use.

\_\_\_\_\_

This vehicle will be operated in coastal and high alkali areas which require a superior paint finish. **An inferior or incomplete paint job will not be accepted.**

**7.0 DELIVERY:**

Complete unit shall be delivered to the Fleet Services Shop at 1355A Kansas Avenue, San Luis Obispo. **Any questions regarding delivery or construction shall be directed to Scott Wetmore at (805) 781-5288.**

Original "Dealer's Report of Sale" shall be furnished promptly to consignee at time of delivery of units covered by these specifications. Documents issued by the vendor and used for registration purposes must be signed by a responsible officer of the vendor with the title of the signer also indicated.

**Three sets of keys shall be furnished with each vehicle**

\_\_\_\_\_

**8.0 PUBLICATIONS:**

One copy of the parts book and catalogs, service manuals, installation manual, operator's manuals and any other pertinent materials covering the entire unit shall be furnished. A CD rom disk would be preferred over paper books if available.

**9.0 WARRANTY: (Minimum Requirement)**

36 Month/36,000 Miles Minimum "Bumper to Bumper"  
60 Month/100,000 Miles Power Train

TRUCK MAKE: \_\_\_\_\_ MODEL YEAR & NAME: \_\_\_\_\_

WARRANTY PERIOD: \_\_\_\_\_ MODEL NO. \_\_\_\_\_

	<u>UNIT COST</u>	<u>TOTAL PRICE</u>
Vehicle as Specified	\$ _____	\$ _____
7.25% Sales Tax:		\$ _____
Total Bid Price:		\$ _____

NEW AND UNUSED TRUCKS

VIEWS OF CURRENT TRUCK



NEW AND UNUSED TRUCKS



NEW AND UNUSED TRUCKS



**NEW AND UNUSED TRUCKS**

The undersigned agrees to:

Deliver FOB San Luis Obispo to Fleet Services, 1355-A Kansas Avenue, San Luis Obispo, CA 93401, the vehicles itemized below and in accordance with the Specifications attached. All equipment to be new and unused of the latest model year and all attachments shall be compatible with the vehicles proposed.

All equipment and accessories shall comply with the applicable State and Federal Codes, Regulations and Requirements.

Equipment shall be delivered serviced and ready to operate and in accordance with the vehicle checklist.

**Bid Summary**

ITEM	SPEC	QUANTITY	UNIT COST	7.25 % SALES TAX	MAKE & MODEL BIDDING	TOTAL BID PRICE
1	A	1 each	\$_____	\$_____	_____	\$_____
2	Extended Warranty As Specified		\$_____	N/A	N/A	\$_____
3	B	1 each	\$_____	\$_____		\$_____
4	Extended Warranty As Specified		\$_____	N/A	N/A	\$_____
5	C	7 each	\$_____	\$_____		\$_____
6	Extended Warranty As Specified		\$_____	N/A	N/A	\$_____
7	D	1 each	\$_____	\$_____		\$_____
8	Extended Warranty As Specified		\$_____	N/A	N/A	\$_____

PAYMENT TERMS: \_\_\_\_\_

DATE OF DELIVERY: \_\_\_\_\_

Authorized Official Name (Print) \_\_\_\_\_

Authorized Official Title (Print) \_\_\_\_\_

Signature \_\_\_\_\_

Firm Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip Code \_\_\_\_\_

Telephone \_\_\_\_\_ FAX \_\_\_\_\_

Federal Taxpayer ID# \_\_\_\_\_

**BIDS MUST BE RECEIVED BY 3:00 P.M., OCTOBER 13, 2011 AND  
WILL BE OPENED IN THE OFFICE OF THE GENERAL SERVICES AGENCY**

**Bid #3541-11**

**NEW AND UNUSED TRUCKS**

**GENERAL SERVICES AGENCY COUNTY GARAGE  
VEHICLE INSPECTION CHECKLIST**

**NEW VEHICLES WILL NOT BE ACCEPTED UNTIL THE CONTRACT VENDOR HAS PERFORMED THE PRE-DELIVERY SERVICE ON THE VEHICLE IN ACCORDANCE WITH THIS LISTING OR OTHER INDUSTRY APPROVED CHECKLIST.**

<p><b><u>UNDER HOOD – ENGINE OFF</u></b></p> <p>Engine oil level; Steering gear housing fluid level; Brake master cylinder fluid level; Radiator coolant level; Battery fluid level; Drive belt tensions; Battery voltage &amp; load-voltage drop; Ignition system; Fuel injection system.</p>	<p><b><u>ON INSIDE</u></b></p> <p>Operation of lights, turn signals, stop signals, horn, courtesy lights, oil pressure &amp; alternator warning lights; Front seat control-Operation (manual or power); Station wagon rear seat &amp; floor - operation; Windows &amp; vents-operation &amp; fit; Glass condition; Cigarette lighter-install &amp; test.</p>
<p><b><u>UNDER HOOD – ENGINE OPERATING</u></b></p> <p>Automatic transmission fluid level.</p>	<p><b><u>ON HOIST – OR UNDERSIDE</u></b></p> <p>Axle fluid level; Hydraulic lines, fittings, connections &amp; components on underside for leaks; Tire pressure; Steering linkage &amp; connections.</p>
<p><b><u>UNDER HOOD – ENGINE OPERATING &amp; HOT</u></b></p> <p>Initial ignition timing; Alternator &amp; voltage regulator operation.</p>	<p><b><u>ALIGNMENT STALL</u></b></p> <p>Front wheel toe-in.</p>
<p><b><u>OTHER OPERATIONS</u></b></p> <p>Engine cold and hot idle speeds; Hydraulic lines, fittings, connections &amp; components for leaks; Fuel system for leaks.</p>	<p><b><u>ROAD TEST</u></b></p> <p>Neutral switch-operation (automatic transmission); Parking brake-operation; Horn, windshield wipers &amp; washers-operation; Heater &amp; air vents-operation; Brake-operation; Transmission shift level-operation; Automatic transmission shift timing &amp; quality; Accelerator pedal-operation; Engine performance; Drive belts; Steering control; Squeaks, rattles &amp; wind noise; Speedometer, odometer, fuel &amp; temperature gauge-operation; Other operational equipment-operation.</p>

NEW AND UNUSED TRUCKS

GENERAL SERVICES AGENCY COUNTY GARAGE  
VEHICLE INSPECTION CHECKLIST

<p><b><u>ON OUTSIDE</u></b></p> <p>Latches, keys &amp; locks-operation;  Hand, deck &amp; door panels for fit &amp; alignment;  Bumpers &amp; moldings-alignment;  Weather strips-adhesion &amp; fit;  Wheel nut torques;  Five gallons of fuel in fuel tank.</p>	<p><b><u>AFTER ROAD TEST</u></b></p> <p>Wash vehicle &amp; check for leaks;  Inspect for interior &amp; exterior metal paint damage;  Check soft trim for soilage &amp; excess sealer.</p>
---	--

County Contact: Rocky Buoy, (805) 781-2459

Vehicle warranty shall be the standard warranty furnished by the manufacturer of the vehicle supplied. All vehicles covered by factory warranty shall be corrected by contractor, or any factory authorized dealer for that vehicle, at cost to the agency.

The checklist was completed by:

VENDOR NAME: \_\_\_\_\_

VENDOR EMPLOYEE NAME: \_\_\_\_\_

DATE: \_\_\_\_\_

FOR VEHICLE MAKE & MODEL: \_\_\_\_\_