

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		12/27/2016 to 1/31/2017			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
AB8					
AB8 (149 yds east of pier by last steps on rock wa	12/27/2016	ENTEROCOCCI	<	10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	12/27/2016	FECAL COLIFORM		10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	12/27/2016	TOTAL COLIFORM		120	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	01/24/2017	ENTEROCOCCI		87	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	01/24/2017	TOTAL COLIFORM		2613	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	01/24/2017	FECAL COLIFORM		52	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		12/27/2016 to 1/31/2017			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
AB10					
AB10 (350 yards west of pier - creek outfall)	12/27/2016	ENTEROCOCCI		20	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	12/27/2016	FECAL COLIFORM		41	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	12/27/2016	TOTAL COLIFORM		1145	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	01/24/2017	ENTEROCOCCI		364	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	01/24/2017	FECAL COLIFORM		663	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	01/24/2017	TOTAL COLIFORM		17329	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	01/25/2017	ENTEROCOCCI		20	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	01/25/2017	FECAL COLIFORM		345	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	01/25/2017	TOTAL COLIFORM		24196	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		12/27/2016 to 1/31/2017			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
CAY13					
CAY13 (Studio Dr pkg lot so of Old Creek)	12/27/2016	ENTEROCOCCI	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	12/27/2016	FECAL COLIFORM	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	12/27/2016	TOTAL COLIFORM	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	01/24/2017	ENTEROCOCCI		137	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		12/27/2016 to 1/31/2017			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
CAY14					
CAY14 (Farthest swing set near D street)	12/27/2016	ENTEROCOCCI	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	12/27/2016	FECAL COLIFORM		10	MPN/100 ML
CAY14 (Farthest swing set near D street)	12/27/2016	TOTAL COLIFORM		75	MPN/100 ML
CAY14 (Farthest swing set near D street)	01/24/2017	ENTEROCOCCI		42	MPN/100 ML
CAY14 (Farthest swing set near D street)	01/24/2017	FECAL COLIFORM		41	MPN/100 ML
CAY14 (Farthest swing set near D street)	01/24/2017	TOTAL COLIFORM		1664	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		12/27/2016 to 1/31/2017			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
CAY16					
CAY16 (north of pier at creek outfall)	12/27/2016	ENTEROCOCCI		20	MPN/100 ML
CAY16 (north of pier at creek outfall)	12/27/2016	FECAL COLIFORM		52	MPN/100 ML
CAY16 (north of pier at creek outfall)	12/27/2016	TOTAL COLIFORM		262	MPN/100 ML
CAY16 (north of pier at creek outfall)	01/24/2017	ENTEROCOCCI		53	MPN/100 ML
CAY16 (north of pier at creek outfall)	01/24/2017	FECAL COLIFORM		63	MPN/100 ML
CAY16 (north of pier at creek outfall)	01/24/2017	TOTAL COLIFORM		2359	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		12/27/2016 to 1/31/2017			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
HSB23					
HSB23 (100 yds west of hte pier - creek outfall)	12/21/2016	ENTEROCOCCI		31	MPN/100 ML
HSB23 (100 yds west of hte pier - creek outfall)	12/27/2016	ENTEROCOCCI		64	MPN/100 ML
HSB23 (100 yds west of hte pier - creek outfall)	12/27/2016	FECAL COLIFORM		20	MPN/100 ML
HSB23 (100 yds west of hte pier - creek outfall)	12/27/2016	TOTAL COLIFORM		984	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		12/27/2016 to 1/31/2017			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
MB11					
MB11 (25 yds north of main parking lot)	12/27/2016	ENTEROCOCCI	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	12/27/2016	FECAL COLIFORM		10	MPN/100 ML
MB11 (25 yds north of main parking lot)	12/27/2016	TOTAL COLIFORM		20	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		12/27/2016 to 1/31/2017			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
MB12					
MB12 (Small prkg lot so side Morro Bay Creek)	12/27/2016	ENTEROCOCCI	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	12/27/2016	FECAL COLIFORM		10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	12/27/2016	TOTAL COLIFORM		20	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	01/24/2017	ENTEROCOCCI		53	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	01/24/2017	FECAL COLIFORM		121	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	01/24/2017	TOTAL COLIFORM		14136	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	01/25/2017	FECAL COLIFORM		63	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	01/25/2017	TOTAL COLIFORM		12997	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	01/25/2017	TOTAL COLIFORM		12997	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		12/27/2016 to 1/31/2017			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
MB13					
MB13 (Atascadero Ave)	12/27/2016	ENTEROCOCCI	<	10	MPN/100 ML
MB13 (Atascadero Ave)	12/27/2016	FECAL COLIFORM		20	MPN/100 ML
MB13 (Atascadero Ave)	12/27/2016	TOTAL COLIFORM		52	MPN/100 ML
MB13 (Atascadero Ave)	01/24/2017	ENTEROCOCCI		124	MPN/100 ML
MB13 (Atascadero Ave)	01/24/2017	FECAL COLIFORM		121	MPN/100 ML
MB13 (Atascadero Ave)	01/24/2017	TOTAL COLIFORM		10462	MPN/100 ML
MB13 (Atascadero Ave)	01/25/2017	ENTEROCOCCI		75	MPN/100 ML
MB13 (Atascadero Ave)	01/25/2017	FECAL COLIFORM		75	MPN/100 ML
MB13 (Atascadero Ave)	01/25/2017	TOTAL COLIFORM		12997	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		12/27/2016 to 1/31/2017			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
MB14					
MB14 (Alva Paul, Beachcomber Dr & Luzon (so restro	12/27/2016	ENTEROCOCCI	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so restro	12/27/2016	FECAL COLIFORM	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so restro	12/27/2016	TOTAL COLIFORM	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so restro	01/24/2017	ENTEROCOCCI		53	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so restro	01/24/2017	FECAL COLIFORM		63	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so restro	01/24/2017	TOTAL COLIFORM		3255	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		12/27/2016 to 1/31/2017			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
OCB11					
OCB11 (571 yds so Pier Ave last house end of Stran	12/27/2016	ENTEROCOCCI	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	12/27/2016	FECAL COLIFORM		20	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	12/27/2016	TOTAL COLIFORM		187	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	01/24/2017	ENTEROCOCCI		31	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	01/24/2017	FECAL COLIFORM		20	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	01/24/2017	TOTAL COLIFORM		3654	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		12/27/2016 to 1/31/2017			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
OCB12					
OCB12 (Pier Ave)	12/27/2016	ENTEROCOCCI		10	MPN/100 ML
OCB12 (Pier Ave)	12/27/2016	FECAL COLIFORM		10	MPN/100 ML
OCB12 (Pier Ave)	12/27/2016	TOTAL COLIFORM		257	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		12/27/2016 to 1/31/2017			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
OCB13					
OCB13 (350 yds no of Pier Ave)	12/27/2016	ENTEROCOCCI	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	12/27/2016	FECAL COLIFORM	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	12/27/2016	TOTAL COLIFORM		63	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		12/27/2016 to 1/31/2017			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
OLDE12					
OLDE12 (131 yds west of lifeguard station/restroom)	12/27/2016	ENTEROCOCCI	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	12/27/2016	FECAL COLIFORM	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	12/27/2016	TOTAL COLIFORM		10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	01/24/2017	ENTEROCOCCI		124	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	01/24/2017	FECAL COLIFORM		20	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	01/24/2017	TOTAL COLIFORM		2755	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		12/27/2016 to 1/31/2017			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
PB3					
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	12/27/2016	ENTEROCOCCI	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	12/27/2016	FECAL COLIFORM		10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	12/27/2016	TOTAL COLIFORM		10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		12/27/2016 to 1/31/2017			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
PB4					
PB4 (14 yds so of pier)	12/27/2016	ENTEROCOCCI	<	10	MPN/100 ML
PB4 (14 yds so of pier)	12/27/2016	FECAL COLIFORM	<	10	MPN/100 ML
PB4 (14 yds so of pier)	12/27/2016	TOTAL COLIFORM	<	10	MPN/100 ML
PB4 (14 yds so of pier)	01/24/2017	ENTEROCOCCI		87	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		12/27/2016 to 1/31/2017			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
PB5					
PB5 (338 yds no of pier Edgewater motel blue roof	12/27/2016	ENTEROCOCCI		10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	12/27/2016	FECAL COLIFORM		10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	12/27/2016	TOTAL COLIFORM		10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	01/24/2017	ENTEROCOCCI		53	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		12/27/2016 to 1/31/2017			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
PICO23					
PICO23 (Pico Ave, San Simeon out from stairs)	12/27/2016	ENTEROCOCCI		42	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	12/27/2016	FECAL COLIFORM	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	12/27/2016	TOTAL COLIFORM		583	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		12/27/2016 to 1/31/2017			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
SEW7					
SEW7 (Silver Shoals Dr)	12/27/2016	ENTEROCOCCI		10	MPN/100 ML
SEW7 (Silver Shoals Dr)	12/27/2016	FECAL COLIFORM		20	MPN/100 ML
SEW7 (Silver Shoals Dr)	12/27/2016	TOTAL COLIFORM		20	MPN/100 ML
SEW7 (Silver Shoals Dr)	01/24/2017	ENTEROCOCCI		10	MPN/100 ML
SEW7 (Silver Shoals Dr)	01/31/2017	FECAL COLIFORM		20	MPN/100 ML
SEW7 (Silver Shoals Dr)	01/31/2017	TOTAL COLIFORM		96	MPN/100 ML