



SAN LUIS OBISPO COUNTY
DEPARTMENT OF PUBLIC WORKS

Paavo Ogren, Director

County Government Center, Room 206 • San Luis Obispo CA 93408 • (805) 781-5252

Fax (805) 781-1229

email address: pwd@co.slo.ca.us

June 2, 2014

**FAX AND EMAIL &
ATTACH TO CONTRACT**

**ADDENDUM NO. 2 TO
2013-14 ASPHALT OVERLAY
SOUTH BAY BOULEVARD
FROM LOS OSOS VALLEY ROAD
TO SANTA YSABEL AVENUE
LOS OSOS, CA
CONTRACT NO. 300504**

The final day, time and location for submittal of bid proposal remain unchanged:

Date / Time: Thursday, June 12, 2014 at 3:00 p.m.

At: Office of the County Clerk
1055 Monterey Street, Room D-120
San Luis Obispo, California 93408

Certain revisions are hereby incorporated into the Contract Documents for the subject project. These revisions are as follows:

The section titled "CONSTRUCTION DETAILS" is hereby amended as follows:

- 1) Add the following paragraph in section 10-1.01 "Order of Work" after the third paragraph on Page 10-2 as follows:

"Unless directed otherwise by the Engineer, no work will be allowed between the hours of 1800 and 0700."


- 2) Add the following paragraphs in section 10-1.12B "HMA Overlay (Type A)" on Page 10-42 prior to "Place Hot Mix Asphalt Dike;" as follows:

"HMA (Type A) Digouts: HMA used for digouts shall be Type A and shall conform to the provisions in Section 39, "Hot Mix Asphalt," of the Standard Specifications and these Special Provisions.

Asphalt binder mixed with aggregate for HMA Type A shall be PG 64-10, and shall conform to the provisions in Section 92, "Asphalts," of the Standard Specifications.

Digouts limits shall be as directed by the Engineer. Digouts shall have a minimum width of 4 feet. The aggregate for HMA (Type A) Digouts shall be ½ inch minimum to ¾ inch maximum".

All bidders shall acknowledge acceptance of this correction notice. **PLEASE FAX TO US, TODAY, A SIGNED COPY OF THIS SHEET INDICATING CONFIRMATION OF RECEIPT OF THIS ADDENDUM (FAX (805) 781-1229).** If you are unable to read the fax, please call Jeff Werst in the Public Works Department at (805) 781-5252.

DF 

PAAVO OGREN
Director of Public Works

File: Contract No. 300504

ACKNOWLEDGMENT

Company Name Printed Name Signature Date

L:\DESIGN\JUN14\300504 Addendum No. 2 .docx.jwerst.taw