

Condition 14	Stormwater
---------------------	-------------------

The project shall comply with the requirements of the National Pollutant Discharge Elimination System General Discharge, the Industrial Stormwater Program, and the County's Stormwater Pollution Control and Discharge Ordinance 3143. All discharges and dewatering activities shall be authorized by the Regional Water Quality Control Board.

Evidence of compliance:

NPDES

Per **Attachment 1** (see Specification Section 01570), the Contractor shall implement a site-specific Stormwater Pollution Prevention Plan (SWPPP) for this Project pursuant to the requirements of the National Pollution Discharge Elimination System (NPDES) General Permit [Order No. 2009-0009-DWQ] for Stormwater Discharges Associated with Construction and Land Disturbance Activities (General Permit).

Industrial Stormwater

On-site stormwater will be collected, stored, and treated, independent of the runoff flow from the adjacent properties. At the new property lines, any runoff that would have otherwise entered the LOWRF will be intercepted, routed along the facility boundaries, and discharged to the natural receiving body.

County's Stormwater Pollution Control and Discharge Ordinance 3143

Ordinance 3143 modifies County Title, Chapter 8.68 pertaining to Stormwater Pollution Prevention and Discharge Control (see **Attachment 2**). Per Specification Section 01570, the Contractor shall comply with all provisions of the SWPPP and comply with the Clean Water Act.

Dewatering

Per Geotechnical Report, as submitted and approved as part of Condition No. 23 (signed 12/14/13) indicates groundwater will not be encountered.

Groundwater was generally encountered below el. 50 feet, at depths ranging from approximately 22 to 46 below the ground surface. The anticipated depths of excavation are generally above the groundwater levels encountered in our explorations and should not require dewatering.

Condition Satisfied



Director, SLO County Planning



Date

- F. The CONTRACTOR QSP shall conduct daily inspections and observations during working hours or in after hour emergency storm events and at least once each 24-hour period during extended storm events. CONTRACTOR QSP shall conduct visual inspections to identify and record BMPs that need maintenance to operate effectively, that have failed, or that could fail to operate as intended and correct any deficiencies within a 24-hour time period.
- G. The CONTRACTOR shall install a rain gauge on-site at an accessible and secure location with readings made during all rainfall events. When readings are unavailable, data from the closest rain gauges may be used for nearby sites for example as listed in these links (http://cdec.water.ca.gov/cgiprogs/staMeta?station_id=Iso) or other data as approved by the ENGINEER.
- H. The CONTRACTOR QSD shall develop and implement Rain Event Action Plans (REAP) designed to protect all exposed portions of their sites within 48 hours prior to any likely precipitation event in accordance with the General Permit.
- I. CONTRACTOR will be fully responsible for compliance with, execution and implementation of the SWPPP and all related requirements, including any fines or penalties assessed for non-compliance of the General Permit.
- J. All work included in this Section and necessary to comply with the General Permit is deemed incidental work and shall be included in CONTRACTOR's Total Bid Price.

1.02 RELATED SECTIONS

- A. Appendix C: SWAPP.
- B. Section 01060: Regulatory Agency and Utility Requirements.
- C. Section 01330: Submittal Procedures.

1.03 REFERENCES

National Pollution Discharge Elimination System (NPDES) General Permit [Order No. 2009-0009-DWQ] for Stormwater Discharges Associated with Construction and Land Disturbance Activities at:

http://www.waterboards.ca.gov/water_issues/programs/stormwater/docs/constpermits/wqo_2009_0009_complete.pdf.

- A. Project Environmental Impact Report.

1.04 REGULATORY REQUIREMENTS

- A. The Clean Water Act (CWA), as amended in 1972, prohibits the discharge of pollutants into the waters of the United States from stormwater. No debris, soil, ash, silt, sand, cement or concrete, or washing thereof, oil or petroleum products or other organic materials from CONTRACTOR's operation shall be allowed to enter or be placed where it may be washed by rainfall or runoff directly into creek or other waters of the United States.

- F. The CONTRACTOR QSP shall conduct daily inspections and observations during working hours or in after hour emergency storm events and at least once each 24-hour period during extended storm events. CONTRACTOR QSP shall conduct visual inspections to identify and record BMPs that need maintenance to operate effectively, that have failed, or that could fail to operate as intended and correct any deficiencies within a 24-hour time period.
- G. The CONTRACTOR shall install a rain gauge on-site at an accessible and secure location with readings made during all rainfall events. When readings are unavailable, data from the closest rain gauges may be used for nearby sites for example as listed in these links (http://cdec.water.ca.gov/cgiprogs/staMeta?station_id=lso) or other data as approved by the ENGINEER.
- H. The CONTRACTOR QSD shall develop and implement Rain Event Action Plans (REAP) designed to protect all exposed portions of their sites within 48 hours prior to any likely precipitation event in accordance with the General Permit.
- I. CONTRACTOR will be fully responsible for compliance with, execution and implementation of the SWPPP and all related requirements, including any fines or penalties assessed for non-compliance of the General Permit.
- J. All work included in this Section and necessary to comply with the General Permit is deemed incidental work and shall be included in CONTRACTOR's Total Bid Price.

1.02 RELATED SECTIONS

- A. Appendix C: SWAPP.
- B. Section 01060: Regulatory Agency and Utility Requirements.
- C. Section 01330: Submittal Procedures.

1.03 REFERENCES

National Pollution Discharge Elimination System (NPDES) General Permit [Order No. 2009-0009-DWQ] for Stormwater Discharges Associated with Construction and Land Disturbance Activities at:
http://www.waterboards.ca.gov/water_issues/programs/stormwater/docs/constpermits/wqo_2009_0009_complete.pdf.

- A. Project Environmental Impact Report.

1.04 REGULATORY REQUIREMENTS

- A. The Clean Water Act (CWA), as amended in 1972, prohibits the discharge of pollutants into the waters of the United States from stormwater. No debris, soil, ash, silt, sand, cement or concrete, or washing thereof, oil or petroleum products or other organic materials from CONTRACTOR's operation shall be allowed to enter or be placed where it may be washed by rainfall or runoff directly into creek or other waters of the United States.

BUY PUBLICATION

MY DASHBOARD

HELP

LOG IN

VIEW MOBILE SITE

All

GO

CodeBank: Current Version

Hide TOC

RESULTS

HISTORY

ORD. BANK

Save

Print

Email

- San Luis Obispo County, California - Co
- SAN LUIS OBISPO COUNTY, CALIFORNIA
 - PREFACE
 - HOW TO USE YOUR CODE
 - SUPPLEMENT HISTORY TABLE
 - Title 1 - GENERAL PROVISIONS
 - Chapter 1.01 - CODE
 - Chapter 1.04 - GENERAL PENALTIES
 - Chapter 1.05 - ADMINISTRATIVE FEES
 - Chapter 1.08 - CITATIONS
 - Chapter 1.09 - JUDICIAL REVIEW
 - Title 2 - ADMINISTRATION AND PERSONNEL
 - Chapter 2.03 - DEPARTMENT OF ENVIRONMENTAL SERVICES
 - Chapter 2.04 - BOARD OF SUPERVISORS
 - Chapter 2.06 - COUNTY COUNSEL
 - Chapter 2.08 - COUNTY ADMINISTRATION MANAGEMENT
 - Chapter 2.10 - COUNTY PERSONNEL
 - Chapter 2.11 - DEPARTMENT OF COMMUNITY DEVELOPMENT
 - Chapter 2.12 - COUNTY AUDITOR
 - Chapter 2.13 - COUNTY TREASURER
 - Chapter 2.14 - DEPARTMENT OF COMMUNITY DEVELOPMENT
 - Chapter 2.16 - COUNTY SURVEYING
 - Chapter 2.18 - COUNTY DEPARTMENT OF COMMUNITY DEVELOPMENT
 - Chapter 2.20 - SEPARATION AND REEMPLOYMENT
 - Chapter 2.22 - DEPARTMENT OF COMMUNITY DEVELOPMENT
 - Chapter 2.24 - PLANNING COMMISSION
 - Chapter 2.25 - DIVISION OF BEHAVIORAL HEALTH
 - Chapter 2.26 - HEALTH AGENCY
 - Chapter 2.28 - SAFETY COMMISSION

San Luis Obispo County, California, Code of Ordinances >> Title 8 - HEALTH AND SANITATION >> Chapter 8.68 - STORMWATER POLLUTION PREVENTION AND DISCHARGE CONTROL >> Article I. Title, Purpose and General Provisions >>

Article I. Title, Purpose and General Provisions

- [8.68.010 Title.](#)
- [8.68.020 Purpose and intent.](#)
- [8.68.030 Definitions.](#)
- [8.68.040 Responsibility for administration.](#)
- [8.68.050 Construction and application.](#)
- [8.68.060 Severability and validity.](#)
- [8.68.070 Minimum standards.](#)

8.68.010 Title.

The ordinance codified in this chapter shall be known as the "County of San Luis Obispo Stormwater Pollution Prevention and Discharge Control Ordinance" and may be so cited.

(Ord. 3143 § 1 (part), 2008)

8.68.020 Purpose and intent.

The purpose and intent of this chapter is to ensure the health, safety, and general welfare of the citizens of San Luis Obispo County by protecting and enhancing the water quality of watercourses and water bodies in a manner pursuant to and consistent with the Clean Water Act (33 U.S.C. Section 1251 et seq.) by:

(a) Controlling non-stormwater discharges to the municipal separate storm drain system;