

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		9/10/18-10/10/18			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
AB8					
AB8 (149 yds east of pier by last steps on rock wa	09/10/2018	ENTEROCOCCI		10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	09/10/2018	FECAL COLIFORM		41	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	09/10/2018	TOTAL COLIFORM		1250	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	09/17/2018	ENTEROCOCCI,	<	10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	09/17/2018	FECAL COLIFORM	<	10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	09/17/2018	TOTAL COLIFORM		10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	09/24/2018	ENTEROCOCCI	<	10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	09/24/2018	FECAL COLIFORM		10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	09/24/2018	TOTAL COLIFORM		63	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	10/01/2018	ENTEROCOCCI		10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	10/01/2018	FECAL COLIFORM		10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	10/01/2018	TOTAL COLIFORM		20	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	10/09/2018	ENTEROCOCCI	<	10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	10/09/2018	FECAL COLIFORM		109	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	10/09/2018	TOTAL COLIFORM		146	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		9/10/18-10/10/18			
AB10					
AB10 (350 yards west of pier - creek outfall)	09/10/2018	ENTEROCOCCI		10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	09/10/2018	FECAL COLIFORM		31	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	09/10/2018	TOTAL COLIFORM		776	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	09/17/2018	ENTEROCOCCI,	<	10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	09/17/2018	FECAL COLIFORM		10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	09/17/2018	TOTAL COLIFORM		63	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	09/24/2018	ENTEROCOCCI	<	10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	09/24/2018	FECAL COLIFORM		10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	09/24/2018	TOTAL COLIFORM		72	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	10/01/2018	ENTEROCOCCI	<	10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	10/01/2018	FECAL COLIFORM	<	10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	10/01/2018	TOTAL COLIFORM	<	10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	10/09/2018	ENTEROCOCCI	<	10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	10/09/2018	FECAL COLIFORM		158	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	10/09/2018	TOTAL COLIFORM		211	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		9/10/18-10/10/18			
CAY13					
CAY13 (Studio Dr pkg lot so of Old Creek)	09/10/2018	ENTEROCOCCI	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	09/10/2018	FECAL COLIFORM		10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	09/10/2018	TOTAL COLIFORM		10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	09/17/2018	ENTEROCOCCI,	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	09/17/2018	FECAL COLIFORM	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	09/17/2018	TOTAL COLIFORM	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	09/24/2018	ENTEROCOCCI	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	09/24/2018	FECAL COLIFORM	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	09/24/2018	TOTAL COLIFORM	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	10/01/2018	ENTEROCOCCI	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	10/01/2018	FECAL COLIFORM	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	10/01/2018	TOTAL COLIFORM	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	10/09/2018	ENTEROCOCCI	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	10/09/2018	FECAL COLIFORM	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	10/09/2018	TOTAL COLIFORM		41	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		9/10/18-10/10/18			
CAY14					
CAY14 (Farthest swing set near D street)	09/10/2018	ENTEROCOCCI	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	09/10/2018	FECAL COLIFORM		10	MPN/100 ML
CAY14 (Farthest swing set near D street)	09/10/2018	TOTAL COLIFORM		31	MPN/100 ML
CAY14 (Farthest swing set near D street)	09/17/2018	ENTEROCOCCI,	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	09/17/2018	FECAL COLIFORM	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	09/17/2018	TOTAL COLIFORM		10	MPN/100 ML
CAY14 (Farthest swing set near D street)	09/24/2018	ENTEROCOCCI	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	09/24/2018	FECAL COLIFORM		52	MPN/100 ML
CAY14 (Farthest swing set near D street)	09/24/2018	TOTAL COLIFORM		98	MPN/100 ML
CAY14 (Farthest swing set near D street)	10/01/2018	ENTEROCOCCI	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	10/01/2018	FECAL COLIFORM		10	MPN/100 ML
CAY14 (Farthest swing set near D street)	10/01/2018	TOTAL COLIFORM		20	MPN/100 ML
CAY14 (Farthest swing set near D street)	10/09/2018	ENTEROCOCCI		10	MPN/100 ML
CAY14 (Farthest swing set near D street)	10/09/2018	FECAL COLIFORM		52	MPN/100 ML
CAY14 (Farthest swing set near D street)	10/09/2018	TOTAL COLIFORM		318	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		9/10/18-10/10/18			
CAY16					
CAY16 (north of pier at creek outfall)	09/10/2018	ENTEROCOCCI	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	09/10/2018	FECAL COLIFORM		10	MPN/100 ML
CAY16 (north of pier at creek outfall)	09/10/2018	TOTAL COLIFORM		10	MPN/100 ML
CAY16 (north of pier at creek outfall)	09/17/2018	ENTEROCOCCI,	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	09/17/2018	FECAL COLIFORM		10	MPN/100 ML
CAY16 (north of pier at creek outfall)	09/17/2018	TOTAL COLIFORM		20	MPN/100 ML
CAY16 (north of pier at creek outfall)	09/24/2018	ENTEROCOCCI	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	09/24/2018	FECAL COLIFORM	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	09/24/2018	TOTAL COLIFORM		107	MPN/100 ML
CAY16 (north of pier at creek outfall)	10/01/2018	ENTEROCOCCI	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	10/01/2018	FECAL COLIFORM	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	10/01/2018	TOTAL COLIFORM		189	MPN/100 ML
CAY16 (north of pier at creek outfall)	10/09/2018	ENTEROCOCCI		53	MPN/100 ML
CAY16 (north of pier at creek outfall)	10/09/2018	FECAL COLIFORM	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	10/09/2018	TOTAL COLIFORM		106	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		9/10/18-10/10/18			
HSB23					
HSB23 (100 yds west of the pier - creek outfall)	09/10/2018	ENTEROCOCCI	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	09/10/2018	FECAL COLIFORM	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	09/10/2018	TOTAL COLIFORM	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	09/17/2018	ENTEROCOCCI,	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	09/17/2018	FECAL COLIFORM	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	09/17/2018	TOTAL COLIFORM	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	09/24/2018	ENTEROCOCCI	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	09/24/2018	FECAL COLIFORM	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	09/24/2018	TOTAL COLIFORM	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	10/01/2018	ENTEROCOCCI	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	10/01/2018	FECAL COLIFORM	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	10/01/2018	TOTAL COLIFORM		10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	10/09/2018	ENTEROCOCCI	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	10/09/2018	FECAL COLIFORM	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	10/09/2018	TOTAL COLIFORM		41	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		9/10/18-10/10/18			
MB11					
MB11 (25 yds north of main parking lot)	09/10/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	09/10/2018	FECAL COLIFORM		20	MPN/100 ML
MB11 (25 yds north of main parking lot)	09/10/2018	TOTAL COLIFORM		31	MPN/100 ML
MB11 (25 yds north of main parking lot)	09/17/2018	ENTEROCOCCI,	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	09/17/2018	FECAL COLIFORM	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	09/17/2018	TOTAL COLIFORM		10	MPN/100 ML
MB11 (25 yds north of main parking lot)	09/24/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	09/24/2018	FECAL COLIFORM	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	09/24/2018	TOTAL COLIFORM	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	10/01/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	10/01/2018	FECAL COLIFORM	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	10/01/2018	TOTAL COLIFORM	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	10/09/2018	ENTEROCOCCI		20	MPN/100 ML
MB11 (25 yds north of main parking lot)	10/09/2018	FECAL COLIFORM		10	MPN/100 ML
MB11 (25 yds north of main parking lot)	10/09/2018	TOTAL COLIFORM		179	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		9/10/18-10/10/18			
MB12					
MB12 (Small prkg lot so side Morro Bay Creek)	09/10/2018	ENTEROCOCCI		31	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	09/10/2018	FECAL COLIFORM		10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	09/10/2018	TOTAL COLIFORM		10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	09/17/2018	ENTEROCOCCI,	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	09/17/2018	FECAL COLIFORM	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	09/17/2018	TOTAL COLIFORM		10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	09/24/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	09/24/2018	FECAL COLIFORM	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	09/24/2018	TOTAL COLIFORM	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	10/01/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	10/01/2018	FECAL COLIFORM		10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	10/01/2018	TOTAL COLIFORM		31	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	10/09/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	10/09/2018	FECAL COLIFORM		20	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	10/09/2018	TOTAL COLIFORM		52	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		9/10/18-10/10/18			
MB13					
MB13 (Atascadero Ave)	09/10/2018	ENTEROCOCCI		20	MPN/100 ML
MB13 (Atascadero Ave)	09/10/2018	FECAL COLIFORM	<	10	MPN/100 ML
MB13 (Atascadero Ave)	09/10/2018	TOTAL COLIFORM		10	MPN/100 ML
MB13 (Atascadero Ave)	09/17/2018	ENTEROCOCCI,	<	10	MPN/100 ML
MB13 (Atascadero Ave)	09/17/2018	FECAL COLIFORM		52	MPN/100 ML
MB13 (Atascadero Ave)	09/17/2018	TOTAL COLIFORM		52	MPN/100 ML
MB13 (Atascadero Ave)	09/24/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB13 (Atascadero Ave)	09/24/2018	FECAL COLIFORM	<	10	MPN/100 ML
MB13 (Atascadero Ave)	09/24/2018	TOTAL COLIFORM		10	MPN/100 ML
MB13 (Atascadero Ave)	10/01/2018	ENTEROCOCCI		10	MPN/100 ML
MB13 (Atascadero Ave)	10/01/2018	FECAL COLIFORM		20	MPN/100 ML
MB13 (Atascadero Ave)	10/01/2018	TOTAL COLIFORM		2098	MPN/100 ML
MB13 (Atascadero Ave)	10/09/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB13 (Atascadero Ave)	10/09/2018	FECAL COLIFORM		30	MPN/100 ML
MB13 (Atascadero Ave)	10/09/2018	TOTAL COLIFORM		63	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		9/10/18-10/10/18			
MB14					
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	09/10/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	09/10/2018	FECAL COLIFORM	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	09/10/2018	TOTAL COLIFORM	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	09/17/2018	ENTEROCOCCI,	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	09/17/2018	FECAL COLIFORM	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	09/17/2018	TOTAL COLIFORM		20	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	09/24/2018	ENTEROCOCCI		10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	09/24/2018	FECAL COLIFORM	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	09/24/2018	TOTAL COLIFORM		10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	10/01/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	10/01/2018	FECAL COLIFORM		10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	10/01/2018	TOTAL COLIFORM		1223	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	10/09/2018	ENTEROCOCCI		10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	10/09/2018	FECAL COLIFORM		20	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	10/09/2018	TOTAL COLIFORM		52	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		9/10/18-10/10/18			
OCB11					
OCB11 (571 yds so Pier Ave last house end of Stran	09/10/2018	ENTEROCOCCI		10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	09/10/2018	FECAL COLIFORM	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	09/10/2018	TOTAL COLIFORM	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	09/17/2018	ENTEROCOCCI,	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	09/17/2018	FECAL COLIFORM	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	09/17/2018	TOTAL COLIFORM	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	09/24/2018	ENTEROCOCCI	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	09/24/2018	FECAL COLIFORM	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	09/24/2018	TOTAL COLIFORM	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	10/01/2018	ENTEROCOCCI	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	10/01/2018	FECAL COLIFORM	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	10/01/2018	TOTAL COLIFORM	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	10/09/2018	ENTEROCOCCI		20	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	10/09/2018	FECAL COLIFORM		10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	10/09/2018	TOTAL COLIFORM		31	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		9/10/18-10/10/18			
OCB12					
OCB12 (Pier Ave)	09/10/2018	ENTEROCOCCI	<	10	MPN/100 ML
OCB12 (Pier Ave)	09/10/2018	FECAL COLIFORM	<	10	MPN/100 ML
OCB12 (Pier Ave)	09/10/2018	TOTAL COLIFORM		10	MPN/100 ML
OCB12 (Pier Ave)	09/17/2018	ENTEROCOCCI,	<	10	MPN/100 ML
OCB12 (Pier Ave)	09/17/2018	FECAL COLIFORM	<	10	MPN/100 ML
OCB12 (Pier Ave)	09/17/2018	TOTAL COLIFORM	<	10	MPN/100 ML
OCB12 (Pier Ave)	09/24/2018	ENTEROCOCCI	<	10	MPN/100 ML
OCB12 (Pier Ave)	09/24/2018	FECAL COLIFORM	<	10	MPN/100 ML
OCB12 (Pier Ave)	09/24/2018	TOTAL COLIFORM		10	MPN/100 ML
OCB12 (Pier Ave)	10/01/2018	ENTEROCOCCI	<	10	MPN/100 ML
OCB12 (Pier Ave)	10/01/2018	FECAL COLIFORM	<	10	MPN/100 ML
OCB12 (Pier Ave)	10/01/2018	TOTAL COLIFORM	<	10	MPN/100 ML
OCB12 (Pier Ave)	10/09/2018	ENTEROCOCCI	<	10	MPN/100 ML
OCB12 (Pier Ave)	10/09/2018	FECAL COLIFORM		121	MPN/100 ML
OCB12 (Pier Ave)	10/09/2018	TOTAL COLIFORM		243	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		9/10/18-10/10/18			
OCB13					
OCB13 (350 yds no of Pier Ave)	09/10/2018	ENTEROCOCCI	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	09/10/2018	FECAL COLIFORM	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	09/10/2018	TOTAL COLIFORM		10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	09/17/2018	ENTEROCOCCI,	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	09/17/2018	FECAL COLIFORM		10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	09/17/2018	TOTAL COLIFORM		10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	09/24/2018	ENTEROCOCCI	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	09/24/2018	FECAL COLIFORM	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	09/24/2018	TOTAL COLIFORM	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	10/01/2018	ENTEROCOCCI	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	10/01/2018	FECAL COLIFORM	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	10/01/2018	TOTAL COLIFORM	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	10/09/2018	ENTEROCOCCI	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	10/09/2018	FECAL COLIFORM		30	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	10/09/2018	TOTAL COLIFORM		119	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		9/10/18-10/10/18			
OLDE12					
OLDE12 (131 yds west of lifeguard station/restroom)	09/10/2018	ENTEROCOCCI		53	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	09/10/2018	FECAL COLIFORM		10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	09/10/2018	TOTAL COLIFORM		41	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	09/17/2018	ENTEROCOCCI,	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	09/17/2018	FECAL COLIFORM		52	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	09/17/2018	TOTAL COLIFORM		75	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	09/24/2018	ENTEROCOCCI		150	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	09/24/2018	FECAL COLIFORM		749	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	09/24/2018	TOTAL COLIFORM		933	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/01/2018	ENTEROCOCCI	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/01/2018	FECAL COLIFORM	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/01/2018	TOTAL COLIFORM		20	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/09/2018	ENTEROCOCCI		10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/09/2018	FECAL COLIFORM		30	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/09/2018	TOTAL COLIFORM		73	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		9/10/18-10/10/18			
PB3					
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	09/10/2018	ENTEROCOCCI	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	09/10/2018	FECAL COLIFORM	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	09/10/2018	TOTAL COLIFORM		10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	09/17/2018	ENTEROCOCCI,	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	09/17/2018	FECAL COLIFORM	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	09/17/2018	TOTAL COLIFORM		20	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	09/24/2018	ENTEROCOCCI	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	09/24/2018	FECAL COLIFORM		63	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	09/24/2018	TOTAL COLIFORM		146	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	10/01/2018	ENTEROCOCCI	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	10/01/2018	FECAL COLIFORM	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	10/01/2018	TOTAL COLIFORM	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	10/09/2018	ENTEROCOCCI		53	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	10/09/2018	FECAL COLIFORM		10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	10/09/2018	TOTAL COLIFORM		20	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		9/10/18-10/10/18			
PB4					
PB4 (14 yds so of pier)	09/10/2018	ENTEROCOCCI	<	10	MPN/100 ML
PB4 (14 yds so of pier)	09/10/2018	FECAL COLIFORM		10	MPN/100 ML
PB4 (14 yds so of pier)	09/10/2018	TOTAL COLIFORM		20	MPN/100 ML
PB4 (14 yds so of pier)	09/17/2018	ENTEROCOCCI,	<	10	MPN/100 ML
PB4 (14 yds so of pier)	09/17/2018	FECAL COLIFORM	<	10	MPN/100 ML
PB4 (14 yds so of pier)	09/17/2018	TOTAL COLIFORM	<	10	MPN/100 ML
PB4 (14 yds so of pier)	09/24/2018	ENTEROCOCCI	<	10	MPN/100 ML
PB4 (14 yds so of pier)	09/24/2018	FECAL COLIFORM		20	MPN/100 ML
PB4 (14 yds so of pier)	09/24/2018	TOTAL COLIFORM		41	MPN/100 ML
PB4 (14 yds so of pier)	10/01/2018	ENTEROCOCCI		20	MPN/100 ML
PB4 (14 yds so of pier)	10/01/2018	FECAL COLIFORM		75	MPN/100 ML
PB4 (14 yds so of pier)	10/01/2018	TOTAL COLIFORM		86	MPN/100 ML
PB4 (14 yds so of pier)	10/09/2018	ENTEROCOCCI	<	10	MPN/100 ML
PB4 (14 yds so of pier)	10/09/2018	FECAL COLIFORM		31	MPN/100 ML
PB4 (14 yds so of pier)	10/09/2018	TOTAL COLIFORM		98	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		9/10/18-10/10/18			
PB5					
PB5 (338 yds no of pier Edgewater motel blue roof	09/10/2018	ENTEROCOCCI	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	09/10/2018	FECAL COLIFORM		63	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	09/10/2018	TOTAL COLIFORM		63	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	09/17/2018	ENTEROCOCCI,	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	09/17/2018	FECAL COLIFORM	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	09/17/2018	TOTAL COLIFORM	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	09/24/2018	ENTEROCOCCI	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	09/24/2018	FECAL COLIFORM		20	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	09/24/2018	TOTAL COLIFORM		20	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	10/01/2018	ENTEROCOCCI	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	10/01/2018	FECAL COLIFORM		41	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	10/01/2018	TOTAL COLIFORM		41	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	10/09/2018	ENTEROCOCCI		42	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	10/09/2018	FECAL COLIFORM		504	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	10/09/2018	TOTAL COLIFORM		857	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	10/10/2018	FECAL COLIFORM		10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	10/10/2018	TOTAL COLIFORM		20	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		9/10/18-10/10/18			
PICO23					
PICO23 (Pico Ave, San Simeon out from stairs)	09/10/2018	ENTEROCOCCI	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	09/10/2018	FECAL COLIFORM		20	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	09/10/2018	TOTAL COLIFORM		31	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	09/17/2018	ENTEROCOCCI,	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	09/17/2018	FECAL COLIFORM	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	09/17/2018	TOTAL COLIFORM	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	09/24/2018	ENTEROCOCCI		10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	09/24/2018	FECAL COLIFORM	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	09/24/2018	TOTAL COLIFORM		31	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	10/01/2018	ENTEROCOCCI	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	10/01/2018	FECAL COLIFORM	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	10/01/2018	TOTAL COLIFORM	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	10/09/2018	ENTEROCOCCI		10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	10/09/2018	FECAL COLIFORM	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	10/09/2018	TOTAL COLIFORM		10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		9/10/18-10/10/18			
SEW7					
SEW7 (Silver Shoals Dr)	09/10/2018	ENTEROCOCCI		10	MPN/100 ML
SEW7 (Silver Shoals Dr)	09/10/2018	FECAL COLIFORM	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	09/10/2018	TOTAL COLIFORM		73	MPN/100 ML
SEW7 (Silver Shoals Dr)	09/17/2018	ENTEROCOCCI,	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	09/17/2018	FECAL COLIFORM		10	MPN/100 ML
SEW7 (Silver Shoals Dr)	09/17/2018	TOTAL COLIFORM		10	MPN/100 ML
SEW7 (Silver Shoals Dr)	09/24/2018	ENTEROCOCCI	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	09/24/2018	FECAL COLIFORM	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	09/24/2018	TOTAL COLIFORM		10	MPN/100 ML
SEW7 (Silver Shoals Dr)	10/01/2018	ENTEROCOCCI	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	10/01/2018	FECAL COLIFORM	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	10/01/2018	TOTAL COLIFORM		10	MPN/100 ML
SEW7 (Silver Shoals Dr)	10/09/2018	ENTEROCOCCI	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	10/09/2018	FECAL COLIFORM		30	MPN/100 ML
SEW7 (Silver Shoals Dr)	10/09/2018	TOTAL COLIFORM		181	MPN/100 ML