

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		01/22/2017 - 02/20/2018			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
AB8					
AB8 (149 yds east of pier by last steps on rock wa	01/22/2018	ENTEROCOCCI		10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	01/22/2018	FECAL COLIFORM		10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	01/22/2018	TOTAL COLIFORM		122	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	01/29/2018	ENTEROCOCCI		53	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	01/29/2018	FECAL COLIFORM		275	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	01/29/2018	TOTAL COLIFORM		323	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	02/05/2018	ENTEROCOCCI	<	10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	02/05/2018	FECAL COLIFORM	<	10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	02/05/2018	TOTAL COLIFORM	<	10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	02/13/2018	ENTEROCOCCI	<	10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	02/13/2018	FECAL COLIFORM	<	10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	02/13/2018	TOTAL COLIFORM	<	10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	02/20/2018	ENTEROCOCCI		10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	02/20/2018	FECAL COLIFORM		41	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	02/20/2018	TOTAL COLIFORM0		63	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		01/22/2017 - 02/20/2018			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
AB10					
AB10 (350 yards west of pier - creek outfall)	01/22/2018	ENTEROCOCCI		10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	01/22/2018	FECAL COLIFORM	<	10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	01/22/2018	TOTAL COLIFORM		10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	01/29/2018	ENTEROCOCCI		20	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	01/29/2018	FECAL COLIFORM		20	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	01/29/2018	TOTAL COLIFORM		187	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	02/05/2018	ENTEROCOCCI	<	10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	02/05/2018	FECAL COLIFORM		86	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	02/05/2018	TOTAL COLIFORM		399	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	02/13/2018	ENTEROCOCCI		20	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	02/13/2018	FECAL COLIFORM		279	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	02/13/2018	TOTAL COLIFORM		909	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	02/20/2018	ENTEROCOCCI	<	10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	02/20/2018	FECAL COLIFORM		20	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	02/20/2018	TOTAL COLIFORM0		96	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		01/22/2017 - 02/20/2018			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
CAY13					
CAY13 (Studio Dr pkg lot so of Old Creek)	01/22/2018	ENTEROCOCCI	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	01/22/2018	FECAL COLIFORM	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	01/22/2018	TOTAL COLIFORM		10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	01/29/2018	ENTEROCOCCI	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	01/29/2018	FECAL COLIFORM		10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	01/29/2018	TOTAL COLIFORM		20	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	02/05/2018	ENTEROCOCCI		10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	02/05/2018	FECAL COLIFORM	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	02/05/2018	TOTAL COLIFORM	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	02/13/2018	ENTEROCOCCI	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	02/13/2018	FECAL COLIFORM		20	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	02/13/2018	TOTAL COLIFORM		20	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	02/20/2018	ENTEROCOCCI	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	02/20/2018	FECAL COLIFORM	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	02/20/2018	TOTAL COLIFORM0	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		01/22/2017 - 02/20/2018			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
CAY14					
CAY14 (Farthest swing set near D street)	01/22/2018	ENTEROCOCCI		10	MPN/100 ML
CAY14 (Farthest swing set near D street)	01/22/2018	FECAL COLIFORM		109	MPN/100 ML
CAY14 (Farthest swing set near D street)	01/22/2018	TOTAL COLIFORM		121	MPN/100 ML
CAY14 (Farthest swing set near D street)	01/29/2018	ENTEROCOCCI		10	MPN/100 ML
CAY14 (Farthest swing set near D street)	01/29/2018	FECAL COLIFORM		41	MPN/100 ML
CAY14 (Farthest swing set near D street)	01/29/2018	TOTAL COLIFORM		134	MPN/100 ML
CAY14 (Farthest swing set near D street)	02/05/2018	ENTEROCOCCI	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	02/05/2018	FECAL COLIFORM	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	02/05/2018	TOTAL COLIFORM		10	MPN/100 ML
CAY14 (Farthest swing set near D street)	02/13/2018	ENTEROCOCCI	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	02/13/2018	FECAL COLIFORM		41	MPN/100 ML
CAY14 (Farthest swing set near D street)	02/13/2018	TOTAL COLIFORM		41	MPN/100 ML
CAY14 (Farthest swing set near D street)	02/20/2018	ENTEROCOCCI	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	02/20/2018	FECAL COLIFORM		10	MPN/100 ML
CAY14 (Farthest swing set near D street)	02/20/2018	TOTAL COLIFORM0		10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		01/22/2017 - 02/20/2018			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
CAY16					
CAY16 (north of pier at creek outfall)	01/22/2018	ENTEROCOCCI		10	MPN/100 ML
CAY16 (north of pier at creek outfall)	01/22/2018	FECAL COLIFORM		132	MPN/100 ML
CAY16 (north of pier at creek outfall)	01/22/2018	TOTAL COLIFORM		132	MPN/100 ML
CAY16 (north of pier at creek outfall)	01/29/2018	ENTEROCOCCI	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	01/29/2018	FECAL COLIFORM		20	MPN/100 ML
CAY16 (north of pier at creek outfall)	01/29/2018	TOTAL COLIFORM		52	MPN/100 ML
CAY16 (north of pier at creek outfall)	02/05/2018	ENTEROCOCCI	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	02/05/2018	FECAL COLIFORM	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	02/05/2018	TOTAL COLIFORM	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	02/13/2018	ENTEROCOCCI	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	02/13/2018	FECAL COLIFORM		10	MPN/100 ML
CAY16 (north of pier at creek outfall)	02/13/2018	TOTAL COLIFORM		10	MPN/100 ML
CAY16 (north of pier at creek outfall)	02/20/2018	ENTEROCOCCI	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	02/20/2018	FECAL COLIFORM	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	02/20/2018	TOTAL COLIFORM0	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		01/22/2017 - 02/20/2018			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
HSB23					
HSB23 (100 yds west of hte pier - creek outfall)	01/22/2018	ENTEROCOCCI	<	10	MPN/100 ML
HSB23 (100 yds west of hte pier - creek outfall)	01/22/2018	FECAL COLIFORM	<	10	MPN/100 ML
HSB23 (100 yds west of hte pier - creek outfall)	01/22/2018	TOTAL COLIFORM		10	MPN/100 ML
HSB23 (100 yds west of hte pier - creek outfall)	01/29/2018	ENTEROCOCCI	<	10	MPN/100 ML
HSB23 (100 yds west of hte pier - creek outfall)	01/29/2018	FECAL COLIFORM	<	10	MPN/100 ML
HSB23 (100 yds west of hte pier - creek outfall)	01/29/2018	TOTAL COLIFORM	<	10	MPN/100 ML
HSB23 (100 yds west of hte pier - creek outfall)	02/05/2018	ENTEROCOCCI	<	10	MPN/100 ML
HSB23 (100 yds west of hte pier - creek outfall)	02/05/2018	FECAL COLIFORM	<	10	MPN/100 ML
HSB23 (100 yds west of hte pier - creek outfall)	02/05/2018	TOTAL COLIFORM	<	10	MPN/100 ML
HSB23 (100 yds west of hte pier - creek outfall)	02/13/2018	ENTEROCOCCI		10	MPN/100 ML
HSB23 (100 yds west of hte pier - creek outfall)	02/13/2018	FECAL COLIFORM		74	MPN/100 ML
HSB23 (100 yds west of hte pier - creek outfall)	02/13/2018	TOTAL COLIFORM		74	MPN/100 ML
HSB23 (100 yds west of hte pier - creek outfall)	02/20/2018	ENTEROCOCCI	<	10	MPN/100 ML
HSB23 (100 yds west of hte pier - creek outfall)	02/20/2018	FECAL COLIFORM	<	10	MPN/100 ML
HSB23 (100 yds west of hte pier - creek outfall)	02/20/2018	TOTAL COLIFORM0		10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		01/22/2017 - 02/20/2018			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
MB11					
MB11 (25 yds north of main parking lot)	01/22/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	01/22/2018	FECAL COLIFORM		10	MPN/100 ML
MB11 (25 yds north of main parking lot)	01/22/2018	TOTAL COLIFORM		20	MPN/100 ML
MB11 (25 yds north of main parking lot)	01/29/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	01/29/2018	FECAL COLIFORM		10	MPN/100 ML
MB11 (25 yds north of main parking lot)	01/29/2018	TOTAL COLIFORM		20	MPN/100 ML
MB11 (25 yds north of main parking lot)	02/05/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	02/05/2018	FECAL COLIFORM		52	MPN/100 ML
MB11 (25 yds north of main parking lot)	02/05/2018	TOTAL COLIFORM		52	MPN/100 ML
MB11 (25 yds north of main parking lot)	02/13/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	02/13/2018	FECAL COLIFORM	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	02/13/2018	TOTAL COLIFORM	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	02/20/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	02/20/2018	FECAL COLIFORM		10	MPN/100 ML
MB11 (25 yds north of main parking lot)	02/20/2018	TOTAL COLIFORM0		10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		01/22/2017 - 02/20/2018			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
MB12					
MB12 (Small prkg lot so side Morro Bay Creek)	01/22/2018	ENTEROCOCCI		10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	01/22/2018	FECAL COLIFORM	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	01/22/2018	TOTAL COLIFORM		20	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	01/29/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	01/29/2018	FECAL COLIFORM		31	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	01/29/2018	TOTAL COLIFORM		31	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	02/05/2018	ENTEROCOCCI		10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	02/05/2018	FECAL COLIFORM	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	02/05/2018	TOTAL COLIFORM	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	02/13/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	02/13/2018	FECAL COLIFORM		10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	02/13/2018	TOTAL COLIFORM		10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	02/20/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	02/20/2018	FECAL COLIFORM	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	02/20/2018	TOTAL COLIFORM0	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		01/22/2017 - 02/20/2018			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
MB13					
MB13 (Atascadero Ave)	01/22/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB13 (Atascadero Ave)	01/22/2018	FECAL COLIFORM		10	MPN/100 ML
MB13 (Atascadero Ave)	01/22/2018	TOTAL COLIFORM		31	MPN/100 ML
MB13 (Atascadero Ave)	01/29/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB13 (Atascadero Ave)	01/29/2018	FECAL COLIFORM		144	MPN/100 ML
MB13 (Atascadero Ave)	01/29/2018	TOTAL COLIFORM		256	MPN/100 ML
MB13 (Atascadero Ave)	02/05/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB13 (Atascadero Ave)	02/05/2018	FECAL COLIFORM		10	MPN/100 ML
MB13 (Atascadero Ave)	02/05/2018	TOTAL COLIFORM		20	MPN/100 ML
MB13 (Atascadero Ave)	02/13/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB13 (Atascadero Ave)	02/13/2018	FECAL COLIFORM		10	MPN/100 ML
MB13 (Atascadero Ave)	02/13/2018	TOTAL COLIFORM		10	MPN/100 ML
MB13 (Atascadero Ave)	02/20/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB13 (Atascadero Ave)	02/20/2018	FECAL COLIFORM	<	10	MPN/100 ML
MB13 (Atascadero Ave)	02/20/2018	TOTAL COLIFORM0	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		01/22/2017 - 02/20/2018			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
MB14					
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	01/22/2018	ENTEROCOCCI		111	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	01/22/2018	FECAL COLIFORM	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	01/22/2018	TOTAL COLIFORM		10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	01/23/2018	ENTEROCOCCI		10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	01/29/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	01/29/2018	FECAL COLIFORM	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	01/29/2018	TOTAL COLIFORM	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	02/05/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	02/05/2018	FECAL COLIFORM	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	02/05/2018	TOTAL COLIFORM	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	02/13/2018	ENTEROCOCCI		53	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	02/13/2018	FECAL COLIFORM		10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	02/13/2018	TOTAL COLIFORM		10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	02/20/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	02/20/2018	FECAL COLIFORM	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	02/20/2018	TOTAL COLIFORM0	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		01/22/2017 - 02/20/2018			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
OCB11					
OCB11 (571 yds so Pier Ave last house end of Stran	01/22/2018	ENTEROCOCCI	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	01/22/2018	FECAL COLIFORM		10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	01/22/2018	TOTAL COLIFORM		10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	01/29/2018	ENTEROCOCCI	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	01/29/2018	FECAL COLIFORM	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	01/29/2018	TOTAL COLIFORM	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	02/05/2018	ENTEROCOCCI	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	02/05/2018	FECAL COLIFORM	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	02/05/2018	TOTAL COLIFORM	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	02/13/2018	ENTEROCOCCI		10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	02/13/2018	FECAL COLIFORM	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	02/13/2018	TOTAL COLIFORM		31	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	02/20/2018	ENTEROCOCCI	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	02/20/2018	FECAL COLIFORM	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	02/20/2018	TOTAL COLIFORM0	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		01/22/2017 - 02/20/2018			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
OCB12					
OCB12 (Pier Ave)	01/22/2018	ENTEROCOCCI	<	10	MPN/100 ML
OCB12 (Pier Ave)	01/22/2018	FECAL COLIFORM	<	10	MPN/100 ML
OCB12 (Pier Ave)	01/22/2018	TOTAL COLIFORM		10	MPN/100 ML
OCB12 (Pier Ave)	01/29/2018	ENTEROCOCCI	<	10	MPN/100 ML
OCB12 (Pier Ave)	01/29/2018	FECAL COLIFORM	<	10	MPN/100 ML
OCB12 (Pier Ave)	01/29/2018	TOTAL COLIFORM		10	MPN/100 ML
OCB12 (Pier Ave)	02/05/2018	ENTEROCOCCI	<	10	MPN/100 ML
OCB12 (Pier Ave)	02/05/2018	FECAL COLIFORM	<	10	MPN/100 ML
OCB12 (Pier Ave)	02/05/2018	TOTAL COLIFORM	<	10	MPN/100 ML
OCB12 (Pier Ave)	02/13/2018	ENTEROCOCCI	<	10	MPN/100 ML
OCB12 (Pier Ave)	02/13/2018	FECAL COLIFORM	<	10	MPN/100 ML
OCB12 (Pier Ave)	02/13/2018	TOTAL COLIFORM	<	10	MPN/100 ML
OCB12 (Pier Ave)	02/20/2018	ENTEROCOCCI	<	10	MPN/100 ML
OCB12 (Pier Ave)	02/20/2018	FECAL COLIFORM		41	MPN/100 ML
OCB12 (Pier Ave)	02/20/2018	TOTAL COLIFORM0		41	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		01/22/2017 - 02/20/2018			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
OCB13					
OCB13 (350 yds no of Pier Ave)	01/22/2018	ENTEROCOCCI	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	01/22/2018	FECAL COLIFORM	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	01/22/2018	TOTAL COLIFORM	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	01/29/2018	ENTEROCOCCI	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	01/29/2018	FECAL COLIFORM	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	01/29/2018	TOTAL COLIFORM	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	02/05/2018	ENTEROCOCCI		10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	02/05/2018	FECAL COLIFORM	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	02/05/2018	TOTAL COLIFORM		10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	02/13/2018	ENTEROCOCCI	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	02/13/2018	FECAL COLIFORM		10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	02/13/2018	TOTAL COLIFORM		10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	02/20/2018	ENTEROCOCCI	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	02/20/2018	FECAL COLIFORM	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	02/20/2018	TOTAL COLIFORM0	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		01/22/2017 - 02/20/2018			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
OLDE12					
OLDE12 (131 yds west of lifeguard station/restroom)	01/22/2018	ENTEROCOCCI	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	01/22/2018	FECAL COLIFORM	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	01/22/2018	TOTAL COLIFORM		20	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	01/29/2018	ENTEROCOCCI	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	01/29/2018	FECAL COLIFORM		135	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	01/29/2018	TOTAL COLIFORM		275	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	02/05/2018	ENTEROCOCCI		10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	02/05/2018	FECAL COLIFORM		52	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	02/05/2018	TOTAL COLIFORM		63	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	02/13/2018	ENTEROCOCCI		20	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	02/13/2018	FECAL COLIFORM		63	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	02/13/2018	TOTAL COLIFORM		63	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	02/20/2018	ENTEROCOCCI		10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	02/20/2018	FECAL COLIFORM		10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	02/20/2018	TOTAL COLIFORM0		10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		01/22/2017 - 02/20/2018			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
PB3					
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	01/22/2018	ENTEROCOCCI	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	01/22/2018	FECAL COLIFORM		20	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	01/22/2018	TOTAL COLIFORM		20	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	01/29/2018	ENTEROCOCCI	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	01/29/2018	FECAL COLIFORM		20	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	01/29/2018	TOTAL COLIFORM		52	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	02/05/2018	ENTEROCOCCI	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	02/05/2018	FECAL COLIFORM		10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	02/05/2018	TOTAL COLIFORM		41	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	02/13/2018	ENTEROCOCCI		20	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	02/13/2018	FECAL COLIFORM	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	02/13/2018	TOTAL COLIFORM		20	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	02/20/2018	ENTEROCOCCI	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	02/20/2018	FECAL COLIFORM		10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	02/20/2018	TOTAL COLIFORM0		20	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		01/22/2017 - 02/20/2018			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
PB4					
PB4 (14 yds so of pier)	01/22/2018	ENTEROCOCCI		64	MPN/100 ML
PB4 (14 yds so of pier)	01/22/2018	FECAL COLIFORM		160	MPN/100 ML
PB4 (14 yds so of pier)	01/22/2018	TOTAL COLIFORM		201	MPN/100 ML
PB4 (14 yds so of pier)	01/29/2018	ENTEROCOCCI	<	10	MPN/100 ML
PB4 (14 yds so of pier)	01/29/2018	FECAL COLIFORM		20	MPN/100 ML
PB4 (14 yds so of pier)	01/29/2018	TOTAL COLIFORM		41	MPN/100 ML
PB4 (14 yds so of pier)	02/05/2018	ENTEROCOCCI		10	MPN/100 ML
PB4 (14 yds so of pier)	02/05/2018	FECAL COLIFORM		41	MPN/100 ML
PB4 (14 yds so of pier)	02/05/2018	TOTAL COLIFORM		63	MPN/100 ML
PB4 (14 yds so of pier)	02/13/2018	ENTEROCOCCI	<	10	MPN/100 ML
PB4 (14 yds so of pier)	02/13/2018	FECAL COLIFORM		10	MPN/100 ML
PB4 (14 yds so of pier)	02/13/2018	TOTAL COLIFORM		10	MPN/100 ML
PB4 (14 yds so of pier)	02/20/2018	ENTEROCOCCI		10	MPN/100 ML
PB4 (14 yds so of pier)	02/20/2018	FECAL COLIFORM		10	MPN/100 ML
PB4 (14 yds so of pier)	02/20/2018	TOTAL COLIFORM0		10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		01/22/2017 - 02/20/2018			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
PB5					
PB5 (338 yds no of pier Edgewater motel blue roof	01/22/2018	ENTEROCOCCI	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	01/22/2018	FECAL COLIFORM		10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	01/22/2018	TOTAL COLIFORM		10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	01/29/2018	ENTEROCOCCI	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	01/29/2018	FECAL COLIFORM		20	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	01/29/2018	TOTAL COLIFORM		41	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	02/05/2018	ENTEROCOCCI	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	02/05/2018	FECAL COLIFORM		10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	02/05/2018	TOTAL COLIFORM		10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	02/13/2018	ENTEROCOCCI	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	02/13/2018	FECAL COLIFORM		10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	02/13/2018	TOTAL COLIFORM		10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	02/20/2018	ENTEROCOCCI	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	02/20/2018	FECAL COLIFORM		10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	02/20/2018	TOTAL COLIFORM0		10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		01/22/2017 - 02/20/2018			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
PICO23					
PICO23 (Pico Ave, San Simeon out from stairs)	01/22/2018	ENTEROCOCCI	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	01/22/2018	FECAL COLIFORM	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	01/22/2018	TOTAL COLIFORM	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	01/29/2018	ENTEROCOCCI	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	01/29/2018	FECAL COLIFORM	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	01/29/2018	TOTAL COLIFORM	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	02/05/2018	ENTEROCOCCI	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	02/05/2018	FECAL COLIFORM	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	02/05/2018	TOTAL COLIFORM	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	02/13/2018	ENTEROCOCCI	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	02/13/2018	FECAL COLIFORM		10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	02/13/2018	TOTAL COLIFORM		20	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	02/20/2018	ENTEROCOCCI	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	02/20/2018	FECAL COLIFORM	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	02/20/2018	TOTAL COLIFORM0	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		01/22/2017 - 02/20/2018			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
SEW7					
SEW7 (Silver Shoals Dr)	01/22/2018	ENTEROCOCCI	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	01/22/2018	FECAL COLIFORM		41	MPN/100 ML
SEW7 (Silver Shoals Dr)	01/22/2018	TOTAL COLIFORM		63	MPN/100 ML
SEW7 (Silver Shoals Dr)	01/29/2018	ENTEROCOCCI	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	01/29/2018	FECAL COLIFORM	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	01/29/2018	TOTAL COLIFORM		10	MPN/100 ML
SEW7 (Silver Shoals Dr)	02/05/2018	ENTEROCOCCI	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	02/05/2018	FECAL COLIFORM	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	02/05/2018	TOTAL COLIFORM	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	02/13/2018	ENTEROCOCCI	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	02/13/2018	FECAL COLIFORM	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	02/13/2018	TOTAL COLIFORM		20	MPN/100 ML
SEW7 (Silver Shoals Dr)	02/20/2018	ENTEROCOCCI	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	02/20/2018	FECAL COLIFORM		10	MPN/100 ML
SEW7 (Silver Shoals Dr)	02/20/2018	TOTAL COLIFORM0		10	MPN/100 ML