

COUNTY OF SAN LUIS OBISPO HEALTH AGENCY **PUBLIC HEALTH DEPARTMENT**

Michael Hill Health Agency Director

Penny Borenstein, MD, MPH Health Officer/Public Health Director

Emergency Medical Services Agency

URGENT

Bulletin 2021-06

August 19, 2021 Replaces Bulletin 2021-01

PLEASE POST

PREPARING FOR AND RESPONDING TO KNOWN OR SUSPECTED **COVID-19 PATIENTS**

This bulletin replaces Bulletin 2021-01 dated June 25, 2021.

This bulletin provides information regarding response and guidance for EMS field personnel responding to emergencies during the novel coronavirus infectious disease (COVID-19) pandemic. The information included in this bulletin reflects all current CDPH and Cal OSHA recommendations and workplace guidelines for health care workers including EMS personnel. This bulletin will cover the following:

- Dispatch Procedures
- EMS Procedures
- Treatment and Transport

DISPATCH PROCEDURES

If your agency uses a Medical Priority Dispatch System (MPDS), please incorporate the following guidance to the *Difficulty Breathing* or *Sick/Unknown* MPDS cards.

One or more of the following indications **meets criteria** for confirmed or suspected COVID-19 infection.

- A positive COVID-19 test within the last 10 days, with or without symptoms.
- Complaint or suspicion of respiratory illness including cough, shortness of breath, difficulty breathing, fever, or flu-like symptoms.

If any of the above criteria are met, dispatchers will use the term "Meets Criteria" at the end of the dispatch. This information is intended to be used by responding EMS providers as an indicator of suspicion NOT a diagnosis.

EMS PROCEDURES

Due to recent dramatic increases in COVID-19 cases resulting from the Delta variant EMS personnel shall adhere to the following PPE guidelines when responding to EMS incidents:

ALL Patient Contacts:

- N95 or P100 Respirator
- Gloves
- Eye protection
- Place a surgical mask on the patient, or if they are wearing a facemask, leave it in place.
 - Oxygen may be administered with a nasal cannula under a face mask, or by oxygen mask with higher concentrations if needed. Oxygen saturation values in Covid 19 infected patients may present and remain lower than expected even with oxygen administration. Oxygen should be **titrated** according to patient's clinical presentation of respiratory distress as well as sPO2 levels.

EMS Personnel shall add a gown, including disposable gowns, Tyvek suits, wildland jacket, or other cleanable safety jacket, in the following circumstances:

- All patients who are confirmed COVID positive or have a high degree of suspicion of COVID infection.
- All aerosol generating procedures (see "Treatment and Transport" guidelines below).
- Response into congregate care settings including the following:
 - SLO County Jail
 - o CMC
 - Skilled Nursing Facilities (SNF)
 - Long Term Care Facilities (LTCF)

TREATMENT AND TRANSPORT

- It is not necessary to limit aerosol generating treatments, however EMS providers should exercise caution with these treatments which include:
 - o Continuous Positive Airway Pressure (CPAP)
 - Administration of nebulized medications
 - Suctioning
 - Endotracheal Intubation

- Refer to EMS Bulletin 2020-06 "GUIDELINES FOR AEROSOL GENERATING TREATMENTS AND PROCEDURES" for more information.
- If aerosol-generating procedures are required, use the minimum number of personnel to perform the procedure(s) safely and adequately. Personnel performing aerosol generating treatments shall wear full PPE including N95 or P100 respirator, full face shield or reusable goggles, gown, and gloves.
- During transport, vehicle ventilation in both compartments shall be in non-recirculated mode. Use vehicle ventilation systems to maximize air changes.
- Prior to beginning ambulance transport, the driver should remove their face shield or goggles, gown and gloves and perform hand hygiene. Face covering shall be worn during transport.
- Family members and other contacts of patients who ride in the ambulance shall wear a face mask.
- Transport personnel shall provide an early notification to the receiving hospital of a suspect COVID-19 patient, including inter-facility transfers. Early notification will enable the receiving hospital to take appropriate infection control precautions prior to patient arrival. Hospitals may provide specific directions for patient arriving at their facility.
- Per SLO EMS Agency Policy #151, all hospitals in the County can currently receive a COVID-19 patient.