

| Description | Strength/Size | ALS Transport Minimum | ALS First Responder Minimum | ALS Special Use Medic Minimum | ALS Wildland Unit Minimum | BLS First Responder Minimum † Elective skills as required |
|---|-------------------------------------|-----------------------|-----------------------------|-------------------------------|---------------------------|--|
| MEDICATIONS | | | | | | |
| Activated charcoal | 50 gm bottle (aqueous solution) | 1 | 1 | 0 | 0 | 0 |
| Adenosine | 6 mg/2 mL | 5 | 3 | 3 | 3 | 0 |
| Albuterol unit dose | 2.5 mg/3 mL solution | 4 | 2 | 2 | 2 | 0 |
| Aspirin | 81 mg nonenteric coated chewable | 1 bottle | 1 bottle | 4 tablets | 4 tablets | 1 bottle |
| Atropine | 1 mg/10 mL | 2 | 2 | 2 | 2 | 0 |
| Atropine | 8 mg multi-dose vial | 1 | 1 | 0 | 0 | 0 |
| Calcium Chloride 10% | 1 gm/10 mL | 1 | 1 | 0 | 0 | 0 |
| Dextrose 10% | 25 gm/250 mL bag | 2 | 2 | 1 | 1 | 0 |
| *Dextrose 50% | 25 gm/50 mL | 2 | 2 | 1 | 0 | 0 |
| Diphenhydramine | 50 mg/1 mL | 2 | 2 | 2 | 2 | 0 |
| Epinephrine | 1:1,000 1 mg/1 mL | 4 | 2 | 2 | 2 | 0 |
| †Epinephrine Auto-Injector | Pediatric and Adult | 0 | 0 | 0 | 0 | †1 each |
| Epinephrine | 1:10,000 1 mg/10 mL (10 mL preload) | 8 | 6 | 3 | 6 | 0 |
| Fentanyl | 100 mcg/2 mL | 2 | 2 | 2 | 2 | 0 |
| Glucagon | 1 mg/1 mL | 1 | 1 | 0 | 0 | 0 |
| Glucose gel | 15 gm | 2 tubes | 2 tubes | 2 tubes | 2 tubes | 2 tubes |
| Lidocaine 2% | 100 mg/ 5 mL | 6 | 4 | 3 | 3 | 0 |
| Midazolam | 5 mg/1 mL | 2 | 1 | 1 | 1 | 0 |
| Naloxone | 2 mg (vial or pre-load) | 2 | 2 | 2 | 2 | 0 |
| †Naloxone IN Kit | §2 mg pre-load and Atomizer | 0 | 0 | 0 | 0 | †2 |
| Nitroglycerine | SL tablets or spray | 2 | 1 | 1 | 1 | 0 |
| Nitro Paste 2% | 1 gm single dose packet | 3 | 3 | 0 | 0 | 0 |
| Ondansetron | 4 mg /2 mL injectable | 3 | 3 | 0 | 0 | 0 |
| | 4 mg dissolvable tablets | 3 | 3 | 1 | 1 | 0 |
| Sodium Bicarbonate | 50 mEq/50 mL | 2 | 2 | 0 | 0 | 0 |
| Tranexamic Acid (TXA) | 100 mg/1 mL 10 mL vial | 2 | 1 | 0 | 1 | 0 |
| Because variations in medication supply occur, equivalent total dosage quantities may be substituted | | | | | | |
| Variations in the concentration of medications being stocked, due to medication supply shortages, must be approved by Medical Director | | | | | | |
| *Dextrose D50 is being phased out in favor of Dextrose D10 | | | | | | |
| †Elective skills equipment required for participating agencies | | | | | | |
| Alternate Medications to be Stocked <u>ONLY</u> with Medical Director Approval | | | | | | |
| §Other pre-packaged single dose intranasal naloxone delivery devices that may be used with Medical Director Approval | | 0 | 0 | 0 | 0 | †2 |
| Diazepam (alternate to be stocked by order of Med Dir ONLY) | 10 mg | 2 | 1 | 1 | 1 | 0 |

| Description | Strength/Size | ALS Transport Minimum | ALS First Responder Minimum | ALS Special Use Medic Minimum | ALS Wildland Unit Minimum | BLS First Responder Minimum † Elective skills as required |
|---|---|-----------------------|-----------------------------|-------------------------------|---------------------------|--|
| Morphine (alternate to be stocked by order of Med Dir ONLY) | 10 mg | 3 | 2 | 2 | 2 | 0 |
| IV SOLUTIONS/EQUIPMENT | | | | | | |
| 0.9% Normal Saline | 1,000 mL bag (or equivalent total volume) | 6 | 4 | 2 | 4 | 0 |
| 100 mL Saline Delivery Equipment | 0.9% NS 100 mL bag OR Burette | 2 | 1 | 0 | 0 | 0 |
| 0.9% Normal Saline | 10 mL Vials/Flush | 5 | 5 | 2 | 2 | 0 |
| IV Tubing | 60gtt/mL | 4 | 2 | 0 | 0 | 0 |
| IV Tubing | 10-20gtt/mL | 6 | 3 | 2 | 2 | 0 |
| IV Catheters | Sizes 14, 16, 18, 20, 22, 24 gauge | 2 each | 2 each | 2 each | 2 each | 0 |
| Syringes | Assorted - 1mL, 3mL, 6mL-20mL | 2 each | 2 each | 1 each | 1 each | 0 |
| Needles Assorted | - ½", 1", 1 ½" - 18-30 gauge | 2 each | 2 each | 2 each | 2 each | 0 |
| Intraosseous (IO) single needle device | (FDA approved) adult and pediatric | 1 each | 1 each | 1 each | 1 each | 0 |
| Tourniquets (for IV start) | | 2 | 2 | 2 | 2 | 0 |
| Saline locks | | 4 | 2 | 2 | 2 | 0 |
| Luer-Lock adaptors | (Not required but recommended for use with STEMI patients) | 2 | 2 | 0 | 0 | 0 |
| Alcohol and betadine swabs | | 10 each | 10 each | 10 each | 10 each | †10 each |
| TRAUMA | | | | | | |
| Bandages and bandaging supplies: | | | | | | |
| Band-aids | Assorted | 10 | 10 | 5 | 5 | 10 |
| Sterile bandage compresses or equivalent | 4"x4" | 12 | 10 | 10 | 10 | 10 |
| Trauma dressing | 10"x30" or larger universal dressing | 2 | 2 | 2 | 2 | 2 |
| Roller gauze | 3" or 4" | 12 rolls | 8 rolls | 2 rolls | 2 rolls | 8 rolls |
| Cloth adhesive tape | 1, 2, or 3" | 1 roll | 1 roll | 1 roll | 1 roll | 1 roll |
| Triangular bandages with safety pins | | 4 | 2 | 1 | 1 | 2 |
| Tourniquet | See approved list for commercial devices | 2 | 2 | 1 | 1 | 2 |
| Vaseline gauze | 3"x8", or 5"x9" | 2 | 2 | 1 | 1 | 2 |
| Tongue blade or bite stick | | 2 | 2 | 2 | 2 | 2 |
| Burn Sheets (sterile or clean) – | may be disposable or linen (with date of sterilization indicated) | 2 | 2 | 0 | 2 | 2 |
| Cervical collars | Stnr: Sizes to fit all patients over one year old | 1 each | 1 each | 1 each | 1 each | 1 each |
| Cold packs | | 2 | 2 | 2 | 2 | 2 |

| Description | Strength/Size | ALS Transport Minimum | ALS First Responder Minimum | ALS Special Use Medic Minimum | ALS Wildland Unit Minimum | BLS First Responder Minimum † <i>Elective skills as required</i> |
|---|--|-----------------------|-----------------------------|-------------------------------|---------------------------|---|
| Irrigation equipment and supplies: | | | | | | |
| Saline, sterile | 250mL | 4 | 2 | 1 | 2 | 2 |
| Long spine board and light weight head immobilizer blocks | (or equivalent immobilization device) | 2 | 1 | 0 | 0 | 1 |
| Straps to secure patient to boards | | 2 sets | 1 set | 0 | 0 | 1 set |
| Splints, traction | Adult and pediatric (or a single device suitable for both) | 1 each | 1 each | 0 | 0 | 1 each |

| Description | Strength/Size | ALS Transport Minimum | ALS First Responder Minimum | ALS Special Use Medic Minimum | ALS Wildland Unit Minimum | BLS First Responder Minimum † Elective skills as required |
|---|---------------------------------------|-----------------------|-----------------------------|-------------------------------|---------------------------|--|
| TRAUMA CONT. | | | | | | |
| Splints, cardboard or equivalent | arm and leg splint | 2 each | 2 each | 1 each | 2 each | 2 each |
| K.E.D. or equivalent | | 1 | 1 | 0 | 0 | 0 |
| Pediatric spinal immobilization board | (or equivalent immobilization device) | 1 | 1 | 0 | 0 | 0 |
| Sheet or commercial pelvic binder | | 1 | 1 | 0 | 0 | 1 |
| Infection Control | | | | | | |
| Meet the minimum requirement per crew member as stated in the California Code of Regulations Title 8 (All Providers) | | | | | | |
| Transportation Equipment | | | | | | |
| Collapsible gurney cot with adjustable contour feature | | 1 | 0 | 0 | 0 | 0 |
| Stair chair or equivalent device | | 1 | 0 | 0 | 0 | 0 |
| Sheets, pillow, pillow case, towels, blankets (cloth or disposable) | | 2 | 0 | 0 | 0 | 0 |
| Scoop stretcher with straps | | 1 | 0 | 0 | 0 | 0 |
| Flat vinyl/canvas stretchers with straps | | 1 | 0 | 0 | 0 | 0 |
| MISCELLANEOUS | | | | | | |
| Blood pressure cuffs (portable): | Adult | 1 | 1 | 1 | 1 | 1 |
| | Large adult or thigh | 1 | 1 | 0 | 0 | 1 |
| | Pediatric | 1 | 1 | 0 | 1 | 1 |
| Obstetrical kit - sterile, prepackaged | | 1 | 1 | 0 | 0 | 1 |
| Restraints - non-constricting wrist and ankle | | 1 set each | 1 set each | 0 | 0 | 1 set each |
| Stethoscope | | 1 | 1 | 1 | 1 | 1 |
| Trash bags/receptacles | | 2 | 2 | 1 | 1 | 2 |
| Blanket | Disposable | 1 each | 1 each | 1 each | 1 each | 1 each |
| Bandage scissors (heavy duty) | | 1 | 1 | 1 | 1 | 1 |
| Emesis basins or emesis bags with containers | | 2 | 2 | 1 | 1 | 2 |
| Water, potable | | 1 liter | 1 liter | 0 | 1 liter | 1 liter |
| Maps, entire county | | 1 | 1 | 0 | 0 | 1 |
| Penlight | | 1 | 1 | 1 | 1 | 1 |
| Triage tags | | 20 | 20 | 20 | 20 | 20 |
| Bed pan | | 1 | 0 | 0 | 0 | 0 |
| Urinal | | 1 | 0 | 0 | 0 | 0 |

| Description | Strength/Size | ALS Transport Minimum | ALS First Responder Minimum | ALS Special Use Medic Minimum | ALS Wildland Unit Minimum | BLS First Responder Minimum † Elective skills as required |
|--|--|-----------------------------------|-----------------------------|-------------------------------|-----------------------------|--|
| †Glucometer | with ≥10 test strips, lancets, and other appropriate supplies | 1 | 1 | 1 | 1 | †1 |
| Puncture proof sharps container | small | 2 | 2 | 1 | 1 | †1 |
| Thermometer | | 1 | 1 | 0 | 0 | 0 |
| Automatic External Defibrillator | With AED pads | * For EMT-D Provider Agencies (1) | | | | |
| AIRWAY | | | | | | |
| Endotracheal tubes: | sizes-3.0, 5.0, 5.5, 6.0, 6.5, 7.0, 7.5, 8.0, 8.5, 9.0 | 1 each | 1 each | 1 each | 1 each | 0 |
| Laryngoscope handles, with extra batteries | | 2 | 2 | 1 | 1 | 0 |
| Laryngoscope blades: | Miller # 0, 1, 2, 3, 4 Macintosh # 1, 2, 3, 4 | 1 each | 1 each | 1 each | 1 each | 0 |
| Magill forceps (pediatric and adult) | | 1 each | 1 each | 1 each | 1 each | 0 |
| Adult stylets | | 2 each | 1 each | 1 each | 1 each | 0 |
| 10-20 mL syringe, sterile lubricant | | 2 each | 1 each | 1 each | 1 each | 0 |
| Needle Cricothyrotomy kit with: | 10 or 12 ga needle, 10-20 mL syringe, alcohol and betadine wipes and oxygen supply adapter | 1 | 1 | 1 | 1 | 0 |
| | Or other FDA approved percutaneous cricothyrotomy kit | 1 | 1 | 1 | 1 | 0 |
| Capnography Device | Qualitative or Quantitative | 1 | 1 | 1 | 1 | 0 |
| Hand held nebulizer for inhalation therapy | | 2 | 2 | 1 | 1 | 0 |
| Medrafter or equivalent | | 1 | 1 | 0 | 0 | 0 |
| Portable, battery powered, cardiac monitor-defibrillator with 12-lead ECG capability with the ability to perform computerized ECG readings and provide hard copy ECG tracings, with: | | 1 | 1 | 1 | AED w.manal defib and w/EKG | 0 |
| | Patient ECG cable | 1 | 1 | 1 | 0 | 0 |
| | ECG recording chart paper | 1 | 1 | 1 | 0 | 0 |
| | Adult ECG electrodes | 4 sets | 4 sets | 2 sets | 2 sets | 0 |
| | Defibrillation pads or equivalent - Adult and Pediatric | 1 set each | 1 set each | 1 set each | 1 set each | 0 |
| | Conductive defibrillation pads, | 4 | 4 | 2 | 2 | 0 |
| | or tubes of conductive gel | 2 | 2 | 1 | 1 | 0 |
| IV catheter for pleural decompression | 10 gauge/3 inch | 2 | 2 | 1 | 1 | 0 |

| Description | Strength/Size | ALS Transport Minimum | ALS First Responder Minimum | ALS Special Use Medic Minimum | ALS Wildland Unit Minimum | BLS First Responder Minimum † Elective skills as required |
|--|---|-----------------------|-----------------------------|-------------------------------|---------------------------|--|
| Asherman chest seal or equivalent open wound dressing | | 1 | 1 | 1 | 1 | 1 |
| Pulse oximeter | | 1 | 1 | 1 | 1 | 1 |
| †Continuous Positive Airway Pressure (CPAP) Ventilator | portable/adjustable pressure settings, FDA Approved with an oxygen supply | 1 | 1 | 0 | 0 | †1 |
| Nasopharyngeal airways (soft rubber) | Medium and Large adult sizes | 2 each | 2 each | 1 each | 1 each | 2 each |
| Lubricant, water-soluble jelly (K-Y) | | 2 | 2 | 2 | 2 | 2 |
| Oropharyngeal airways | (sizes 5.5 – 12 or equivalent) | 2 each | 1 each | 1 each | 1 each | 1 each |
| Adult non-rebreather masks | | 2 | 2 | 1 | 1 | 2 |
| Pediatric/infant non-rebreather mask | | 2 | 2 | 1 | 1 | 2 |
| Adult nasal cannula | | 4 | 2 | 1 | 1 | 2 |
| Oxygen Cylinders | D or E size cylinder with regulator capable of delivering 2-15 LPM | 1 | 1 | 1 | 1 | 1 |
| | M, H, or K cylinder with wall outlet(s) and constant flow regulator(s) | 1 | 0 | 0 | 0 | 0 |
| AIRWAY CONT. | | | | | | |
| Oxygen reserve: | | | | | | |
| | D or E cylinders | 1 | 1 | 0 | 0 | 1 |
| Face masks for resuscitation (clear) | | 2 | 1 | 1 | 1 | 1 |
| Bag-valve mask with O2 reservoir and supply tubing | | | | | | |
| | Adult | 1 | 1 | 1 | 1 | 1 |
| | Pediatric | 1 | 1 | 1 | 1 | 1 |
| | Infant | 1 | 1 | 1 | 0 | 1 |
| Suction equipment and supplies: | | | | | | |
| Rigid pharyngeal tonsil tip | | 2 | 2 | 0 | 0 | 2 |
| Spare suction tubing | | 1 | 1 | 0 | 0 | 1 |
| Suction apparatus (portable) | | 1 | 1 | 1 | 1 | 1 |
| Suction catheters | at least 2 sizes suitable for adult and pediatric endotracheal suctioning | 2 each | 1 each | 1 each | 1 each | 1 each |
| | | | | | | |