

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		11/12/2023 to 12/12/2023			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
AB8					
AB8 (149 yds east of pier by last steps on rock wa	11/13/2023	ENTEROCOCCI, MPN 1:10			75 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	11/13/2023	TOTAL COLIFORM 1:10			243 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	11/13/2023	E. COLI 1:10			110 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	11/27/2023	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	11/27/2023	TOTAL COLIFORM 1:10			96 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	11/27/2023	E. COLI 1:10			20 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	12/04/2023	ENTEROCOCCI, MPN 1:10			10 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	12/04/2023	TOTAL COLIFORM 1:10			175 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	12/04/2023	E. COLI 1:10			161 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	12/11/2023	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	12/11/2023	TOTAL COLIFORM 1:10			41 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	12/11/2023	E. COLI 1:10			20 MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		11/12/2023 to 12/12/2023			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
AB10					
AB10 (350 yards west of pier - creek outfall)	11/13/2023	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	11/13/2023	TOTAL COLIFORM 1:10		426	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	11/13/2023	E. COLI 1:10		20	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	11/27/2023	ENTEROCOCCI, MPN 1:10		53	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	11/27/2023	TOTAL COLIFORM 1:10		195	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	11/27/2023	E. COLI 1:10		85	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	12/04/2023	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	12/04/2023	TOTAL COLIFORM 1:10		1050	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	12/04/2023	E. COLI 1:10		31	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	12/11/2023	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	12/11/2023	TOTAL COLIFORM 1:10		520	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	12/11/2023	E. COLI 1:10		73	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		11/12/2023 to 12/12/2023			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
CAY13					
CAY13 (Studio Dr pkg lot so of Old Creek)	11/14/2023	ENTEROCOCCI, MPN 1:10			10 MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	11/14/2023	TOTAL COLIFORM 1:10	<		10 MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	11/14/2023	E. COLI 1:10	<		10 MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	11/27/2023	ENTEROCOCCI, MPN 1:10			31 MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	11/27/2023	TOTAL COLIFORM 1:10			845 MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	11/27/2023	E. COLI 1:10			31 MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	12/04/2023	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	12/04/2023	TOTAL COLIFORM 1:10			31 MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	12/04/2023	E. COLI 1:10	<		10 MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	12/11/2023	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	12/11/2023	TOTAL COLIFORM 1:10			10 MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	12/11/2023	E. COLI 1:10	<		10 MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		11/12/2023 to 12/12/2023			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
CAY14					
CAY14 (Farthest swing set near D street)	11/14/2023	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	11/14/2023	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	11/14/2023	E. COLI 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	11/27/2023	ENTEROCOCCI, MPN 1:10		99	MPN/100 ML
CAY14 (Farthest swing set near D street)	11/27/2023	TOTAL COLIFORM 1:10		913	MPN/100 ML
CAY14 (Farthest swing set near D street)	11/27/2023	E. COLI 1:10		20	MPN/100 ML
CAY14 (Farthest swing set near D street)	12/04/2023	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	12/04/2023	TOTAL COLIFORM 1:10		10	MPN/100 ML
CAY14 (Farthest swing set near D street)	12/04/2023	E. COLI 1:10		10	MPN/100 ML
CAY14 (Farthest swing set near D street)	12/11/2023	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	12/11/2023	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	12/11/2023	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		11/12/2023 to 12/12/2023			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
CAY16					
CAY16 (north of pier at creek outfall)	11/14/2023	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	11/14/2023	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	11/14/2023	E. COLI 1:10	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	11/27/2023	ENTEROCOCCI, MPN 1:10		87	MPN/100 ML
CAY16 (north of pier at creek outfall)	11/27/2023	TOTAL COLIFORM 1:10		892	MPN/100 ML
CAY16 (north of pier at creek outfall)	11/27/2023	E. COLI 1:10		52	MPN/100 ML
CAY16 (north of pier at creek outfall)	12/04/2023	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	12/04/2023	TOTAL COLIFORM 1:10		10	MPN/100 ML
CAY16 (north of pier at creek outfall)	12/04/2023	E. COLI 1:10	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	12/11/2023	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	12/11/2023	TOTAL COLIFORM 1:10		10	MPN/100 ML
CAY16 (north of pier at creek outfall)	12/11/2023	E. COLI 1:10		10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		11/12/2023 to 12/12/2023			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
HSB23					
HSB23 (100 yds west of the pier - creek outfall)	11/14/2023	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	11/14/2023	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	11/14/2023	E. COLI 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	11/27/2023	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	11/27/2023	TOTAL COLIFORM 1:10		355	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	11/27/2023	E. COLI 1:10		10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	12/04/2023	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	12/04/2023	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	12/04/2023	E. COLI 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	12/11/2023	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	12/11/2023	TOTAL COLIFORM 1:10		10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	12/11/2023	E. COLI 1:10		10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		11/12/2023 to 12/12/2023			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
MB11					
MB11 (25 yds north of main parking lot)	11/14/2023	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	11/14/2023	TOTAL COLIFORM 1:10		10	MPN/100 ML
MB11 (25 yds north of main parking lot)	11/14/2023	E. COLI 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	11/27/2023	ENTEROCOCCI, MPN 1:10		64	MPN/100 ML
MB11 (25 yds north of main parking lot)	11/27/2023	TOTAL COLIFORM 1:10		512	MPN/100 ML
MB11 (25 yds north of main parking lot)	11/27/2023	E. COLI 1:10		86	MPN/100 ML
MB11 (25 yds north of main parking lot)	12/04/2023	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
MB11 (25 yds north of main parking lot)	12/04/2023	TOTAL COLIFORM 1:10		10	MPN/100 ML
MB11 (25 yds north of main parking lot)	12/04/2023	E. COLI 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	12/11/2023	ENTEROCOCCI, MPN 1:10		207	MPN/100 ML
MB11 (25 yds north of main parking lot)	12/11/2023	TOTAL COLIFORM 1:10		231	MPN/100 ML
MB11 (25 yds north of main parking lot)	12/11/2023	E. COLI 1:10		98	MPN/100 ML
MB11 (25 yds north of main parking lot)	12/12/2023	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		11/12/2023 to 12/12/2023			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
MB12					
MB12 (Small prkg lot so side Morro Bay Creek)	11/14/2023	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	11/14/2023	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	11/14/2023	E. COLI 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	11/27/2023	ENTEROCOCCI, MPN 1:10		64	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	11/27/2023	TOTAL COLIFORM 1:10		573	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	11/27/2023	E. COLI 1:10		98	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	12/04/2023	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	12/04/2023	TOTAL COLIFORM 1:10		31	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	12/04/2023	E. COLI 1:10		10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	12/11/2023	ENTEROCOCCI, MPN 1:10		31	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	12/11/2023	TOTAL COLIFORM 1:10		160	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	12/11/2023	E. COLI 1:10		20	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		11/12/2023 to 12/12/2023			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
MB13					
MB13 (Atascadero Ave)	11/14/2023	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	11/14/2023	TOTAL COLIFORM 1:10		20	MPN/100 ML
MB13 (Atascadero Ave)	11/14/2023	E. COLI 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	11/27/2023	ENTEROCOCCI, MPN 1:10		53	MPN/100 ML
MB13 (Atascadero Ave)	11/27/2023	TOTAL COLIFORM 1:10		459	MPN/100 ML
MB13 (Atascadero Ave)	11/27/2023	E. COLI 1:10		131	MPN/100 ML
MB13 (Atascadero Ave)	12/04/2023	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	12/04/2023	TOTAL COLIFORM 1:10		10	MPN/100 ML
MB13 (Atascadero Ave)	12/04/2023	E. COLI 1:10		10	MPN/100 ML
MB13 (Atascadero Ave)	12/11/2023	ENTEROCOCCI, MPN 1:10		31	MPN/100 ML
MB13 (Atascadero Ave)	12/11/2023	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	12/11/2023	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		11/12/2023 to 12/12/2023			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
MB14					
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	11/14/2023	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	11/14/2023	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	11/14/2023	E. COLI 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	11/27/2023	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	11/27/2023	TOTAL COLIFORM 1:10		201	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	11/27/2023	E. COLI 1:10		31	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	12/04/2023	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	12/04/2023	TOTAL COLIFORM 1:10		132	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	12/04/2023	E. COLI 1:10		132	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	12/11/2023	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	12/11/2023	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	12/11/2023	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		11/12/2023 to 12/12/2023			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
OCB11					
OCB11 (571 yds so Pier Ave last house end of Stran	11/13/2023	ENTEROCOCCI, MPN 1:10		624	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	11/13/2023	TOTAL COLIFORM 1:10		473	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	11/13/2023	E. COLI 1:10		121	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	11/14/2023	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	11/27/2023	ENTEROCOCCI, MPN 1:10		42	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	11/27/2023	TOTAL COLIFORM 1:10		173	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	11/27/2023	E. COLI 1:10		20	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	12/04/2023	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	12/04/2023	TOTAL COLIFORM 1:10		41	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	12/04/2023	E. COLI 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	12/11/2023	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	12/11/2023	TOTAL COLIFORM 1:10		10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	12/11/2023	E. COLI 1:10		10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		11/12/2023 to 12/12/2023			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
OCB12					
OCB12 (Pier Ave)	11/13/2023	ENTEROCOCCI, MPN 1:10		64	MPN/100 ML
OCB12 (Pier Ave)	11/13/2023	TOTAL COLIFORM 1:10		31	MPN/100 ML
OCB12 (Pier Ave)	11/13/2023	E. COLI 1:10		20	MPN/100 ML
OCB12 (Pier Ave)	11/27/2023	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
OCB12 (Pier Ave)	11/27/2023	TOTAL COLIFORM 1:10		41	MPN/100 ML
OCB12 (Pier Ave)	11/27/2023	E. COLI 1:10		10	MPN/100 ML
OCB12 (Pier Ave)	12/04/2023	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	12/04/2023	TOTAL COLIFORM 1:10		20	MPN/100 ML
OCB12 (Pier Ave)	12/04/2023	E. COLI 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	12/11/2023	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	12/11/2023	TOTAL COLIFORM 1:10		20	MPN/100 ML
OCB12 (Pier Ave)	12/11/2023	E. COLI 1:10		10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		11/12/2023 to 12/12/2023			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
OCB13					
OCB13 (350 yds no of Pier Ave)	11/13/2023	ENTEROCOCCI, MPN 1:10			10 MPN/100 ML
OCB13 (350 yds no of Pier Ave)	11/13/2023	TOTAL COLIFORM 1:10			20 MPN/100 ML
OCB13 (350 yds no of Pier Ave)	11/13/2023	E. COLI 1:10	<		10 MPN/100 ML
OCB13 (350 yds no of Pier Ave)	11/27/2023	ENTEROCOCCI, MPN 1:10			31 MPN/100 ML
OCB13 (350 yds no of Pier Ave)	11/27/2023	TOTAL COLIFORM 1:10			97 MPN/100 ML
OCB13 (350 yds no of Pier Ave)	11/27/2023	E. COLI 1:10			41 MPN/100 ML
OCB13 (350 yds no of Pier Ave)	12/04/2023	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
OCB13 (350 yds no of Pier Ave)	12/04/2023	TOTAL COLIFORM 1:10			31 MPN/100 ML
OCB13 (350 yds no of Pier Ave)	12/04/2023	E. COLI 1:10			20 MPN/100 ML
OCB13 (350 yds no of Pier Ave)	12/11/2023	ENTEROCOCCI, MPN 1:10			20 MPN/100 ML
OCB13 (350 yds no of Pier Ave)	12/11/2023	TOTAL COLIFORM 1:10			10 MPN/100 ML
OCB13 (350 yds no of Pier Ave)	12/11/2023	E. COLI 1:10	<		10 MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		11/12/2023 to 12/12/2023			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
OLDE12					
OLDE12 (131 yds west of lifeguard station/restroom)	11/13/2023	ENTEROCOCCI, MPN 1:10		42	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	11/13/2023	TOTAL COLIFORM 1:10		223	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	11/13/2023	E. COLI 1:10		155	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	11/27/2023	ENTEROCOCCI, MPN 1:10		945	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	11/27/2023	TOTAL COLIFORM 1:10		1439	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	11/27/2023	E. COLI 1:10		959	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	11/28/2023	ENTEROCOCCI, MPN 1:10		75	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	11/28/2023	TOTAL COLIFORM 1:10		41	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	11/28/2023	E. COLI 1:10		20	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	12/04/2023	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	12/04/2023	TOTAL COLIFORM 1:10		84	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	12/04/2023	E. COLI 1:10		41	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	12/11/2023	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	12/11/2023	TOTAL COLIFORM 1:10		41	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	12/11/2023	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		11/12/2023 to 12/12/2023			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
PB3					
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	11/13/2023	ENTEROCOCCI, MPN 1:10			31 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	11/13/2023	TOTAL COLIFORM 1:10			41 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	11/13/2023	E. COLI 1:10			10 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	11/27/2023	ENTEROCOCCI, MPN 1:10			164 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	11/27/2023	TOTAL COLIFORM 1:10			364 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	11/27/2023	E. COLI 1:10			146 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	11/28/2023	ENTEROCOCCI, MPN 1:10			10 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	12/04/2023	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	12/04/2023	TOTAL COLIFORM 1:10			41 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	12/04/2023	E. COLI 1:10			41 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	12/11/2023	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	12/11/2023	TOTAL COLIFORM 1:10			10 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	12/11/2023	E. COLI 1:10			10 MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		11/12/2023 to 12/12/2023			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
PB4					
PB4 (14 yds so of pier)	11/13/2023	ENTEROCOCCI, MPN 1:10			31 MPN/100 ML
PB4 (14 yds so of pier)	11/13/2023	TOTAL COLIFORM 1:10			97 MPN/100 ML
PB4 (14 yds so of pier)	11/13/2023	E. COLI 1:10			52 MPN/100 ML
PB4 (14 yds so of pier)	11/27/2023	ENTEROCOCCI, MPN 1:10			124 MPN/100 ML
PB4 (14 yds so of pier)	11/27/2023	TOTAL COLIFORM 1:10			383 MPN/100 ML
PB4 (14 yds so of pier)	11/27/2023	E. COLI 1:10			213 MPN/100 ML
PB4 (14 yds so of pier)	11/27/2023	SAMPLE SOURCE		RECREATIONAL WATER	
PB4 (14 yds so of pier)	11/28/2023	ENTEROCOCCI, MPN 1:10			10 MPN/100 ML
PB4 (14 yds so of pier)	12/04/2023	ENTEROCOCCI, MPN 1:10			53 MPN/100 ML
PB4 (14 yds so of pier)	12/04/2023	TOTAL COLIFORM 1:10			63 MPN/100 ML
PB4 (14 yds so of pier)	12/04/2023	E. COLI 1:10			41 MPN/100 ML
PB4 (14 yds so of pier)	12/04/2023	SAMPLE SOURCE		RECREATIONAL WATER	
PB4 (14 yds so of pier)	12/11/2023	ENTEROCOCCI, MPN 1:10			53 MPN/100 ML
PB4 (14 yds so of pier)	12/11/2023	TOTAL COLIFORM 1:10			41 MPN/100 ML
PB4 (14 yds so of pier)	12/11/2023	E. COLI 1:10			20 MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		11/12/2023 to 12/12/2023			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
PB5					
PB5 (338 yds no of pier Edgewater motel blue roof	11/13/2023	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	11/13/2023	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	11/13/2023	E. COLI 1:10	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	11/27/2023	ENTEROCOCCI, MPN 1:10		64	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	11/27/2023	TOTAL COLIFORM 1:10		422	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	11/27/2023	E. COLI 1:10		51	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	12/04/2023	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	12/04/2023	TOTAL COLIFORM 1:10		10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	12/04/2023	E. COLI 1:10	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	12/11/2023	TOTAL COLIFORM 1:10		228	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	12/11/2023	E. COLI 1:10		171	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	12/12/2023	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		11/12/2023 to 12/12/2023			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
PICO23					
PICO23 (Pico Ave, San Simeon out from stairs)	11/14/2023	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	11/14/2023	TOTAL COLIFORM 1:10		10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	11/14/2023	E. COLI 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	11/27/2023	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	11/27/2023	TOTAL COLIFORM 1:10		41	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	11/27/2023	E. COLI 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	12/04/2023	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	12/04/2023	TOTAL COLIFORM 1:10		10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	12/04/2023	E. COLI 1:10		10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		11/12/2023 to 12/12/2023			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
SEW7					
SEW7 (Silver Shoals Dr)	11/13/2023	ENTEROCOCCI, MPN 1:10			10 MPN/100 ML
SEW7 (Silver Shoals Dr)	11/13/2023	TOTAL COLIFORM 1:10			743 MPN/100 ML
SEW7 (Silver Shoals Dr)	11/13/2023	E. COLI 1:10			452 MPN/100 ML
SEW7 (Silver Shoals Dr)	11/14/2023	TOTAL COLIFORM 1:10	<		10 MPN/100 ML
SEW7 (Silver Shoals Dr)	11/14/2023	E. COLI 1:10	<		10 MPN/100 ML
SEW7 (Silver Shoals Dr)	11/27/2023	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
SEW7 (Silver Shoals Dr)	11/27/2023	TOTAL COLIFORM 1:10			97 MPN/100 ML
SEW7 (Silver Shoals Dr)	11/27/2023	E. COLI 1:10			30 MPN/100 ML
SEW7 (Silver Shoals Dr)	12/04/2023	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
SEW7 (Silver Shoals Dr)	12/04/2023	TOTAL COLIFORM 1:10			20 MPN/100 ML
SEW7 (Silver Shoals Dr)	12/04/2023	E. COLI 1:10	<		10 MPN/100 ML
SEW7 (Silver Shoals Dr)	12/11/2023	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
SEW7 (Silver Shoals Dr)	12/11/2023	TOTAL COLIFORM 1:10			75 MPN/100 ML
SEW7 (Silver Shoals Dr)	12/11/2023	E. COLI 1:10			31 MPN/100 ML