

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		04/18/2022-05/16/2022			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
AB10					
AB10 (350 yards west of pier - creek outfall)	04/18/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	04/18/2022	TOTAL COLIFORM 1:10		41	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	04/18/2022	E. COLI 1:10	<	10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	04/25/2022	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	04/25/2022	TOTAL COLIFORM 1:10		441	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	04/25/2022	E. COLI 1:10		31	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	05/02/2022	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	05/02/2022	TOTAL COLIFORM 1:10		512	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	05/02/2022	E. COLI 1:10	<	10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	05/09/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	05/09/2022	TOTAL COLIFORM 1:10		6488	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	05/09/2022	E. COLI 1:10		20	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	05/16/2022	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	05/16/2022	TOTAL COLIFORM 1:10		1850	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	05/16/2022	E. COLI 1:10		41	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		04/18/2022-05/16/2022			
AB8					
AB8 (149 yds east of pier by last steps on rock wa	04/18/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	04/18/2022	TOTAL COLIFORM 1:10		20	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	04/18/2022	E. COLI 1:10		10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	04/25/2022	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	04/25/2022	TOTAL COLIFORM 1:10		183	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	04/25/2022	E. COLI 1:10		108	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	05/02/2022	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	05/02/2022	TOTAL COLIFORM 1:10		203	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	05/02/2022	E. COLI 1:10		161	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	05/09/2022	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	05/09/2022	TOTAL COLIFORM 1:10		63	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	05/09/2022	E. COLI 1:10		52	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	05/16/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	05/16/2022	TOTAL COLIFORM 1:10		74	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	05/16/2022	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		04/18/2022-05/16/2022			
CAY13					
CAY13 (Studio Dr pkg lot so of Old Creek)	04/19/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	04/19/2022	E. COLI 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	04/19/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	04/26/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	04/26/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	04/26/2022	E. COLI 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	05/02/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	05/02/2022	TOTAL COLIFORM 1:10		10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	05/02/2022	E. COLI 1:10		10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	05/09/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	05/09/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	05/09/2022	E. COLI 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	05/16/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	05/16/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	05/16/2022	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		04/18/2022-05/16/2022			
CAY14					
CAY14 (Farthest swing set near D street)	04/19/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	04/19/2022	TOTAL COLIFORM 1:10		10	MPN/100 ML
CAY14 (Farthest swing set near D street)	04/19/2022	E. COLI 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	04/26/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	04/26/2022	TOTAL COLIFORM 1:10		30	MPN/100 ML
CAY14 (Farthest swing set near D street)	04/26/2022	E. COLI 1:10		10	MPN/100 ML
CAY14 (Farthest swing set near D street)	05/02/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	05/02/2022	TOTAL COLIFORM 1:10		10	MPN/100 ML
CAY14 (Farthest swing set near D street)	05/02/2022	E. COLI 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	05/09/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	05/09/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	05/09/2022	E. COLI 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	05/16/2022	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
CAY14 (Farthest swing set near D street)	05/16/2022	TOTAL COLIFORM 1:10		10	MPN/100 ML
CAY14 (Farthest swing set near D street)	05/16/2022	E. COLI 1:10		10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		04/18/2022-05/16/2022			
CAY16					
CAY16 (north of pier at creek outfall)	04/19/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	04/19/2022	TOTAL COLIFORM 1:10		75	MPN/100 ML
CAY16 (north of pier at creek outfall)	04/19/2022	E. COLI 1:10	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	04/26/2022	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
CAY16 (north of pier at creek outfall)	04/26/2022	TOTAL COLIFORM 1:10		241	MPN/100 ML
CAY16 (north of pier at creek outfall)	04/26/2022	E. COLI 1:10		10	MPN/100 ML
CAY16 (north of pier at creek outfall)	05/02/2022	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
CAY16 (north of pier at creek outfall)	05/02/2022	TOTAL COLIFORM 1:10		10	MPN/100 ML
CAY16 (north of pier at creek outfall)	05/02/2022	E. COLI 1:10	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	05/09/2022	ENTEROCOCCI, MPN 1:10		31	MPN/100 ML
CAY16 (north of pier at creek outfall)	05/09/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	05/09/2022	E. COLI 1:10	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	05/16/2022	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
CAY16 (north of pier at creek outfall)	05/16/2022	TOTAL COLIFORM 1:10		10	MPN/100 ML
CAY16 (north of pier at creek outfall)	05/16/2022	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		04/18/2022-05/16/2022			
HSB23					
HSB23 (100 yds west of the pier - creek outfall)	04/19/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	04/19/2022	TOTAL COLIFORM 1:10		10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	04/19/2022	E. COLI 1:10		10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	04/26/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	04/26/2022	TOTAL COLIFORM 1:10		10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	04/26/2022	E. COLI 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	05/02/2022	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	05/02/2022	TOTAL COLIFORM 1:10		10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	05/02/2022	E. COLI 1:10		10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	05/09/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	05/09/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	05/09/2022	E. COLI 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	05/16/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	05/16/2022	TOTAL COLIFORM 1:10		10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	05/16/2022	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		04/18/2022-05/16/2022			
MB11					
MB11 (25 yds north of main parking lot)	04/19/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	04/19/2022	TOTAL COLIFORM 1:10		85	MPN/100 ML
MB11 (25 yds north of main parking lot)	04/19/2022	E. COLI 1:10		20	MPN/100 ML
MB11 (25 yds north of main parking lot)	04/26/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	04/26/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	04/26/2022	E. COLI 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	05/02/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	05/02/2022	TOTAL COLIFORM 1:10		20	MPN/100 ML
MB11 (25 yds north of main parking lot)	05/02/2022	E. COLI 1:10		20	MPN/100 ML
MB11 (25 yds north of main parking lot)	05/09/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	05/09/2022	TOTAL COLIFORM 1:10		10	MPN/100 ML
MB11 (25 yds north of main parking lot)	05/09/2022	E. COLI 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	05/16/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	05/16/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	05/16/2022	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		04/18/2022-05/16/2022			
MB12					
MB12 (Small prkg lot so side Morro Bay Creek)	04/19/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	04/19/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	04/19/2022	E. COLI 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	04/26/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	04/26/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	04/26/2022	E. COLI 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	05/02/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	05/02/2022	TOTAL COLIFORM 1:10		52	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	05/02/2022	E. COLI 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	05/09/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	05/09/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	05/09/2022	E. COLI 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	05/16/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	05/16/2022	TOTAL COLIFORM 1:10		10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	05/16/2022	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		04/18/2022-05/16/2022			
MB13					
MB13 (Atascadero Ave)	04/19/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	04/19/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	04/19/2022	E. COLI 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	04/26/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	04/26/2022	TOTAL COLIFORM 1:10		30	MPN/100 ML
MB13 (Atascadero Ave)	04/26/2022	E. COLI 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	05/02/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	05/02/2022	TOTAL COLIFORM 1:10		10	MPN/100 ML
MB13 (Atascadero Ave)	05/02/2022	E. COLI 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	05/09/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	05/09/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	05/09/2022	E. COLI 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	05/16/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	05/16/2022	TOTAL COLIFORM 1:10		10	MPN/100 ML
MB13 (Atascadero Ave)	05/16/2022	E. COLI 1:10		10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		04/18/2022-05/16/2022			
MB14					
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	04/19/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	04/19/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	04/19/2022	E. COLI 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	04/26/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	04/26/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	04/26/2022	E. COLI 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	05/02/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	05/02/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	05/02/2022	E. COLI 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	05/09/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	05/09/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	05/09/2022	E. COLI 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	05/16/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	05/16/2022	TOTAL COLIFORM 1:10		20	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	05/16/2022	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		04/18/2022-05/16/2022			
OCB11					
OCB11 (571 yds so Pier Ave last house end of Stran	04/18/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	04/18/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	04/18/2022	E. COLI 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	04/25/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	04/25/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	04/25/2022	E. COLI 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	05/02/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	05/02/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	05/02/2022	E. COLI 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	05/09/2022	ENTEROCOCCI, MPN 1:10		42	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	05/09/2022	TOTAL COLIFORM 1:10		10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	05/09/2022	E. COLI 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	05/16/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	05/16/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	05/16/2022	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		04/18/2022-05/16/2022			
OCB12					
OCB12 (Pier Ave)	04/18/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	04/18/2022	TOTAL COLIFORM 1:10		10	MPN/100 ML
OCB12 (Pier Ave)	04/18/2022	E. COLI 1:10		10	MPN/100 ML
OCB12 (Pier Ave)	04/25/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	04/25/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	04/25/2022	E. COLI 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	05/02/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	05/02/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	05/02/2022	E. COLI 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	05/09/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	05/09/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	05/09/2022	E. COLI 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	05/16/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	05/16/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	05/16/2022	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		04/18/2022-05/16/2022			
OCB13					
OCB13 (350 yds no of Pier Ave)	04/18/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	04/18/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	04/18/2022	E. COLI 1:10	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	04/25/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	04/25/2022	TOTAL COLIFORM 1:10		20	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	04/25/2022	E. COLI 1:10	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	05/02/2022	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	05/02/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	05/02/2022	E. COLI 1:10	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	05/09/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	05/09/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	05/09/2022	E. COLI 1:10	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	05/16/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	05/16/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	05/16/2022	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		04/18/2022-05/16/2022			
OLDE12					
OLDE12 (131 yds west of lifeguard station/restroom)	04/18/2022	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	04/18/2022	TOTAL COLIFORM 1:10		20	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	04/18/2022	E. COLI 1:10		20	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	04/25/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	04/25/2022	TOTAL COLIFORM 1:10		20	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	04/25/2022	E. COLI 1:10		20	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	05/02/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	05/02/2022	TOTAL COLIFORM 1:10		20	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	05/02/2022	E. COLI 1:10	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	05/09/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	05/09/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	05/09/2022	E. COLI 1:10	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	05/16/2022	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	05/16/2022	TOTAL COLIFORM 1:10		465	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	05/16/2022	E. COLI 1:10		41	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		04/18/2022-05/16/2022			
PB3					
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	04/18/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	04/18/2022	TOTAL COLIFORM 1:10		10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	04/18/2022	E. COLI 1:10		10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	04/25/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	04/25/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	04/25/2022	E. COLI 1:10	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	05/02/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	05/02/2022	TOTAL COLIFORM 1:10		10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	05/02/2022	E. COLI 1:10	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	05/09/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	05/09/2022	TOTAL COLIFORM 1:10		20	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	05/09/2022	E. COLI 1:10		20	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	05/16/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	05/16/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	05/16/2022	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		04/18/2022-05/16/2022			
PB4					
PB4 (14 yds so of pier)	04/18/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB4 (14 yds so of pier)	04/18/2022	TOTAL COLIFORM 1:10		10	MPN/100 ML
PB4 (14 yds so of pier)	04/18/2022	E. COLI 1:10	<	10	MPN/100 ML
PB4 (14 yds so of pier)	04/25/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB4 (14 yds so of pier)	04/25/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
PB4 (14 yds so of pier)	04/25/2022	E. COLI 1:10	<	10	MPN/100 ML
PB4 (14 yds so of pier)	05/02/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB4 (14 yds so of pier)	05/02/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
PB4 (14 yds so of pier)	05/02/2022	E. COLI 1:10	<	10	MPN/100 ML
PB4 (14 yds so of pier)	05/09/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB4 (14 yds so of pier)	05/09/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
PB4 (14 yds so of pier)	05/09/2022	E. COLI 1:10	<	10	MPN/100 ML
PB4 (14 yds so of pier)	05/16/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB4 (14 yds so of pier)	05/16/2022	TOTAL COLIFORM 1:10		20	MPN/100 ML
PB4 (14 yds so of pier)	05/16/2022	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		04/18/2022-05/16/2022			
PB5					
PB5 (338 yds no of pier Edgewater motel blue roof	04/18/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	04/18/2022	TOTAL COLIFORM 1:10		20	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	04/18/2022	E. COLI 1:10	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	04/25/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	04/25/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	04/25/2022	E. COLI 1:10	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	05/02/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	05/02/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	05/02/2022	E. COLI 1:10	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	05/09/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	05/09/2022	TOTAL COLIFORM 1:10		20	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	05/09/2022	E. COLI 1:10		20	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	05/16/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	05/16/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	05/16/2022	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		04/18/2022-05/16/2022			
PICO23					
PICO23 (Pico Ave, San Simeon out from stairs)	04/19/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	04/19/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	04/19/2022	E. COLI 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	04/26/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	04/26/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	04/26/2022	E. COLI 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	05/02/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	05/02/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	05/02/2022	E. COLI 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	05/09/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	05/09/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	05/09/2022	E. COLI 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	05/16/2022	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	05/16/2022	TOTAL COLIFORM 1:10		41	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	05/16/2022	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		04/18/2022-05/16/2022			
SEW7					
SEW7 (Silver Shoals Dr)	04/18/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	04/18/2022	TOTAL COLIFORM 1:10		31	MPN/100 ML
SEW7 (Silver Shoals Dr)	04/18/2022	E. COLI 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	04/25/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	04/25/2022	TOTAL COLIFORM 1:10		63	MPN/100 ML
SEW7 (Silver Shoals Dr)	04/25/2022	E. COLI 1:10		52	MPN/100 ML
SEW7 (Silver Shoals Dr)	05/02/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	05/02/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	05/02/2022	E. COLI 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	05/09/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	05/09/2022	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	05/09/2022	E. COLI 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	05/16/2022	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	05/16/2022	TOTAL COLIFORM 1:10		10	MPN/100 ML
SEW7 (Silver Shoals Dr)	05/16/2022	E. COLI 1:10	<	10	MPN/100 ML