

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		1/1/2023 to 1/31/2023			
AB8					
AB8 (149 yds east of pier by last steps on rock wa	01/23/2023	ENTEROCOCCI, MPN 1:10		31	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	01/23/2023	TOTAL COLIFORM 1:10		187	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	01/23/2023	E. COLI 1:10		10	MPN/100 ML
Weekly sampling has been temporarily postponed until April 2023.					

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		1/1/2023 to 1/31/2023			
AB10					
AB10 (350 yards west of pier - creek outfall)	01/01/2023	ENTEROCOCCI, MPN 1:10	>	2005	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	01/01/2023	TOTAL COLIFORM 1:10	>	24196	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	01/01/2023	E. COLI 1:10		4611	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	01/23/2023	TOTAL COLIFORM 1:10		1086	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	01/23/2023	E. COLI 1:10		41	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	01/23/2023	ENTEROCOCCI, MPN 1:10		42	MPN/100 ML
Weekly sampling has been temporarily postponed until April 2023.					

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		1/1/2023 to 1/31/2023			
CAY13					
CAY13 (Studio Dr pkg lot so of Old Creek)	01/23/2023	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	01/23/2023	TOTAL COLIFORM 1:10		754	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	01/23/2023	E. COLI 1:10		30	MPN/100 ML
Weekly sampling has been temporarily postponed until April 2023.					

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		1/1/2023 to 1/31/2023			
CAY14					
CAY14 (Farthest swing set near D street)	01/23/2023	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
CAY14 (Farthest swing set near D street)	01/23/2023	TOTAL COLIFORM 1:10		426	MPN/100 ML
CAY14 (Farthest swing set near D street)	01/23/2023	E. COLI 1:10		10	MPN/100 ML
Weekly sampling has been temporarily postponed until April 2023.					

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		1/1/2023 to 1/31/2023			
CAY16					
CAY16 (north of pier at creek outfall)	01/23/2023	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
CAY16 (north of pier at creek outfall)	01/23/2023	TOTAL COLIFORM 1:10		457	MPN/100 ML
CAY16 (north of pier at creek outfall)	01/23/2023	E. COLI 1:10		10	MPN/100 ML
Weekly sampling has been temporarily postponed until April 2023.					

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		1/1/2023 to 1/31/2023			
HSB23					
HSB23 (100 yds west of the pier - creek outfall)	01/23/2023	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	01/23/2023	TOTAL COLIFORM 1:10		122	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	01/23/2023	E. COLI 1:10		20	MPN/100 ML
Weekly sampling has been temporarily postponed until April 2023.					

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		1/1/2023 to 1/31/2023			
MB11					
MB11 (25 yds north of main parking lot)	01/23/2023	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
MB11 (25 yds north of main parking lot)	01/23/2023	TOTAL COLIFORM 1:10		768	MPN/100 ML
MB11 (25 yds north of main parking lot)	01/23/2023	E. COLI 1:10		20	MPN/100 ML
Weekly sampling has been temporarily postponed until April 2023.					

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		1/1/2023 to 1/31/2023			
MB12					
MB12 (Small prkg lot so side Morro Bay Creek)	01/23/2023	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	01/23/2023	TOTAL COLIFORM 1:10		657	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	01/23/2023	E. COLI 1:10		10	MPN/100 ML
Weekly sampling has been temporarily postponed until April 2023.					

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		1/1/2023 to 1/31/2023			
MB13					
MB13 (Atascadero Ave)	01/23/2023	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	01/23/2023	TOTAL COLIFORM 1:10		187	MPN/100 ML
MB13 (Atascadero Ave)	01/23/2023	E. COLI 1:10	<	10	MPN/100 ML
Weekly sampling has been temporarily postponed until April 2023.					

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		1/1/2023 to 1/31/2023			
MB14					
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	01/23/2023	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	01/23/2023	TOTAL COLIFORM 1:10		1658	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	01/23/2023	E. COLI 1:10	<	10	MPN/100 ML
Weekly sampling has been temporarily postponed until April 2023.					

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		1/1/2023 to 1/31/2023			
OCB11					
OCB11 (571 yds so Pier Ave last house end of Stran	01/23/2023	ENTEROCOCCI, MPN 1:10		31	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	01/23/2023	TOTAL COLIFORM 1:10		327	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	01/23/2023	E. COLI 1:10	<	10	MPN/100 ML
Weekly sampling has been temporarily postponed until April 2023.					

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		1/1/2023 to 1/31/2023			
OCB12					
OCB12 (Pier Ave)	01/23/2023	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	01/23/2023	TOTAL COLIFORM 1:10		253	MPN/100 ML
OCB12 (Pier Ave)	01/23/2023	E. COLI 1:10	<	10	MPN/100 ML
Weekly sampling has been temporarily postponed until April 2023.					

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		1/1/2023 to 1/31/2023			
OCB13					
OCB13 (350 yds no of Pier Ave)	01/23/2023	ENTEROCOCCI, MPN 1:10		31	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	01/23/2023	TOTAL COLIFORM 1:10		146	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	01/23/2023	E. COLI 1:10	<	10	MPN/100 ML
Weekly sampling has been temporarily postponed until April 2023.					

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		1/1/2023 to 1/31/2023			
OLDE12					
OLDE12 (131 yds west of lifeguard station/restroom)	01/23/2023	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	01/23/2023	TOTAL COLIFORM 1:10		109	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	01/23/2023	E. COLI 1:10		10	MPN/100 ML
Weekly sampling has been temporarily postponed until April 2023.					

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		1/1/2023 to 1/31/2023			
PB3					
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	01/23/2023	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	01/23/2023	TOTAL COLIFORM 1:10		145	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	01/23/2023	E. COLI 1:10	<	10	MPN/100 ML
Weekly sampling has been temporarily postponed until April 2023.					

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		1/1/2023 to 1/31/2023			
PB4					
PB4 (14 yds so of pier)	01/23/2023	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB4 (14 yds so of pier)	01/23/2023	TOTAL COLIFORM 1:10		161	MPN/100 ML
PB4 (14 yds so of pier)	01/23/2023	E. COLI 1:10		31	MPN/100 ML
Weekly sampling has been temporarily postponed until April 2023.					

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		1/1/2023 to 1/31/2023			
PB5					
PB5 (338 yds no of pier Edgewater motel blue roof	01/23/2023	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	01/23/2023	TOTAL COLIFORM 1:10		122	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	01/23/2023	E. COLI 1:10	<	10	MPN/100 ML
Weekly sampling has been temporarily postponed until April 2023.					

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		1/1/2023 to 1/31/2023			
PICO23					
PICO23 (Pico Ave, San Simeon out from stairs)	01/23/2023	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	01/23/2023	TOTAL COLIFORM 1:10		521	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	01/23/2023	E. COLI 1:10		20	MPN/100 ML
Weekly sampling has been temporarily postponed until April 2023.					

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		1/1/2023 to 1/31/2023			
SEW7					
SEW7 (Silver Shoals Dr)	01/23/2023	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
SEW7 (Silver Shoals Dr)	01/23/2023	TOTAL COLIFORM 1:10		959	MPN/100 ML
SEW7 (Silver Shoals Dr)	01/23/2023	E. COLI 1:10	<	10	MPN/100 ML
Weekly sampling has been temporarily postponed until April 2023.					