

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		1/29/2024 to 3/9/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
<b>AB8</b>					
AB8 (149 yds east of pier by last steps on rock wa	01/29/2024	ENTEROCOCCI, MPN 1:10			10 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	01/29/2024	TOTAL COLIFORM 1:10			10 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	01/29/2024	E. COLI 1:10			10 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	02/13/2024	ENTEROCOCCI, MPN 1:10			10 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	02/13/2024	TOTAL COLIFORM 1:10			173 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	02/13/2024	E. COLI 1:10	<		10 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	02/26/2024	ENTEROCOCCI, MPN 1:10			20 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	02/26/2024	TOTAL COLIFORM 1:10			52 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	02/26/2024	E. COLI 1:10			20 MPN/100 ML
<b>AB10</b>					
AB10 (350 yards west of pier - creek outfall)	01/29/2024	ENTEROCOCCI, MPN 1:10			111 MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	01/29/2024	TOTAL COLIFORM 1:10			86 MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	01/29/2024	E. COLI 1:10			20 MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	01/30/2024	ENTEROCOCCI, MPN 1:10			10 MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	02/13/2024	ENTEROCOCCI, MPN 1:10			10 MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	02/13/2024	TOTAL COLIFORM 1:10			496 MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	02/13/2024	E. COLI 1:10			75 MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	02/26/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	02/26/2024	TOTAL COLIFORM 1:10			20 MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	02/26/2024	E. COLI 1:10	<		10 MPN/100 ML
<b>CAY13</b>					
CAY13 (Studio Dr pkg lot so of Old Creek)	01/29/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	01/29/2024	TOTAL COLIFORM 1:10			75 MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	01/29/2024	E. COLI 1:10			10 MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	02/13/2024	ENTEROCOCCI, MPN 1:10			111 MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	02/13/2024	TOTAL COLIFORM 1:10			598 MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	02/13/2024	E. COLI 1:10			52 MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	02/14/2024	ENTEROCOCCI, MPN 1:10			64 MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	02/26/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	02/26/2024	TOTAL COLIFORM 1:10			121 MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	02/26/2024	E. COLI 1:10	<		10 MPN/100 ML
<b>CAY14</b>					
CAY14 (Farthest swing set near D street)	01/29/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
CAY14 (Farthest swing set near D street)	01/29/2024	TOTAL COLIFORM 1:10			52 MPN/100 ML
CAY14 (Farthest swing set near D street)	01/29/2024	E. COLI 1:10			10 MPN/100 ML
CAY14 (Farthest swing set near D street)	02/13/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
CAY14 (Farthest swing set near D street)	02/13/2024	TOTAL COLIFORM 1:10			135 MPN/100 ML
CAY14 (Farthest swing set near D street)	02/13/2024	E. COLI 1:10			20 MPN/100 ML
CAY14 (Farthest swing set near D street)	02/26/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
CAY14 (Farthest swing set near D street)	02/26/2024	TOTAL COLIFORM 1:10			145 MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		1/29/2024 to 3/9/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
CAY14 (Farthest swing set near D street)	02/26/2024	E. COLI 1:10	<	10	MPN/100 ML
<b>CAY16</b>					
CAY16 (north of pier at creek outfall)	01/29/2024	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
CAY16 (north of pier at creek outfall)	01/29/2024	TOTAL COLIFORM 1:10		131	MPN/100 ML
CAY16 (north of pier at creek outfall)	01/29/2024	E. COLI 1:10		10	MPN/100 ML
CAY16 (north of pier at creek outfall)	02/13/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	02/13/2024	TOTAL COLIFORM 1:10		158	MPN/100 ML
CAY16 (north of pier at creek outfall)	02/13/2024	E. COLI 1:10		30	MPN/100 ML
CAY16 (north of pier at creek outfall)	02/26/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	02/26/2024	TOTAL COLIFORM 1:10		171	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		1/29/2024 to 3/9/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
CAY16 (north of pier at creek outfall)	02/26/2024	E. COLI 1:10		10	MPN/100 ML
<b>HSB23</b>					
HSB23 (100 yds west of the pier - creek outfall)	01/29/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	01/29/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	01/29/2024	E. COLI 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	02/13/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	02/13/2024	TOTAL COLIFORM 1:10		135	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	02/13/2024	E. COLI 1:10		63	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	02/26/2024	ENTEROCOCCI, MPN 1:10		31	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	02/26/2024	TOTAL COLIFORM 1:10		84	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		1/29/2024 to 3/9/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
HSB23 (100 yds west of the pier - creek outfall)	02/26/2024	E. COLI 1:10	<	10	MPN/100 ML
<b>MB11</b>					
MB11 (25 yds north of main parking lot)	01/29/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	01/29/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	01/29/2024	E. COLI 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	02/13/2024	ENTEROCOCCI, MPN 1:10		31	MPN/100 ML
MB11 (25 yds north of main parking lot)	02/13/2024	TOTAL COLIFORM 1:10		98	MPN/100 ML
MB11 (25 yds north of main parking lot)	02/13/2024	E. COLI 1:10		52	MPN/100 ML
MB11 (25 yds north of main parking lot)	02/26/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	02/26/2024	TOTAL COLIFORM 1:10		106	MPN/100 ML
MB11 (25 yds north of main parking lot)	02/26/2024	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		1/29/2024 to 3/9/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
<b>MB12</b>					
MB12 (Small prkg lot so side Morro Bay Creek)	01/29/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	01/29/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	01/29/2024	E. COLI 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	02/13/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	02/13/2024	TOTAL COLIFORM 1:10		373	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	02/13/2024	E. COLI 1:10		10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	02/26/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	02/26/2024	TOTAL COLIFORM 1:10		121	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	02/26/2024	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		1/29/2024 to 3/9/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
<b>MB13</b>					
MB13 (Atascadero Ave)	01/29/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	01/29/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
MB13 (Atascadero Ave)	01/29/2024	E. COLI 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	02/13/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	02/13/2024	TOTAL COLIFORM 1:10		74	MPN/100 ML
MB13 (Atascadero Ave)	02/13/2024	E. COLI 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	02/26/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	02/26/2024	TOTAL COLIFORM 1:10		109	MPN/100 ML
MB13 (Atascadero Ave)	02/26/2024	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		1/29/2024 to 3/9/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
<b>MB14</b>					
MB14 (Alva Paul, Beachcomber Dr & Luzon (so restro	01/29/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so restro	01/29/2024	TOTAL COLIFORM 1:10		31	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so restro	01/29/2024	E. COLI 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so restro	02/13/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so restro	02/13/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so restro	02/13/2024	E. COLI 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so restro	02/26/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so restro	02/26/2024	TOTAL COLIFORM 1:10		97	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so restro	02/26/2024	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		1/29/2024 to 3/9/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
<b>OCB11</b>					
OCB11 (571 yds so Pier Ave end of Strand Way	01/29/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	01/29/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	01/29/2024	E. COLI 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	02/13/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	02/13/2024	TOTAL COLIFORM 1:10		31	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	02/13/2024	E. COLI 1:10		10	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	02/26/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	02/26/2024	TOTAL COLIFORM 1:10		156	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	02/26/2024	E. COLI 1:10	<	10	MPN/100 ML
<b>OCB12</b>					



Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		1/29/2024 to 3/9/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
OCB12 (Pier Ave)	01/29/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	01/29/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	01/29/2024	E. COLI 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	02/13/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	02/13/2024	TOTAL COLIFORM 1:10		31	MPN/100 ML
OCB12 (Pier Ave)	02/13/2024	E. COLI 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	02/26/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	02/26/2024	TOTAL COLIFORM 1:10		98	MPN/100 ML
OCB12 (Pier Ave)	02/26/2024	E. COLI 1:10	<	10	MPN/100 ML
<b>OCB13</b>					

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		1/29/2024 to 3/9/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
OCB13 (350 yds no of Pier Ave)	01/29/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	01/29/2024	TOTAL COLIFORM 1:10		20	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	01/29/2024	E. COLI 1:10	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	02/13/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	02/13/2024	TOTAL COLIFORM 1:10		20	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	02/13/2024	E. COLI 1:10		20	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	02/26/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	02/26/2024	TOTAL COLIFORM 1:10		74	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	02/26/2024	E. COLI 1:10	<	10	MPN/100 ML
<b>OLDE12</b>					

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		1/29/2024 to 3/9/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
OLDE12 (131 yds west of lifeguard station/restroom)	01/29/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	01/29/2024	TOTAL COLIFORM 1:10		41	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	01/29/2024	E. COLI 1:10		31	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	02/13/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	02/13/2024	TOTAL COLIFORM 1:10		350	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	02/13/2024	E. COLI 1:10		30	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	02/26/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	02/26/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	02/26/2024	E. COLI 1:10	<	10	MPN/100 ML
<b>PB3</b>					
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	01/29/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	01/29/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	01/29/2024	E. COLI 1:10		10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	02/13/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	02/13/2024	TOTAL COLIFORM 1:10		52	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	02/13/2024	E. COLI 1:10		20	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	02/26/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	02/26/2024	TOTAL COLIFORM 1:10		158	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	02/26/2024	E. COLI 1:10	<	10	MPN/100 ML
<b>PB4</b>					
PB4 (14 yds so of pier)	01/29/2024	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
PB4 (14 yds so of pier)	01/29/2024	TOTAL COLIFORM 1:10		75	MPN/100 ML
PB4 (14 yds so of pier)	01/29/2024	E. COLI 1:10		31	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		1/29/2024 to 3/9/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
PB4 (14 yds so of pier)	02/13/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB4 (14 yds so of pier)	02/13/2024	TOTAL COLIFORM 1:10		135	MPN/100 ML
PB4 (14 yds so of pier)	02/13/2024	E. COLI 1:10		86	MPN/100 ML
PB4 (14 yds so of pier)	02/26/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB4 (14 yds so of pier)	02/26/2024	TOTAL COLIFORM 1:10		203	MPN/100 ML
PB4 (14 yds so of pier)	02/26/2024	E. COLI 1:10	<	10	MPN/100 ML
<b>PB5</b>					
PB5 (338 yds no of pier Edgewater motel blue roof)	01/29/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof)	01/29/2024	TOTAL COLIFORM 1:10		41	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof)	01/29/2024	E. COLI 1:10		20	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof)	02/13/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof)	02/13/2024	TOTAL COLIFORM 1:10		52	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof)	02/13/2024	E. COLI 1:10		10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof)	02/26/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof)	02/26/2024	TOTAL COLIFORM 1:10		120	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof)	02/26/2024	E. COLI 1:10	<	10	MPN/100 ML
<b>PICO23</b>					
PICO23 (Pico Ave, San Simeon out from stairs)	01/29/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	01/29/2024	TOTAL COLIFORM 1:10		20	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	01/29/2024	E. COLI 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	02/13/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	02/13/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML