

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		10/7/19-11/4/19			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
AB8					
AB8 (149 yds east of pier by last steps on rock wa	10/07/2019	ENTEROCOCCI	<	10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	10/07/2019	FECAL COLIFORM	<	10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	10/07/2019	TOTAL COLIFORM	<	10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	10/15/2019	ENTEROCOCCI	<	10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	10/15/2019	FECAL COLIFORM		31	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	10/15/2019	TOTAL COLIFORM		74	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	10/21/2019	ENTEROCOCCI	<	10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	10/21/2019	FECAL COLIFORM	<	10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	10/21/2019	TOTAL COLIFORM	<	10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	10/28/2019	ENTEROCOCCI		20	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	10/28/2019	FECAL COLIFORM		10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	10/28/2019	TOTAL COLIFORM		31	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	11/04/2019	ENTEROCOCCI	<	10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	11/04/2019	FECAL COLIFORM	<	10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	11/04/2019	TOTAL COLIFORM	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		10/7/19-11/4/19			
AB10					
AB10 (350 yards west of pier - creek outfall)	10/07/2019	ENTEROCOCCI	<	10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	10/07/2019	FECAL COLIFORM		74	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	10/07/2019	TOTAL COLIFORM		121	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	10/15/2019	ENTEROCOCCI	<	10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	10/15/2019	FECAL COLIFORM		10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	10/15/2019	TOTAL COLIFORM		52	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	10/21/2019	ENTEROCOCCI	<	10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	10/21/2019	FECAL COLIFORM	<	10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	10/21/2019	TOTAL COLIFORM		52	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	10/28/2019	ENTEROCOCCI		10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	10/28/2019	FECAL COLIFORM		52	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	10/28/2019	TOTAL COLIFORM		63	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	11/04/2019	ENTEROCOCCI	<	10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	11/04/2019	FECAL COLIFORM		10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	11/04/2019	TOTAL COLIFORM		548	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		10/7/19-11/4/19			
CAY13					
CAY13 (Studio Dr pkg lot so of Old Creek)	10/07/2019	ENTEROCOCCI	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	10/07/2019	FECAL COLIFORM	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	10/07/2019	TOTAL COLIFORM	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	10/15/2019	ENTEROCOCCI	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	10/15/2019	FECAL COLIFORM	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	10/15/2019	TOTAL COLIFORM	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	10/21/2019	ENTEROCOCCI	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	10/21/2019	FECAL COLIFORM	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	10/21/2019	TOTAL COLIFORM	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	10/28/2019	ENTEROCOCCI	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	10/28/2019	FECAL COLIFORM	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	10/28/2019	TOTAL COLIFORM		20	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	11/04/2019	ENTEROCOCCI	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	11/04/2019	FECAL COLIFORM		10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	11/04/2019	TOTAL COLIFORM		10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		10/7/19-11/4/19			
CAY14					
CAY14 (Farthest swing set near D street)	10/07/2019	ENTEROCOCCI	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	10/07/2019	FECAL COLIFORM		31	MPN/100 ML
CAY14 (Farthest swing set near D street)	10/07/2019	TOTAL COLIFORM		41	MPN/100 ML
CAY14 (Farthest swing set near D street)	10/15/2019	ENTEROCOCCI	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	10/15/2019	FECAL COLIFORM		10	MPN/100 ML
CAY14 (Farthest swing set near D street)	10/15/2019	TOTAL COLIFORM		63	MPN/100 ML
CAY14 (Farthest swing set near D street)	10/21/2019	ENTEROCOCCI	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	10/21/2019	FECAL COLIFORM	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	10/21/2019	TOTAL COLIFORM	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	10/28/2019	ENTEROCOCCI	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	10/28/2019	FECAL COLIFORM	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	10/28/2019	TOTAL COLIFORM		10	MPN/100 ML
CAY14 (Farthest swing set near D street)	11/04/2019	ENTEROCOCCI	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	11/04/2019	FECAL COLIFORM	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	11/04/2019	TOTAL COLIFORM	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		10/7/19-11/4/19			
CAY16					
CAY16 (north of pier at creek outfall)	10/07/2019	ENTEROCOCCI	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	10/07/2019	FECAL COLIFORM		20	MPN/100 ML
CAY16 (north of pier at creek outfall)	10/07/2019	TOTAL COLIFORM		20	MPN/100 ML
CAY16 (north of pier at creek outfall)	10/15/2019	ENTEROCOCCI	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	10/15/2019	FECAL COLIFORM		30	MPN/100 ML
CAY16 (north of pier at creek outfall)	10/15/2019	TOTAL COLIFORM		52	MPN/100 ML
CAY16 (north of pier at creek outfall)	10/21/2019	ENTEROCOCCI	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	10/21/2019	FECAL COLIFORM		10	MPN/100 ML
CAY16 (north of pier at creek outfall)	10/21/2019	TOTAL COLIFORM		10	MPN/100 ML
CAY16 (north of pier at creek outfall)	10/28/2019	ENTEROCOCCI		20	MPN/100 ML
CAY16 (north of pier at creek outfall)	10/28/2019	FECAL COLIFORM		20	MPN/100 ML
CAY16 (north of pier at creek outfall)	10/28/2019	TOTAL COLIFORM		41	MPN/100 ML
CAY16 (north of pier at creek outfall)	11/04/2019	ENTEROCOCCI	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	11/04/2019	FECAL COLIFORM		20	MPN/100 ML
CAY16 (north of pier at creek outfall)	11/04/2019	TOTAL COLIFORM		31	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		10/7/19-11/4/19			
HSB23					
HSB23 (100 yds west of the pier - creek outfall)	10/07/2019	ENTEROCOCCI	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	10/07/2019	FECAL COLIFORM	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	10/07/2019	TOTAL COLIFORM	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	10/15/2019	ENTEROCOCCI		53	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	10/15/2019	FECAL COLIFORM		259	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	10/15/2019	TOTAL COLIFORM		275	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	10/21/2019	ENTEROCOCCI	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	10/21/2019	FECAL COLIFORM		10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	10/21/2019	TOTAL COLIFORM		10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	10/28/2019	ENTEROCOCCI		20	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	10/28/2019	FECAL COLIFORM	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	10/28/2019	TOTAL COLIFORM	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	11/04/2019	ENTEROCOCCI	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	11/04/2019	FECAL COLIFORM	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	11/04/2019	TOTAL COLIFORM	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		10/7/19-11/4/19			
MB11					
MB11 (25 yds north of main parking lot)	10/07/2019	ENTEROCOCCI		10	MPN/100 ML
MB11 (25 yds north of main parking lot)	10/07/2019	FECAL COLIFORM	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	10/07/2019	TOTAL COLIFORM	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	10/15/2019	ENTEROCOCCI	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	10/15/2019	FECAL COLIFORM		10	MPN/100 ML
MB11 (25 yds north of main parking lot)	10/15/2019	TOTAL COLIFORM		1334	MPN/100 ML
MB11 (25 yds north of main parking lot)	10/21/2019	ENTEROCOCCI	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	10/21/2019	FECAL COLIFORM	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	10/21/2019	TOTAL COLIFORM	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	10/28/2019	ENTEROCOCCI	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	10/28/2019	FECAL COLIFORM	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	10/28/2019	TOTAL COLIFORM	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	11/04/2019	ENTEROCOCCI	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	11/04/2019	FECAL COLIFORM	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	11/04/2019	TOTAL COLIFORM	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		10/7/19-11/4/19			
MB12					
MB12 (Small prkg lot so side Morro Bay Creek)	10/07/2019	ENTEROCOCCI	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	10/07/2019	FECAL COLIFORM	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	10/07/2019	TOTAL COLIFORM		20	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	10/15/2019	ENTEROCOCCI	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	10/15/2019	FECAL COLIFORM		10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	10/15/2019	TOTAL COLIFORM		10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	10/21/2019	ENTEROCOCCI	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	10/21/2019	FECAL COLIFORM	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	10/21/2019	TOTAL COLIFORM	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	10/28/2019	ENTEROCOCCI	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	10/28/2019	FECAL COLIFORM	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	10/28/2019	TOTAL COLIFORM		10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	11/04/2019	ENTEROCOCCI	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	11/04/2019	FECAL COLIFORM	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	11/04/2019	TOTAL COLIFORM	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		10/7/19-11/4/19			
MB13					
MB13 (Atascadero Ave)	10/07/2019	ENTEROCOCCI	<	10	MPN/100 ML
MB13 (Atascadero Ave)	10/07/2019	FECAL COLIFORM	<	10	MPN/100 ML
MB13 (Atascadero Ave)	10/07/2019	TOTAL COLIFORM	<	10	MPN/100 ML
MB13 (Atascadero Ave)	10/15/2019	ENTEROCOCCI	<	10	MPN/100 ML
MB13 (Atascadero Ave)	10/15/2019	FECAL COLIFORM	<	10	MPN/100 ML
MB13 (Atascadero Ave)	10/15/2019	TOTAL COLIFORM	<	10	MPN/100 ML
MB13 (Atascadero Ave)	10/21/2019	ENTEROCOCCI	<	10	MPN/100 ML
MB13 (Atascadero Ave)	10/21/2019	FECAL COLIFORM	<	10	MPN/100 ML
MB13 (Atascadero Ave)	10/21/2019	TOTAL COLIFORM	<	10	MPN/100 ML
MB13 (Atascadero Ave)	10/28/2019	ENTEROCOCCI	<	10	MPN/100 ML
MB13 (Atascadero Ave)	10/28/2019	FECAL COLIFORM	<	10	MPN/100 ML
MB13 (Atascadero Ave)	10/28/2019	TOTAL COLIFORM		10	MPN/100 ML
MB13 (Atascadero Ave)	11/04/2019	ENTEROCOCCI	<	10	MPN/100 ML
MB13 (Atascadero Ave)	11/04/2019	FECAL COLIFORM	<	10	MPN/100 ML
MB13 (Atascadero Ave)	11/04/2019	TOTAL COLIFORM	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		10/7/19-11/4/19			
MB14					
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	10/07/2019	ENTEROCOCCI		20	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	10/07/2019	FECAL COLIFORM	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	10/07/2019	TOTAL COLIFORM		20	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	10/15/2019	ENTEROCOCCI	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	10/15/2019	FECAL COLIFORM	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	10/15/2019	TOTAL COLIFORM	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	10/21/2019	ENTEROCOCCI	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	10/21/2019	FECAL COLIFORM	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	10/21/2019	TOTAL COLIFORM	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	10/28/2019	ENTEROCOCCI	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	10/28/2019	FECAL COLIFORM	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	10/28/2019	TOTAL COLIFORM		10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	11/04/2019	ENTEROCOCCI	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	11/04/2019	FECAL COLIFORM	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	11/04/2019	TOTAL COLIFORM		10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		10/7/19-11/4/19			
OCB11					
OCB11 (571 yds so Pier Ave last house end of Stran	10/07/2019	ENTEROCOCCI	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	10/07/2019	FECAL COLIFORM	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	10/07/2019	TOTAL COLIFORM	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	10/15/2019	ENTEROCOCCI		124	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	10/15/2019	FECAL COLIFORM		1178	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	10/15/2019	TOTAL COLIFORM		2014	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	10/16/2019	ENTEROCOCCI	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	10/16/2019	FECAL COLIFORM	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	10/16/2019	TOTAL COLIFORM	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	10/21/2019	ENTEROCOCCI	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	10/21/2019	FECAL COLIFORM	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	10/21/2019	TOTAL COLIFORM		10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	10/28/2019	ENTEROCOCCI	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	10/28/2019	FECAL COLIFORM		31	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	10/28/2019	TOTAL COLIFORM		31	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	11/04/2019	ENTEROCOCCI	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	11/04/2019	FECAL COLIFORM	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	11/04/2019	TOTAL COLIFORM	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		10/7/19-11/4/19			
OCB12					
OCB12 (Pier Ave)	10/07/2019	ENTEROCOCCI	<	10	MPN/100 ML
OCB12 (Pier Ave)	10/07/2019	FECAL COLIFORM	<	10	MPN/100 ML
OCB12 (Pier Ave)	10/07/2019	TOTAL COLIFORM	<	10	MPN/100 ML
OCB12 (Pier Ave)	10/15/2019	ENTEROCOCCI		10	MPN/100 ML
OCB12 (Pier Ave)	10/15/2019	FECAL COLIFORM		20	MPN/100 ML
OCB12 (Pier Ave)	10/15/2019	TOTAL COLIFORM		41	MPN/100 ML
OCB12 (Pier Ave)	10/21/2019	ENTEROCOCCI	<	10	MPN/100 ML
OCB12 (Pier Ave)	10/21/2019	FECAL COLIFORM	<	10	MPN/100 ML
OCB12 (Pier Ave)	10/21/2019	TOTAL COLIFORM	<	10	MPN/100 ML
OCB12 (Pier Ave)	10/28/2019	ENTEROCOCCI		20	MPN/100 ML
OCB12 (Pier Ave)	10/28/2019	FECAL COLIFORM		41	MPN/100 ML
OCB12 (Pier Ave)	10/28/2019	TOTAL COLIFORM		51	MPN/100 ML
OCB12 (Pier Ave)	11/04/2019	ENTEROCOCCI	<	10	MPN/100 ML
OCB12 (Pier Ave)	11/04/2019	FECAL COLIFORM	<	10	MPN/100 ML
OCB12 (Pier Ave)	11/04/2019	TOTAL COLIFORM	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		10/7/19-11/4/19			
OCB13					
OCB13 (350 yds no of Pier Ave)	10/07/2019	ENTEROCOCCI	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	10/07/2019	FECAL COLIFORM	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	10/07/2019	TOTAL COLIFORM	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	10/15/2019	ENTEROCOCCI	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	10/15/2019	FECAL COLIFORM		10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	10/15/2019	TOTAL COLIFORM		20	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	10/21/2019	ENTEROCOCCI	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	10/21/2019	FECAL COLIFORM	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	10/21/2019	TOTAL COLIFORM		10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	10/28/2019	ENTEROCOCCI	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	10/28/2019	FECAL COLIFORM		20	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	10/28/2019	TOTAL COLIFORM		52	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	11/04/2019	ENTEROCOCCI	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	11/04/2019	FECAL COLIFORM	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	11/04/2019	TOTAL COLIFORM	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		10/7/19-11/4/19			
OLDE12					
OLDE12 (131 yds west of lifeguard station/restroom)	10/07/2019	ENTEROCOCCI	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/07/2019	FECAL COLIFORM	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/07/2019	TOTAL COLIFORM	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/15/2019	ENTEROCOCCI		10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/15/2019	FECAL COLIFORM		10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/15/2019	TOTAL COLIFORM		10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/21/2019	ENTEROCOCCI	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/21/2019	FECAL COLIFORM		20	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/21/2019	TOTAL COLIFORM		63	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/28/2019	ENTEROCOCCI	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/28/2019	FECAL COLIFORM		41	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/28/2019	TOTAL COLIFORM		75	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	11/04/2019	ENTEROCOCCI		10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	11/04/2019	FECAL COLIFORM		31	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	11/04/2019	TOTAL COLIFORM		41	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		10/7/19-11/4/19			
PB3					
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	10/07/2019	ENTEROCOCCI	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	10/07/2019	FECAL COLIFORM		10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	10/07/2019	TOTAL COLIFORM		20	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	10/15/2019	ENTEROCOCCI		10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	10/15/2019	FECAL COLIFORM		63	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	10/15/2019	TOTAL COLIFORM		85	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	10/21/2019	ENTEROCOCCI		10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	10/21/2019	FECAL COLIFORM	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	10/21/2019	TOTAL COLIFORM	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	10/28/2019	ENTEROCOCCI	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	10/28/2019	FECAL COLIFORM		41	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	10/28/2019	TOTAL COLIFORM		52	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	11/04/2019	ENTEROCOCCI	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	11/04/2019	FECAL COLIFORM	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	11/04/2019	TOTAL COLIFORM	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		10/7/19-11/4/19			
PB4					
PB4 (14 yds so of pier)	10/07/2019	ENTEROCOCCI	<	10	MPN/100 ML
PB4 (14 yds so of pier)	10/07/2019	FECAL COLIFORM		31	MPN/100 ML
PB4 (14 yds so of pier)	10/07/2019	TOTAL COLIFORM		41	MPN/100 ML
PB4 (14 yds so of pier)	10/15/2019	ENTEROCOCCI	<	10	MPN/100 ML
PB4 (14 yds so of pier)	10/15/2019	FECAL COLIFORM		183	MPN/100 ML
PB4 (14 yds so of pier)	10/15/2019	TOTAL COLIFORM		256	MPN/100 ML
PB4 (14 yds so of pier)	10/21/2019	ENTEROCOCCI	<	10	MPN/100 ML
PB4 (14 yds so of pier)	10/21/2019	FECAL COLIFORM		279	MPN/100 ML
PB4 (14 yds so of pier)	10/21/2019	TOTAL COLIFORM		279	MPN/100 ML
PB4 (14 yds so of pier)	10/28/2019	ENTEROCOCCI		20	MPN/100 ML
PB4 (14 yds so of pier)	10/28/2019	FECAL COLIFORM		63	MPN/100 ML
PB4 (14 yds so of pier)	10/28/2019	TOTAL COLIFORM		97	MPN/100 ML
PB4 (14 yds so of pier)	11/04/2019	ENTEROCOCCI	<	10	MPN/100 ML
PB4 (14 yds so of pier)	11/04/2019	FECAL COLIFORM		10	MPN/100 ML
PB4 (14 yds so of pier)	11/04/2019	TOTAL COLIFORM		30	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		10/7/19-11/4/19			
PB5					
PB5 (338 yds no of pier Edgewater motel blue roof	10/07/2019	ENTEROCOCCI		10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	10/07/2019	FECAL COLIFORM	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	10/07/2019	TOTAL COLIFORM	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	10/15/2019	ENTEROCOCCI		53	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	10/15/2019	FECAL COLIFORM		20	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	10/15/2019	TOTAL COLIFORM		63	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	10/21/2019	ENTEROCOCCI	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	10/21/2019	FECAL COLIFORM	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	10/21/2019	TOTAL COLIFORM	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	10/28/2019	ENTEROCOCCI		20	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	10/28/2019	FECAL COLIFORM		110	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	10/28/2019	TOTAL COLIFORM		121	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	11/04/2019	ENTEROCOCCI	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	11/04/2019	FECAL COLIFORM	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	11/04/2019	TOTAL COLIFORM	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		10/7/19-11/4/19			
PICO23					
PICO23 (Pico Ave, San Simeon out from stairs)	10/07/2019	ENTEROCOCCI	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	10/07/2019	FECAL COLIFORM	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	10/07/2019	TOTAL COLIFORM	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	10/15/2019	ENTEROCOCCI	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	10/15/2019	FECAL COLIFORM	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	10/15/2019	TOTAL COLIFORM	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	10/21/2019	ENTEROCOCCI	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	10/21/2019	FECAL COLIFORM	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	10/21/2019	TOTAL COLIFORM	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	10/28/2019	ENTEROCOCCI	<	31	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	10/28/2019	FECAL COLIFORM	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	10/28/2019	TOTAL COLIFORM	<	31	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	11/04/2019	ENTEROCOCCI	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	11/04/2019	FECAL COLIFORM	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	11/04/2019	TOTAL COLIFORM	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		10/7/19-11/4/19			
SEW7					
SEW7 (Silver Shoals Dr)	10/07/2019	ENTEROCOCCI	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	10/07/2019	FECAL COLIFORM	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	10/07/2019	TOTAL COLIFORM	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	10/15/2019	ENTEROCOCCI	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	10/15/2019	FECAL COLIFORM		10	MPN/100 ML
SEW7 (Silver Shoals Dr)	10/15/2019	TOTAL COLIFORM		20	MPN/100 ML
SEW7 (Silver Shoals Dr)	10/21/2019	ENTEROCOCCI	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	10/21/2019	FECAL COLIFORM	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	10/21/2019	TOTAL COLIFORM	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	10/28/2019	ENTEROCOCCI	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	10/28/2019	FECAL COLIFORM		96	MPN/100 ML
SEW7 (Silver Shoals Dr)	10/28/2019	TOTAL COLIFORM		108	MPN/100 ML
SEW7 (Silver Shoals Dr)	11/04/2019	ENTEROCOCCI	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	11/04/2019	FECAL COLIFORM	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	11/04/2019	TOTAL COLIFORM	<	10	MPN/100 ML