

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		3/19/2018 - 04/16/2018			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
AB8					
AB8 (149 yds east of pier by last steps on rock wa	03/19/2018	ENTEROCOCCI	<	10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	03/19/2018	FECAL COLIFORM		31	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	03/19/2018	TOTAL COLIFORM		52	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	03/26/2018	ENTEROCOCCI		254	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	03/26/2018	FECAL COLIFORM		173	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	03/26/2018	TOTAL COLIFORM		7701	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	03/27/2018	ENTEROCOCCI		87	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	04/02/2018	ENTEROCOCCI		10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	04/02/2018	FECAL COLIFORM	<	10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	04/02/2018	TOTAL COLIFORM		10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	04/09/2018	ENTEROCOCCI		53	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	04/09/2018	FECAL COLIFORM		450	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	04/09/2018	TOTAL COLIFORM		4884	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	04/10/2018	FECAL COLIFORM		120	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	04/10/2018	TOTAL COLIFORM		243	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	04/16/2018	ENTEROCOCCI		20	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	04/16/2018	FECAL COLIFORM		134	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	04/16/2018	TOTAL COLIFORM		327	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		3/19/2018 - 04/16/2018			
AB10					
AB10 (350 yards west of pier - creek outfall)	03/19/2018	ENTEROCOCCI	<	10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	03/19/2018	FECAL COLIFORM		20	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	03/19/2018	TOTAL COLIFORM		246	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	03/26/2018	ENTEROCOCCI		531	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	03/26/2018	FECAL COLIFORM		364	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	03/26/2018	TOTAL COLIFORM		15531	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	03/27/2018	ENTEROCOCCI		53	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	03/27/2018	FECAL COLIFORM		41	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	03/27/2018	TOTAL COLIFORM		1850	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	04/02/2018	ENTEROCOCCI		10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	04/02/2018	FECAL COLIFORM		216	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	04/02/2018	TOTAL COLIFORM		565	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	04/09/2018	ENTEROCOCCI		10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	04/09/2018	FECAL COLIFORM		563	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	04/09/2018	TOTAL COLIFORM		6488	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	04/10/2018	FECAL COLIFORM		97	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	04/10/2018	TOTAL COLIFORM		3448	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	04/16/2018	ENTEROCOCCI		10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	04/16/2018	FECAL COLIFORM	<	10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	04/16/2018	TOTAL COLIFORM		262	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		3/19/2018 - 04/16/2018			
CAY13					
CAY13 (Studio Dr pkg lot so of Old Creek)	03/19/2018	ENTEROCOCCI	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	03/19/2018	FECAL COLIFORM	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	03/19/2018	TOTAL COLIFORM		20	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	03/26/2018	ENTEROCOCCI		31	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	03/26/2018	FECAL COLIFORM		31	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	03/26/2018	TOTAL COLIFORM		717	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	04/02/2018	ENTEROCOCCI	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	04/02/2018	FECAL COLIFORM	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	04/02/2018	TOTAL COLIFORM		98	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	04/09/2018	ENTEROCOCCI		10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	04/09/2018	FECAL COLIFORM		20	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	04/09/2018	TOTAL COLIFORM		187	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	04/16/2018	ENTEROCOCCI	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	04/16/2018	FECAL COLIFORM		20	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	04/16/2018	TOTAL COLIFORM		262	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		3/19/2018 - 04/16/2018			
CAY14					
CAY14 (Farthest swing set near D street)	03/19/2018	ENTEROCOCCI	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	03/19/2018	FECAL COLIFORM		10	MPN/100 ML
CAY14 (Farthest swing set near D street)	03/19/2018	TOTAL COLIFORM		20	MPN/100 ML
CAY14 (Farthest swing set near D street)	03/26/2018	ENTEROCOCCI		31	MPN/100 ML
CAY14 (Farthest swing set near D street)	03/26/2018	FECAL COLIFORM		74	MPN/100 ML
CAY14 (Farthest swing set near D street)	03/26/2018	TOTAL COLIFORM		1918	MPN/100 ML
CAY14 (Farthest swing set near D street)	04/02/2018	ENTEROCOCCI		20	MPN/100 ML
CAY14 (Farthest swing set near D street)	04/02/2018	FECAL COLIFORM		10	MPN/100 ML
CAY14 (Farthest swing set near D street)	04/02/2018	TOTAL COLIFORM		908	MPN/100 ML
CAY14 (Farthest swing set near D street)	04/09/2018	ENTEROCOCCI		31	MPN/100 ML
CAY14 (Farthest swing set near D street)	04/09/2018	FECAL COLIFORM		10	MPN/100 ML
CAY14 (Farthest swing set near D street)	04/09/2018	TOTAL COLIFORM		504	MPN/100 ML
CAY14 (Farthest swing set near D street)	04/16/2018	ENTEROCOCCI	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	04/16/2018	FECAL COLIFORM		20	MPN/100 ML
CAY14 (Farthest swing set near D street)	04/16/2018	TOTAL COLIFORM		839	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		3/19/2018 - 04/16/2018			
CAY16					
CAY16 (north of pier at creek outfall)	03/19/2018	ENTEROCOCCI	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	03/19/2018	FECAL COLIFORM		10	MPN/100 ML
CAY16 (north of pier at creek outfall)	03/19/2018	TOTAL COLIFORM		10	MPN/100 ML
CAY16 (north of pier at creek outfall)	03/26/2018	ENTEROCOCCI		178	MPN/100 ML
CAY16 (north of pier at creek outfall)	03/26/2018	FECAL COLIFORM		109	MPN/100 ML
CAY16 (north of pier at creek outfall)	03/26/2018	TOTAL COLIFORM	>	24196	MPN/100 ML
CAY16 (north of pier at creek outfall)	03/27/2018	ENTEROCOCCI		87	MPN/100 ML
CAY16 (north of pier at creek outfall)	03/27/2018	FECAL COLIFORM		84	MPN/100 ML
CAY16 (north of pier at creek outfall)	03/27/2018	TOTAL COLIFORM		7270	MPN/100 ML
CAY16 (north of pier at creek outfall)	04/02/2018	ENTEROCOCCI		64	MPN/100 ML
CAY16 (north of pier at creek outfall)	04/02/2018	FECAL COLIFORM		98	MPN/100 ML
CAY16 (north of pier at creek outfall)	04/02/2018	TOTAL COLIFORM		1850	MPN/100 ML
CAY16 (north of pier at creek outfall)	04/09/2018	ENTEROCOCCI	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	04/09/2018	FECAL COLIFORM		31	MPN/100 ML
CAY16 (north of pier at creek outfall)	04/09/2018	TOTAL COLIFORM		880	MPN/100 ML
CAY16 (north of pier at creek outfall)	04/16/2018	ENTEROCOCCI		20	MPN/100 ML
CAY16 (north of pier at creek outfall)	04/16/2018	FECAL COLIFORM		41	MPN/100 ML
CAY16 (north of pier at creek outfall)	04/16/2018	TOTAL COLIFORM		1522	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		3/19/2018 - 04/16/2018			
HSB23					
HSB23 (100 yds west of hte pier - creek outfall)	03/19/2018	ENTEROCOCCI	<	10	MPN/100 ML
HSB23 (100 yds west of hte pier - creek outfall)	03/19/2018	FECAL COLIFORM	<	10	MPN/100 ML
HSB23 (100 yds west of hte pier - creek outfall)	03/19/2018	TOTAL COLIFORM		10	MPN/100 ML
HSB23 (100 yds west of hte pier - creek outfall)	03/26/2018	ENTEROCOCCI		31	MPN/100 ML
HSB23 (100 yds west of hte pier - creek outfall)	03/26/2018	FECAL COLIFORM		41	MPN/100 ML
HSB23 (100 yds west of hte pier - creek outfall)	03/26/2018	TOTAL COLIFORM		538	MPN/100 ML
HSB23 (100 yds west of hte pier - creek outfall)	04/02/2018	ENTEROCOCCI		75	MPN/100 ML
HSB23 (100 yds west of hte pier - creek outfall)	04/02/2018	FECAL COLIFORM		52	MPN/100 ML
HSB23 (100 yds west of hte pier - creek outfall)	04/02/2018	TOTAL COLIFORM		414	MPN/100 ML
HSB23 (100 yds west of hte pier - creek outfall)	04/09/2018	ENTEROCOCCI		10	MPN/100 ML
HSB23 (100 yds west of hte pier - creek outfall)	04/09/2018	FECAL COLIFORM		20	MPN/100 ML
HSB23 (100 yds west of hte pier - creek outfall)	04/09/2018	TOTAL COLIFORM		880	MPN/100 ML
HSB23 (100 yds west of hte pier - creek outfall)	04/16/2018	ENTEROCOCCI	<	10	MPN/100 ML
HSB23 (100 yds west of hte pier - creek outfall)	04/16/2018	FECAL COLIFORM		10	MPN/100 ML
HSB23 (100 yds west of hte pier - creek outfall)	04/16/2018	TOTAL COLIFORM		52	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		3/19/2018 - 04/16/2018			
MB11					
MB11 (25 yds north of main parking lot)	03/19/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	03/19/2018	FECAL COLIFORM	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	03/19/2018	TOTAL COLIFORM		10	MPN/100 ML
MB11 (25 yds north of main parking lot)	03/26/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	03/26/2018	FECAL COLIFORM		20	MPN/100 ML
MB11 (25 yds north of main parking lot)	03/26/2018	TOTAL COLIFORM		160	MPN/100 ML
MB11 (25 yds north of main parking lot)	04/02/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	04/02/2018	FECAL COLIFORM		20	MPN/100 ML
MB11 (25 yds north of main parking lot)	04/02/2018	TOTAL COLIFORM		74	MPN/100 ML
MB11 (25 yds north of main parking lot)	04/09/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	04/09/2018	FECAL COLIFORM	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	04/09/2018	TOTAL COLIFORM	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	04/16/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	04/16/2018	FECAL COLIFORM		10	MPN/100 ML
MB11 (25 yds north of main parking lot)	04/16/2018	TOTAL COLIFORM		75	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		3/19/2018 - 04/16/2018			
MB12					
MB12 (Small prkg lot so side Morro Bay Creek)	03/19/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	03/19/2018	FECAL COLIFORM		10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	03/19/2018	TOTAL COLIFORM		10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	03/26/2018	ENTEROCOCCI		20	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	03/26/2018	FECAL COLIFORM		10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	03/26/2018	TOTAL COLIFORM		554	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	04/02/2018	ENTEROCOCCI		64	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	04/02/2018	FECAL COLIFORM		122	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	04/02/2018	TOTAL COLIFORM		7701	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	04/09/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	04/09/2018	FECAL COLIFORM		10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	04/09/2018	TOTAL COLIFORM		52	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	04/16/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	04/16/2018	FECAL COLIFORM		41	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	04/16/2018	TOTAL COLIFORM		148	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		3/19/2018 - 04/16/2018			
MB13					
MB13 (Atascadero Ave)	03/19/2018	ENTEROCOCCI		20	MPN/100 ML
MB13 (Atascadero Ave)	03/19/2018	FECAL COLIFORM		10	MPN/100 ML
MB13 (Atascadero Ave)	03/19/2018	TOTAL COLIFORM		10	MPN/100 ML
MB13 (Atascadero Ave)	03/26/2018	ENTEROCOCCI		659	MPN/100 ML
MB13 (Atascadero Ave)	03/26/2018	FECAL COLIFORM		62	MPN/100 ML
MB13 (Atascadero Ave)	03/26/2018	TOTAL COLIFORM		10462	MPN/100 ML
MB13 (Atascadero Ave)	03/27/2018	ENTEROCOCCI		150	MPN/100 ML
MB13 (Atascadero Ave)	03/27/2018	FECAL COLIFORM		63	MPN/100 ML
MB13 (Atascadero Ave)	03/27/2018	TOTAL COLIFORM		9804	MPN/100 ML
MB13 (Atascadero Ave)	03/28/2018	ENTEROCOCCI		20	MPN/100 ML
MB13 (Atascadero Ave)	04/02/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB13 (Atascadero Ave)	04/02/2018	FECAL COLIFORM	<	10	MPN/100 ML
MB13 (Atascadero Ave)	04/02/2018	TOTAL COLIFORM		109	MPN/100 ML
MB13 (Atascadero Ave)	04/09/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB13 (Atascadero Ave)	04/09/2018	FECAL COLIFORM		10	MPN/100 ML
MB13 (Atascadero Ave)	04/09/2018	TOTAL COLIFORM		51	MPN/100 ML
MB13 (Atascadero Ave)	04/16/2018	ENTEROCOCCI		20	MPN/100 ML
MB13 (Atascadero Ave)	04/16/2018	FECAL COLIFORM		52	MPN/100 ML
MB13 (Atascadero Ave)	04/16/2018	TOTAL COLIFORM		144	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		3/19/2018 - 04/16/2018			
MB14					
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	03/19/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	03/19/2018	FECAL COLIFORM	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	03/19/2018	TOTAL COLIFORM	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	03/26/2018	ENTEROCOCCI		31	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	03/26/2018	FECAL COLIFORM	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	03/26/2018	TOTAL COLIFORM		253	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	04/02/2018	ENTEROCOCCI		42	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	04/02/2018	FECAL COLIFORM		272	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	04/02/2018	TOTAL COLIFORM		1396	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	04/09/2018	ENTEROCOCCI		10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	04/09/2018	FECAL COLIFORM	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	04/09/2018	TOTAL COLIFORM		122	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	04/16/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	04/16/2018	FECAL COLIFORM		20	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	04/16/2018	TOTAL COLIFORM		185	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		3/19/2018 - 04/16/2018			
OCB11					
OCB11 (571 yds so Pier Ave last house end of Stran	03/19/2018	ENTEROCOCCI	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	03/19/2018	FECAL COLIFORM		31	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	03/19/2018	TOTAL COLIFORM		31	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	03/26/2018	ENTEROCOCCI	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	03/26/2018	FECAL COLIFORM	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	03/26/2018	TOTAL COLIFORM		10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	04/02/2018	ENTEROCOCCI		10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	04/02/2018	FECAL COLIFORM		20	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	04/02/2018	TOTAL COLIFORM		63	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	04/09/2018	ENTEROCOCCI		10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	04/09/2018	FECAL COLIFORM		41	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	04/09/2018	TOTAL COLIFORM		62	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	04/16/2018	ENTEROCOCCI		10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	04/16/2018	FECAL COLIFORM		30	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	04/16/2018	TOTAL COLIFORM		75	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		3/19/2018 - 04/16/2018			
OCB12					
OCB12 (Pier Ave)	03/19/2018	ENTEROCOCCI	<	10	MPN/100 ML
OCB12 (Pier Ave)	03/19/2018	FECAL COLIFORM	<	10	MPN/100 ML
OCB12 (Pier Ave)	03/19/2018	TOTAL COLIFORM	<	10	MPN/100 ML
OCB12 (Pier Ave)	03/26/2018	ENTEROCOCCI	<	10	MPN/100 ML
OCB12 (Pier Ave)	03/26/2018	FECAL COLIFORM		20	MPN/100 ML
OCB12 (Pier Ave)	03/26/2018	TOTAL COLIFORM		75	MPN/100 ML
OCB12 (Pier Ave)	04/02/2018	ENTEROCOCCI	<	10	MPN/100 ML
OCB12 (Pier Ave)	04/02/2018	FECAL COLIFORM	<	10	MPN/100 ML
OCB12 (Pier Ave)	04/02/2018	TOTAL COLIFORM		20	MPN/100 ML
OCB12 (Pier Ave)	04/09/2018	ENTEROCOCCI	<	10	MPN/100 ML
OCB12 (Pier Ave)	04/09/2018	FECAL COLIFORM	<	10	MPN/100 ML
OCB12 (Pier Ave)	04/09/2018	TOTAL COLIFORM		10	MPN/100 ML
OCB12 (Pier Ave)	04/16/2018	ENTEROCOCCI	<	10	MPN/100 ML
OCB12 (Pier Ave)	04/16/2018	FECAL COLIFORM	<	10	MPN/100 ML
OCB12 (Pier Ave)	04/16/2018	TOTAL COLIFORM		97	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		3/19/2018 - 04/16/2018			
OCB13					
OCB13 (350 yds no of Pier Ave)	03/19/2018	ENTEROCOCCI	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	03/19/2018	FECAL COLIFORM	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	03/19/2018	TOTAL COLIFORM	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	03/26/2018	ENTEROCOCCI		10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	03/26/2018	FECAL COLIFORM	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	03/26/2018	TOTAL COLIFORM		75	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	04/02/2018	ENTEROCOCCI	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	04/02/2018	FECAL COLIFORM		20	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	04/02/2018	TOTAL COLIFORM		52	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	04/09/2018	ENTEROCOCCI	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	04/09/2018	FECAL COLIFORM	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	04/09/2018	TOTAL COLIFORM		20	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	04/16/2018	ENTEROCOCCI	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	04/16/2018	FECAL COLIFORM	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	04/16/2018	TOTAL COLIFORM		121	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		3/19/2018 - 04/16/2018			
OLDE12					
OLDE12 (131 yds west of lifeguard station/restroom)	03/19/2018	ENTEROCOCCI	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	03/19/2018	FECAL COLIFORM	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	03/19/2018	TOTAL COLIFORM		10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	03/26/2018	ENTEROCOCCI		31	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	03/26/2018	FECAL COLIFORM		20	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	03/26/2018	TOTAL COLIFORM		404	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	04/02/2018	ENTEROCOCCI	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	04/02/2018	FECAL COLIFORM		31	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	04/02/2018	TOTAL COLIFORM		120	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	04/09/2018	ENTEROCOCCI	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	04/09/2018	FECAL COLIFORM		10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	04/09/2018	TOTAL COLIFORM		31	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	04/16/2018	ENTEROCOCCI		87	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	04/16/2018	FECAL COLIFORM		146	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	04/16/2018	TOTAL COLIFORM		228	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		3/19/2018 - 04/16/2018			
PB3					
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	03/19/2018	ENTEROCOCCI	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	03/19/2018	FECAL COLIFORM		10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	03/19/2018	TOTAL COLIFORM		10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	03/26/2018	ENTEROCOCCI	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	03/26/2018	FECAL COLIFORM		31	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	03/26/2018	TOTAL COLIFORM		75	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	04/02/2018	ENTEROCOCCI	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	04/02/2018	FECAL COLIFORM	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	04/02/2018	TOTAL COLIFORM		20	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	04/09/2018	ENTEROCOCCI		10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	04/09/2018	FECAL COLIFORM		20	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	04/09/2018	TOTAL COLIFORM		31	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	04/16/2018	ENTEROCOCCI	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	04/16/2018	FECAL COLIFORM	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	04/16/2018	TOTAL COLIFORM		41	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		3/19/2018 - 04/16/2018			
PB4					
PB4 (14 yds so of pier)	03/19/2018	ENTEROCOCCI	<	10	MPN/100 ML
PB4 (14 yds so of pier)	03/19/2018	FECAL COLIFORM	<	10	MPN/100 ML
PB4 (14 yds so of pier)	03/19/2018	TOTAL COLIFORM	<	10	MPN/100 ML
PB4 (14 yds so of pier)	03/26/2018	ENTEROCOCCI	<	10	MPN/100 ML
PB4 (14 yds so of pier)	03/26/2018	FECAL COLIFORM	<	10	MPN/100 ML
PB4 (14 yds so of pier)	03/26/2018	TOTAL COLIFORM		10	MPN/100 ML
PB4 (14 yds so of pier)	04/02/2018	ENTEROCOCCI	<	10	MPN/100 ML
PB4 (14 yds so of pier)	04/02/2018	FECAL COLIFORM		10	MPN/100 ML
PB4 (14 yds so of pier)	04/02/2018	TOTAL COLIFORM		20	MPN/100 ML
PB4 (14 yds so of pier)	04/09/2018	ENTEROCOCCI		10	MPN/100 ML
PB4 (14 yds so of pier)	04/09/2018	FECAL COLIFORM		30	MPN/100 ML
PB4 (14 yds so of pier)	04/09/2018	TOTAL COLIFORM		30	MPN/100 ML
PB4 (14 yds so of pier)	04/16/2018	ENTEROCOCCI	<	10	MPN/100 ML
PB4 (14 yds so of pier)	04/16/2018	FECAL COLIFORM	<	10	MPN/100 ML
PB4 (14 yds so of pier)	04/16/2018	TOTAL COLIFORM		63	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		3/19/2018 - 04/16/2018			
PB5					
PB5 (338 yds no of pier Edgewater motel blue roof	03/19/2018	ENTEROCOCCI	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	03/19/2018	FECAL COLIFORM		41	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	03/19/2018	TOTAL COLIFORM		41	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	03/26/2018	ENTEROCOCCI	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	03/26/2018	FECAL COLIFORM	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	03/26/2018	TOTAL COLIFORM	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	04/02/2018	ENTEROCOCCI	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	04/02/2018	FECAL COLIFORM		11199	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	04/02/2018	TOTAL COLIFORM		11199	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	04/09/2018	ENTEROCOCCI	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	04/09/2018	FECAL COLIFORM	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	04/09/2018	TOTAL COLIFORM	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	04/16/2018	ENTEROCOCCI	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	04/16/2018	FECAL COLIFORM		10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	04/16/2018	TOTAL COLIFORM		10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		3/19/2018 - 04/16/2018			
PICO23					
PICO23 (Pico Ave, San Simeon out from stairs)	03/19/2018	ENTEROCOCCI	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	03/19/2018	FECAL COLIFORM	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	03/19/2018	TOTAL COLIFORM		10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	03/26/2018	ENTEROCOCCI	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	03/26/2018	FECAL COLIFORM	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	03/26/2018	TOTAL COLIFORM		495	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	04/02/2018	ENTEROCOCCI	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	04/02/2018	FECAL COLIFORM		20	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	04/02/2018	TOTAL COLIFORM		272	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	04/09/2018	ENTEROCOCCI	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	04/09/2018	FECAL COLIFORM		10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	04/09/2018	TOTAL COLIFORM		171	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	04/16/2018	ENTEROCOCCI	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	04/16/2018	FECAL COLIFORM	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	04/16/2018	TOTAL COLIFORM		228	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		3/19/2018 - 04/16/2018			
SEW7					
SEW7 (Silver Shoals Dr)	03/19/2018	ENTEROCOCCI	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	03/19/2018	FECAL COLIFORM	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	03/19/2018	TOTAL COLIFORM	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	03/26/2018	ENTEROCOCCI		10	MPN/100 ML
SEW7 (Silver Shoals Dr)	03/26/2018	FECAL COLIFORM		10	MPN/100 ML
SEW7 (Silver Shoals Dr)	03/26/2018	TOTAL COLIFORM		75	MPN/100 ML
SEW7 (Silver Shoals Dr)	04/02/2018	ENTEROCOCCI	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	04/02/2018	FECAL COLIFORM	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	04/02/2018	TOTAL COLIFORM	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	04/09/2018	ENTEROCOCCI	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	04/09/2018	FECAL COLIFORM		10	MPN/100 ML
SEW7 (Silver Shoals Dr)	04/09/2018	TOTAL COLIFORM		20	MPN/100 ML
SEW7 (Silver Shoals Dr)	04/16/2018	ENTEROCOCCI		31	MPN/100 ML
SEW7 (Silver Shoals Dr)	04/16/2018	FECAL COLIFORM		63	MPN/100 ML
SEW7 (Silver Shoals Dr)	04/16/2018	TOTAL COLIFORM		145	MPN/100 ML