

## Beach Water Quality Testing Results



**STATE STANDARDS NOT TO EXCEED:**

<b>ENTEROCOCCI</b>	<b>&gt;</b>	<b>104</b>	<b>MPN/100 ML</b>
<b>FECAL COLIFORM</b>		<b>400</b>	<b>MPN/100 ML</b>
<b>TOTAL COLIFORM</b>		<b>10,000</b>	<b>MPN/100 ML</b>

<b>SLO ENV HLTH-OCEAN MONITORING</b>		<b>12/17/18-1/30/19</b>			
<b>SITE</b>	<b>COLLECT DATE</b>	<b>RESULT NAME</b>	<b>QUALIFIER</b>	<b>RESULT</b>	<b>UNITS</b>
<b>AB8</b>					
AB8 (149 yds east of pier by last steps on rock wa	01/02/2019	ENTEROCOCCI		10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	01/02/2019	FECAL COLIFORM		10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	01/02/2019	TOTAL COLIFORM		85	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	01/22/2019	ENTEROCOCCI		20	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	01/22/2019	FECAL COLIFORM		31	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	01/22/2019	TOTAL COLIFORM		275	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	01/28/2019	ENTEROCOCCI	<	10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	01/28/2019	FECAL COLIFORM	<	10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	01/28/2019	TOTAL COLIFORM		74	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	12/17/2018	ENTEROCOCCI		207	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	12/17/2018	FECAL COLIFORM		84	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	12/17/2018	TOTAL COLIFORM		288	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	12/18/2018	ENTEROCOCCI		20	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	12/26/2018	ENTEROCOCCI	<	10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	12/26/2018	FECAL COLIFORM		20	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	12/26/2018	TOTAL COLIFORM		31	MPN/100 ML

## Beach Water Quality Testing Results



**STATE STANDARDS NOT TO EXCEED:**

<b>ENTEROCOCCI</b>	<b>&gt;</b>	<b>104</b>	<b>MPN/100 ML</b>
<b>FECAL COLIFORM</b>		<b>400</b>	<b>MPN/100 ML</b>
<b>TOTAL COLIFORM</b>		<b>10,000</b>	<b>MPN/100 ML</b>

<b>SLO ENV HLTH-OCEAN MONITORING</b>		<b>12/17/18-1/30/19</b>			
<b>AB10</b>					
AB10 (350 yards west of pier - creek outfall)	01/02/2019	ENTEROCOCCI	<	10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	01/02/2019	FECAL COLIFORM	<	10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	01/02/2019	TOTAL COLIFORM		85	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	01/22/2019	ENTEROCOCCI		20	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	01/22/2019	FECAL COLIFORM		357	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	01/22/2019	TOTAL COLIFORM		3255	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	01/28/2019	ENTEROCOCCI		10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	01/28/2019	FECAL COLIFORM		20	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	01/28/2019	TOTAL COLIFORM		1539	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	12/17/2018	ENTEROCOCCI		254	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	12/17/2018	FECAL COLIFORM		243	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	12/17/2018	TOTAL COLIFORM		2035	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	12/18/2018	ENTEROCOCCI		364	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	12/19/2018	ENTEROCOCCI		20	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	12/26/2018	ENTEROCOCCI		10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	12/26/2018	FECAL COLIFORM		20	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	12/26/2018	TOTAL COLIFORM		243	MPN/100 ML

## Beach Water Quality Testing Results



**STATE STANDARDS NOT TO EXCEED:**

<b>ENTEROCOCCI</b>	<b>&gt;</b>	<b>104</b>	<b>MPN/100 ML</b>
<b>FECAL COLIFORM</b>		<b>400</b>	<b>MPN/100 ML</b>
<b>TOTAL COLIFORM</b>		<b>10,000</b>	<b>MPN/100 ML</b>

<b>SLO ENV HLTH-OCEAN MONITORING</b>		<b>12/17/18-1/30/19</b>			
<b>CAY13</b>					
CAY13 (Studio Dr pkg lot so of Old Creek)	01/02/2019	ENTEROCOCCI	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	01/02/2019	FECAL COLIFORM		10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	01/02/2019	TOTAL COLIFORM		30	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	01/22/2019	ENTEROCOCCI	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	01/22/2019	FECAL COLIFORM	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	01/22/2019	TOTAL COLIFORM		145	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	01/28/2019	ENTEROCOCCI		10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	01/28/2019	FECAL COLIFORM	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	01/28/2019	TOTAL COLIFORM		41	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	12/18/2018	ENTEROCOCCI		42	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	12/18/2018	FECAL COLIFORM		10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	12/18/2018	TOTAL COLIFORM		441	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	12/26/2018	ENTEROCOCCI	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	12/26/2018	FECAL COLIFORM		1658	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	12/26/2018	TOTAL COLIFORM		1658	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	12/27/2018	FECAL COLIFORM		10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	12/27/2018	TOTAL COLIFORM		10	MPN/100 ML

## Beach Water Quality Testing Results



### STATE STANDARDS NOT TO EXCEED:

<b>ENTEROCOCCI</b>	>	<b>104</b>	<b>MPN/100 ML</b>
<b>FECAL COLIFORM</b>		<b>400</b>	<b>MPN/100 ML</b>
<b>TOTAL COLIFORM</b>		<b>10,000</b>	<b>MPN/100 ML</b>

<b>SLO ENV HLTH-OCEAN MONITORING</b>		<b>12/17/18-1/30/19</b>			
<b>CAY14</b>					
CAY14 (Farthest swing set near D street)	01/02/2019	ENTEROCOCCI		20	MPN/100 ML
CAY14 (Farthest swing set near D street)	01/02/2019	FECAL COLIFORM	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	01/02/2019	TOTAL COLIFORM		10	MPN/100 ML
CAY14 (Farthest swing set near D street)	01/22/2019	ENTEROCOCCI	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	01/22/2019	FECAL COLIFORM		41	MPN/100 ML
CAY14 (Farthest swing set near D street)	01/22/2019	TOTAL COLIFORM		670	MPN/100 ML
CAY14 (Farthest swing set near D street)	01/28/2019	ENTEROCOCCI	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	01/28/2019	FECAL COLIFORM		20	MPN/100 ML
CAY14 (Farthest swing set near D street)	01/28/2019	TOTAL COLIFORM		83	MPN/100 ML
CAY14 (Farthest swing set near D street)	12/18/2018	ENTEROCOCCI		31	MPN/100 ML
CAY14 (Farthest swing set near D street)	12/18/2018	FECAL COLIFORM	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	12/18/2018	TOTAL COLIFORM		233	MPN/100 ML
CAY14 (Farthest swing set near D street)	12/26/2018	ENTEROCOCCI	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	12/26/2018	FECAL COLIFORM		30	MPN/100 ML
CAY14 (Farthest swing set near D street)	12/26/2018	TOTAL COLIFORM		41	MPN/100 ML
<b>CAY16</b>					
CAY16 (north of pier at creek outfall)	01/02/2019	ENTEROCOCCI		20	MPN/100 ML
CAY16 (north of pier at creek outfall)	01/02/2019	FECAL COLIFORM		20	MPN/100 ML
CAY16 (north of pier at creek outfall)	01/02/2019	TOTAL COLIFORM		20	MPN/100 ML
CAY16 (north of pier at creek outfall)	01/22/2019	ENTEROCOCCI		10	MPN/100 ML
CAY16 (north of pier at creek outfall)	01/22/2019	FECAL COLIFORM		20	MPN/100 ML
CAY16 (north of pier at creek outfall)	01/22/2019	TOTAL COLIFORM		2613	MPN/100 ML
CAY16 (north of pier at creek outfall)	01/28/2019	ENTEROCOCCI	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	01/28/2019	FECAL COLIFORM		74	MPN/100 ML
CAY16 (north of pier at creek outfall)	01/28/2019	TOTAL COLIFORM		816	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		12/17/18-1/30/19			
CAY16 (north of pier at creek outfall)	12/18/2018	ENTEROCOCCI		53	MPN/100 ML
CAY16 (north of pier at creek outfall)	12/18/2018	FECAL COLIFORM		41	MPN/100 ML
CAY16 (north of pier at creek outfall)	12/18/2018	TOTAL COLIFORM		776	MPN/100 ML
CAY16 (north of pier at creek outfall)	12/26/2018	ENTEROCOCCI	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	12/26/2018	FECAL COLIFORM	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	12/26/2018	TOTAL COLIFORM		20	MPN/100 ML

## Beach Water Quality Testing Results



**STATE STANDARDS NOT TO EXCEED:**

<b>ENTEROCOCCI</b>	<b>&gt;</b>	<b>104</b>	<b>MPN/100 ML</b>
<b>FECAL COLIFORM</b>		<b>400</b>	<b>MPN/100 ML</b>
<b>TOTAL COLIFORM</b>		<b>10,000</b>	<b>MPN/100 ML</b>

<b>SLO ENV HLTH-OCEAN MONITORING</b>		<b>12/17/18-1/30/19</b>			
<b>HSB23</b>					
HSB23 (100 yds west of the pier - creek outfall)	01/02/2019	ENTEROCOCCI	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	01/02/2019	FECAL COLIFORM	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	01/02/2019	TOTAL COLIFORM		20	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	01/22/2019	ENTEROCOCCI	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	01/22/2019	FECAL COLIFORM		20	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	01/22/2019	TOTAL COLIFORM		134	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	01/28/2019	ENTEROCOCCI	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	01/28/2019	FECAL COLIFORM		10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	01/28/2019	TOTAL COLIFORM		41	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	12/18/2018	ENTEROCOCCI		31	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	12/18/2018	FECAL COLIFORM		31	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	12/18/2018	TOTAL COLIFORM		1585	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	12/26/2018	ENTEROCOCCI	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	12/26/2018	FECAL COLIFORM	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	12/26/2018	TOTAL COLIFORM	<	10	MPN/100 ML

Beach Water Quality Testing Results



**STATE STANDARDS NOT TO EXCEED:**

<b>ENTEROCOCCI</b>	<b>&gt;</b>	<b>104</b>	<b>MPN/100 ML</b>
<b>FECAL COLIFORM</b>		<b>400</b>	<b>MPN/100 ML</b>
<b>TOTAL COLIFORM</b>		<b>10,000</b>	<b>MPN/100 ML</b>

<b>SLO ENV HLTH-OCEAN MONITORING</b>		<b>12/17/18-1/30/19</b>			
<b>MB11</b>					
MB11 (25 yds north of main parking lot)	01/02/2019	FECAL COLIFORM	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	01/02/2019	TOTAL COLIFORM	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	01/02/2019	ENTEROCOCCI	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	01/22/2019	ENTEROCOCCI	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	01/22/2019	FECAL COLIFORM	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	01/22/2019	TOTAL COLIFORM		213	MPN/100 ML
MB11 (25 yds north of main parking lot)	01/28/2019	ENTEROCOCCI	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	01/28/2019	FECAL COLIFORM	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	01/28/2019	TOTAL COLIFORM		41	MPN/100 ML
MB11 (25 yds north of main parking lot)	12/18/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	12/18/2018	FECAL COLIFORM	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	12/18/2018	TOTAL COLIFORM		10	MPN/100 ML
MB11 (25 yds north of main parking lot)	12/26/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	12/26/2018	FECAL COLIFORM		10	MPN/100 ML
MB11 (25 yds north of main parking lot)	12/26/2018	TOTAL COLIFORM		41	MPN/100 ML

Beach Water Quality Testing Results



**STATE STANDARDS NOT TO EXCEED:**

<b>ENTEROCOCCI</b>	<b>&gt;</b>	<b>104</b>	<b>MPN/100 ML</b>
<b>FECAL COLIFORM</b>		<b>400</b>	<b>MPN/100 ML</b>
<b>TOTAL COLIFORM</b>		<b>10,000</b>	<b>MPN/100 ML</b>

<b>SLO ENV HLTH-OCEAN MONITORING</b>		<b>12/17/18-1/30/19</b>			
<b>MB12</b>					
MB12 (Small prkg lot so side Morro Bay Creek)	01/02/2019	ENTEROCOCCI	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	01/02/2019	FECAL COLIFORM	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	01/02/2019	TOTAL COLIFORM	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	01/22/2019	ENTEROCOCCI		20	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	01/22/2019	FECAL COLIFORM		30	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	01/22/2019	TOTAL COLIFORM		2247	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	01/28/2019	ENTEROCOCCI		271	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	01/28/2019	FECAL COLIFORM		520	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	01/28/2019	TOTAL COLIFORM		3076	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	01/29/2019	ENTEROCOCCI		271	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	01/29/2019	FECAL COLIFORM		31	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	01/29/2019	TOTAL COLIFORM		359	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	12/18/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	12/18/2018	FECAL COLIFORM		10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	12/18/2018	TOTAL COLIFORM		51	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	12/26/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	12/26/2018	FECAL COLIFORM	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	12/26/2018	TOTAL COLIFORM		20	MPN/100 ML



Beach Water Quality Testing Results



**STATE STANDARDS NOT TO EXCEED:**

<b>ENTEROCOCCI</b>	<b>&gt;</b>	<b>104</b>	<b>MPN/100 ML</b>
<b>FECAL COLIFORM</b>		<b>400</b>	<b>MPN/100 ML</b>
<b>TOTAL COLIFORM</b>		<b>10,000</b>	<b>MPN/100 ML</b>

<b>SLO ENV HLTH-OCEAN MONITORING</b>		<b>12/17/18-1/30/19</b>			
<b>MB13</b>					
MB13 (Atascadero Ave)	01/02/2019	ENTEROCOCCI	<	10	MPN/100 ML
MB13 (Atascadero Ave)	01/02/2019	FECAL COLIFORM	<	10	MPN/100 ML
MB13 (Atascadero Ave)	01/02/2019	TOTAL COLIFORM	<	10	MPN/100 ML
MB13 (Atascadero Ave)	01/22/2019	ENTEROCOCCI	<	10	MPN/100 ML
MB13 (Atascadero Ave)	01/22/2019	FECAL COLIFORM	<	10	MPN/100 ML
MB13 (Atascadero Ave)	01/22/2019	TOTAL COLIFORM		63	MPN/100 ML
MB13 (Atascadero Ave)	01/28/2019	ENTEROCOCCI		10	MPN/100 ML
MB13 (Atascadero Ave)	01/28/2019	FECAL COLIFORM	<	10	MPN/100 ML
MB13 (Atascadero Ave)	01/28/2019	TOTAL COLIFORM		31	MPN/100 ML
MB13 (Atascadero Ave)	12/18/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB13 (Atascadero Ave)	12/18/2018	FECAL COLIFORM	<	10	MPN/100 ML
MB13 (Atascadero Ave)	12/18/2018	TOTAL COLIFORM		96	MPN/100 ML
MB13 (Atascadero Ave)	12/26/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB13 (Atascadero Ave)	12/26/2018	FECAL COLIFORM	<	10	MPN/100 ML
MB13 (Atascadero Ave)	12/26/2018	TOTAL COLIFORM		63	MPN/100 ML

## Beach Water Quality Testing Results



**STATE STANDARDS NOT TO EXCEED:**

<b>ENTEROCOCCI</b>	<b>&gt;</b>	<b>104</b>	<b>MPN/100 ML</b>
<b>FECAL COLIFORM</b>		<b>400</b>	<b>MPN/100 ML</b>
<b>TOTAL COLIFORM</b>		<b>10,000</b>	<b>MPN/100 ML</b>

<b>SLO ENV HLTH-OCEAN MONITORING</b>		<b>12/17/18-1/30/19</b>			
<b>MB14</b>					
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	01/02/2019	ENTEROCOCCI		10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	01/02/2019	FECAL COLIFORM		10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	01/02/2019	TOTAL COLIFORM		10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	01/22/2019	ENTEROCOCCI	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	01/22/2019	FECAL COLIFORM		20	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	01/22/2019	TOTAL COLIFORM		85	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	01/28/2019	ENTEROCOCCI	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	01/28/2019	FECAL COLIFORM	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	01/28/2019	TOTAL COLIFORM	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	12/18/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	12/18/2018	FECAL COLIFORM	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	12/18/2018	TOTAL COLIFORM		465	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	12/26/2018	ENTEROCOCCI	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	12/26/2018	FECAL COLIFORM	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	12/26/2018	TOTAL COLIFORM		20	MPN/100 ML

Beach Water Quality Testing Results



**STATE STANDARDS NOT TO EXCEED:**

<b>ENTEROCOCCI</b>	<b>&gt;</b>	<b>104</b>	<b>MPN/100 ML</b>
<b>FECAL COLIFORM</b>		<b>400</b>	<b>MPN/100 ML</b>
<b>TOTAL COLIFORM</b>		<b>10,000</b>	<b>MPN/100 ML</b>

<b>SLO ENV HLTH-OCEAN MONITORING</b>		<b>12/17/18-1/30/19</b>			
<b>OCB11</b>					
OCB11 (571 yds so Pier Ave last house end of Stran	01/02/2019	ENTEROCOCCI	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	01/02/2019	FECAL COLIFORM	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	01/02/2019	TOTAL COLIFORM	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	01/22/2019	ENTEROCOCCI		10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	01/22/2019	FECAL COLIFORM	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	01/22/2019	TOTAL COLIFORM		121	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	01/28/2019	ENTEROCOCCI	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	01/28/2019	FECAL COLIFORM		20	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	01/28/2019	TOTAL COLIFORM		31	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	12/18/2018	ENTEROCOCCI		20	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	12/18/2018	FECAL COLIFORM	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	12/18/2018	TOTAL COLIFORM		20	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	12/26/2018	ENTEROCOCCI		10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	12/26/2018	FECAL COLIFORM		10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	12/26/2018	TOTAL COLIFORM		20	MPN/100 ML

Beach Water Quality Testing Results



**STATE STANDARDS NOT TO EXCEED:**

<b>ENTEROCOCCI</b>	<b>&gt;</b>	<b>104</b>	<b>MPN/100 ML</b>
<b>FECAL COLIFORM</b>		<b>400</b>	<b>MPN/100 ML</b>
<b>TOTAL COLIFORM</b>		<b>10,000</b>	<b>MPN/100 ML</b>

<b>SLO ENV HLTH-OCEAN MONITORING</b>		<b>12/17/18-1/30/19</b>			
<b>OCB12</b>					
OCB12 (Pier Ave)	01/02/2019	ENTEROCOCCI	<	10	MPN/100 ML
OCB12 (Pier Ave)	01/02/2019	FECAL COLIFORM	<	10	MPN/100 ML
OCB12 (Pier Ave)	01/02/2019	TOTAL COLIFORM	<	10	MPN/100 ML
OCB12 (Pier Ave)	01/22/2019	ENTEROCOCCI		10	MPN/100 ML
OCB12 (Pier Ave)	01/22/2019	FECAL COLIFORM		10	MPN/100 ML
OCB12 (Pier Ave)	01/22/2019	TOTAL COLIFORM		120	MPN/100 ML
OCB12 (Pier Ave)	01/28/2019	ENTEROCOCCI		10	MPN/100 ML
OCB12 (Pier Ave)	01/28/2019	FECAL COLIFORM		74	MPN/100 ML
OCB12 (Pier Ave)	01/28/2019	TOTAL COLIFORM		160	MPN/100 ML
OCB12 (Pier Ave)	12/18/2018	ENTEROCOCCI		20	MPN/100 ML
OCB12 (Pier Ave)	12/18/2018	FECAL COLIFORM		10	MPN/100 ML
OCB12 (Pier Ave)	12/18/2018	TOTAL COLIFORM		146	MPN/100 ML
OCB12 (Pier Ave)	12/26/2018	ENTEROCOCCI	<	10	MPN/100 ML
OCB12 (Pier Ave)	12/26/2018	FECAL COLIFORM		20	MPN/100 ML
OCB12 (Pier Ave)	12/26/2018	TOTAL COLIFORM		52	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		12/17/18-1/30/19			
<b>OCB13</b>					
OCB13 (350 yds no of Pier Ave)	01/02/2019	ENTEROCOCCI	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	01/02/2019	FECAL COLIFORM	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	01/02/2019	TOTAL COLIFORM	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	01/22/2019	ENTEROCOCCI		10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	01/22/2019	FECAL COLIFORM		20	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	01/22/2019	TOTAL COLIFORM		187	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	01/28/2019	ENTEROCOCCI		207	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	01/28/2019	FECAL COLIFORM		1670	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	01/28/2019	TOTAL COLIFORM		1670	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	01/29/2019	ENTEROCOCCI		10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	01/29/2019	FECAL COLIFORM		41	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	01/29/2019	TOTAL COLIFORM		41	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	12/18/2018	ENTEROCOCCI		20	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	12/18/2018	FECAL COLIFORM		10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	12/18/2018	TOTAL COLIFORM		84	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	12/26/2018	ENTEROCOCCI	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	12/26/2018	FECAL COLIFORM		63	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	12/26/2018	TOTAL COLIFORM		121	MPN/100 ML

Beach Water Quality Testing Results



**STATE STANDARDS NOT TO EXCEED:**

<b>ENTEROCOCCI</b>	<b>&gt;</b>	<b>104</b>	<b>MPN/100 ML</b>
<b>FECAL COLIFORM</b>		<b>400</b>	<b>MPN/100 ML</b>
<b>TOTAL COLIFORM</b>		<b>10,000</b>	<b>MPN/100 ML</b>

<b>SLO ENV HLTH-OCEAN MONITORING</b>		<b>12/17/18-1/30/19</b>			
<b>OLDE12</b>					
OLDE12 (131 yds west of lifeguard station/restroom)	01/02/2019	ENTEROCOCCI		20	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	01/02/2019	FECAL COLIFORM	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	01/02/2019	TOTAL COLIFORM		52	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	01/22/2019	ENTEROCOCCI		20	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	01/22/2019	FECAL COLIFORM		41	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	01/22/2019	TOTAL COLIFORM		158	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	01/28/2019	ENTEROCOCCI		20	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	01/28/2019	FECAL COLIFORM	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	01/28/2019	TOTAL COLIFORM	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	12/17/2018	ENTEROCOCCI		1013	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	12/17/2018	FECAL COLIFORM		266	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	12/17/2018	TOTAL COLIFORM		1935	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	12/18/2018	ENTEROCOCCI		111	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	12/19/2018	ENTEROCOCCI		42	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	12/26/2018	ENTEROCOCCI		31	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	12/26/2018	FECAL COLIFORM		63	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	12/26/2018	TOTAL COLIFORM		146	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		12/17/18-1/30/19			
<b>PB3</b>					
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	01/02/2019	ENTEROCOCCI	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	01/02/2019	FECAL COLIFORM	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	01/02/2019	TOTAL COLIFORM		10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	01/22/2019	ENTEROCOCCI		20	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	01/22/2019	FECAL COLIFORM		20	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	01/22/2019	TOTAL COLIFORM		98	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	01/28/2019	ENTEROCOCCI	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	01/28/2019	FECAL COLIFORM	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	01/28/2019	TOTAL COLIFORM		10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	12/17/2018	ENTEROCOCCI		178	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	12/17/2018	FECAL COLIFORM		73	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	12/17/2018	TOTAL COLIFORM		146	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	12/18/2018	ENTEROCOCCI		31	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	12/26/2018	ENTEROCOCCI		31	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	12/26/2018	FECAL COLIFORM		30	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	12/26/2018	TOTAL COLIFORM		41	MPN/100 ML

## Beach Water Quality Testing Results



### STATE STANDARDS NOT TO EXCEED:

<b>ENTEROCOCCI</b>	<b>&gt;</b>	<b>104</b>	<b>MPN/100 ML</b>
<b>FECAL COLIFORM</b>		<b>400</b>	<b>MPN/100 ML</b>
<b>TOTAL COLIFORM</b>		<b>10,000</b>	<b>MPN/100 ML</b>

<b>SLO ENV HLTH-OCEAN MONITORING</b>		<b>12/17/18-1/30/19</b>			
<b>PB4</b>					
PB4 (14 yds so of pier)	01/02/2019	ENTEROCOCCI		10	MPN/100 ML
PB4 (14 yds so of pier)	01/02/2019	FECAL COLIFORM		10	MPN/100 ML
PB4 (14 yds so of pier)	01/02/2019	TOTAL COLIFORM		31	MPN/100 ML
PB4 (14 yds so of pier)	01/22/2019	ENTEROCOCCI	<	10	MPN/100 ML
PB4 (14 yds so of pier)	01/22/2019	FECAL COLIFORM		41	MPN/100 ML
PB4 (14 yds so of pier)	01/22/2019	TOTAL COLIFORM		158	MPN/100 ML
PB4 (14 yds so of pier)	01/28/2019	ENTEROCOCCI	<	10	MPN/100 ML
PB4 (14 yds so of pier)	01/28/2019	FECAL COLIFORM		10	MPN/100 ML
PB4 (14 yds so of pier)	01/28/2019	TOTAL COLIFORM		20	MPN/100 ML
PB4 (14 yds so of pier)	12/17/2018	ENTEROCOCCI		238	MPN/100 ML
PB4 (14 yds so of pier)	12/17/2018	FECAL COLIFORM		98	MPN/100 ML
PB4 (14 yds so of pier)	12/17/2018	TOTAL COLIFORM		882	MPN/100 ML
PB4 (14 yds so of pier)	12/18/2018	ENTEROCOCCI		64	MPN/100 ML
PB4 (14 yds so of pier)	12/26/2018	ENTEROCOCCI		42	MPN/100 ML
PB4 (14 yds so of pier)	12/26/2018	FECAL COLIFORM		148	MPN/100 ML
PB4 (14 yds so of pier)	12/26/2018	TOTAL COLIFORM		175	MPN/100 ML



Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		12/17/18-1/30/19			
<b>PB5</b>					
PB5 - 338 YDS NORTH OF PIER	01/22/2019	ENTEROCOCCI		10	MPN/100 ML
PB5 - 338 YDS NORTH OF PIER	01/22/2019	FECAL COLIFORM		10	MPN/100 ML
PB5 - 338 YDS NORTH OF PIER	01/22/2019	TOTAL COLIFORM		108	MPN/100 ML
PB5 - 338 YDS NORTH OF PIER	12/17/2018	ENTEROCOCCI		137	MPN/100 ML
PB5 - 338 YDS NORTH OF PIER	12/17/2018	FECAL COLIFORM		74	MPN/100 ML
PB5 - 338 YDS NORTH OF PIER	12/17/2018	TOTAL COLIFORM		1314	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	01/02/2019	ENTEROCOCCI	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	01/02/2019	FECAL COLIFORM	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	01/02/2019	TOTAL COLIFORM		10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	01/28/2019	ENTEROCOCCI	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	01/28/2019	FECAL COLIFORM	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	01/28/2019	TOTAL COLIFORM	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	12/18/2018	ENTEROCOCCI		64	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	12/26/2018	ENTEROCOCCI	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	12/26/2018	FECAL COLIFORM	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	12/26/2018	TOTAL COLIFORM	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM		400	MPN/100 ML
TOTAL COLIFORM		10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		12/17/18-1/30/19			
<b>PICO23</b>					
PICO23 (Pico Ave, San Simeon out from stairs)	01/02/2019	ENTEROCOCCI	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	01/02/2019	FECAL COLIFORM	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	01/02/2019	TOTAL COLIFORM	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	01/22/2019	ENTEROCOCCI		20	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	01/22/2019	FECAL COLIFORM		20	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	01/22/2019	TOTAL COLIFORM		1483	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	01/28/2019	ENTEROCOCCI	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	01/28/2019	FECAL COLIFORM	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	01/28/2019	TOTAL COLIFORM		160	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	12/18/2018	ENTEROCOCCI	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	12/18/2018	FECAL COLIFORM	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	12/18/2018	TOTAL COLIFORM		171	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	12/26/2018	ENTEROCOCCI	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	12/26/2018	FECAL COLIFORM	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	12/26/2018	TOTAL COLIFORM		10	MPN/100 ML

Beach Water Quality Testing Results



**STATE STANDARDS NOT TO EXCEED:**

<b>ENTEROCOCCI</b>	<b>&gt;</b>	<b>104</b>	<b>MPN/100 ML</b>
<b>FECAL COLIFORM</b>		<b>400</b>	<b>MPN/100 ML</b>
<b>TOTAL COLIFORM</b>		<b>10,000</b>	<b>MPN/100 ML</b>

<b>SLO ENV HLTH-OCEAN MONITORING</b>		<b>12/17/18-1/30/19</b>			
<b>SEW7</b>					
SEW7 (Silver Shoals Dr)	01/02/2019	ENTEROCOCCI	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	01/02/2019	FECAL COLIFORM	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	01/02/2019	TOTAL COLIFORM		85	MPN/100 ML
SEW7 (Silver Shoals Dr)	01/22/2019	ENTEROCOCCI	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	01/22/2019	FECAL COLIFORM		10	MPN/100 ML
SEW7 (Silver Shoals Dr)	01/22/2019	TOTAL COLIFORM		63	MPN/100 ML
SEW7 (Silver Shoals Dr)	01/28/2019	ENTEROCOCCI	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	01/28/2019	FECAL COLIFORM	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	01/28/2019	TOTAL COLIFORM	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	12/17/2018	ENTEROCOCCI		53	MPN/100 ML
SEW7 (Silver Shoals Dr)	12/17/2018	FECAL COLIFORM		52	MPN/100 ML
SEW7 (Silver Shoals Dr)	12/17/2018	TOTAL COLIFORM		609	MPN/100 ML
SEW7 (Silver Shoals Dr)	12/26/2018	ENTEROCOCCI	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	12/26/2018	FECAL COLIFORM		10	MPN/100 ML
SEW7 (Silver Shoals Dr)	12/26/2018	TOTAL COLIFORM		20	MPN/100 ML