

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING					
6/10/2024 to 7/8/2024					
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
AB8					
AB8 (149 yds east of pier by last steps on rock wa	06/10/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	06/10/2024	TOTAL COLIFORM 1:10			105 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	06/10/2024	E. COLI 1:10			30 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	06/17/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	06/17/2024	TOTAL COLIFORM 1:10			41 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	06/17/2024	E. COLI 1:10	<		10 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	06/24/2024	ENTEROCOCCI, MPN 1:10			75 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	06/24/2024	TOTAL COLIFORM 1:10			41 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	06/24/2024	E. COLI 1:10	<		10 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	07/01/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	07/01/2024	TOTAL COLIFORM 1:10			10 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	07/01/2024	E. COLI 1:10	<		10 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	07/08/2024	ENTEROCOCCI, MPN 1:10			10 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	07/08/2024	TOTAL COLIFORM 1:10			496 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	07/08/2024	E. COLI 1:10			10 MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		6/10/2024 to 7/8/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
AB10					
AB10 (350 yards west of pier - creek outfall)	06/10/2024	ENTEROCOCCI, MPN 1:10		64	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	06/10/2024	TOTAL COLIFORM 1:10		10462	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	06/10/2024	E. COLI 1:10		233	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	06/11/2024	TOTAL COLIFORM 1:10		7270	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	06/11/2024	E. COLI 1:10		132	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	06/11/2024	TOTAL COLIFORM 1:10		7270	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	06/11/2024	E. COLI 1:10		132	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	06/17/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	06/17/2024	TOTAL COLIFORM 1:10		12033	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	06/17/2024	E. COLI 1:10		86	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	06/18/2024	TOTAL COLIFORM 1:10		7270	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	06/18/2024	E. COLI 1:10		41	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	06/24/2024	ENTEROCOCCI, MPN 1:10		31	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	06/24/2024	TOTAL COLIFORM 1:10		12997	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	06/24/2024	E. COLI 1:10		422	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	07/01/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	07/01/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	07/01/2024	E. COLI 1:10	<	10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	07/08/2024	ENTEROCOCCI, MPN 1:10		42	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	07/08/2024	TOTAL COLIFORM 1:10		842	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	07/08/2024	E. COLI 1:10		135	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		6/10/2024 to 7/8/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
<b>CAY13</b>					
CAY13 (Studio Dr pkg lot so of Old Creek)	06/10/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	06/10/2024	TOTAL COLIFORM 1:10		345	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	06/10/2024	E. COLI 1:10		41	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	06/17/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	06/17/2024	TOTAL COLIFORM 1:10		857	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	06/17/2024	E. COLI 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	06/24/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	06/24/2024	TOTAL COLIFORM 1:10		20	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	06/24/2024	E. COLI 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	07/01/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	07/01/2024	TOTAL COLIFORM 1:10		233	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	07/01/2024	E. COLI 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	07/08/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	07/08/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	07/08/2024	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		6/10/2024 to 7/8/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
CAY14					
CAY14 (Farthest swing set near D street)	06/10/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
CAY14 (Farthest swing set near D street)	06/10/2024	TOTAL COLIFORM 1:10			63 MPN/100 ML
CAY14 (Farthest swing set near D street)	06/10/2024	E. COLI 1:10			10 MPN/100 ML
CAY14 (Farthest swing set near D street)	06/17/2024	ENTEROCOCCI, MPN 1:10			10 MPN/100 ML
CAY14 (Farthest swing set near D street)	06/17/2024	TOTAL COLIFORM 1:10	<		10 MPN/100 ML
CAY14 (Farthest swing set near D street)	06/17/2024	E. COLI 1:10	<		10 MPN/100 ML
CAY14 (Farthest swing set near D street)	06/24/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
CAY14 (Farthest swing set near D street)	06/24/2024	TOTAL COLIFORM 1:10			31 MPN/100 ML
CAY14 (Farthest swing set near D street)	06/24/2024	E. COLI 1:10	<		10 MPN/100 ML
CAY14 (Farthest swing set near D street)	07/01/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
CAY14 (Farthest swing set near D street)	07/01/2024	TOTAL COLIFORM 1:10	<		10 MPN/100 ML
CAY14 (Farthest swing set near D street)	07/01/2024	E. COLI 1:10	<		10 MPN/100 ML
CAY14 (Farthest swing set near D street)	07/08/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
CAY14 (Farthest swing set near D street)	07/08/2024	TOTAL COLIFORM 1:10	<		10 MPN/100 ML
CAY14 (Farthest swing set near D street)	07/08/2024	E. COLI 1:10	<		10 MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		6/10/2024 to 7/8/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
CAY16					
CAY16 (north of pier at creek outfall)	06/10/2024	ENTEROCOCCI, MPN 1:10		53	MPN/100 ML
CAY16 (north of pier at creek outfall)	06/10/2024	TOTAL COLIFORM 1:10		4611	MPN/100 ML
CAY16 (north of pier at creek outfall)	06/10/2024	E. COLI 1:10		121	MPN/100 ML
CAY16 (north of pier at creek outfall)	06/17/2024	ENTEROCOCCI, MPN 1:10		75	MPN/100 ML
CAY16 (north of pier at creek outfall)	06/17/2024	TOTAL COLIFORM 1:10		706	MPN/100 ML
CAY16 (north of pier at creek outfall)	06/17/2024	E. COLI 1:10		86	MPN/100 ML
CAY16 (north of pier at creek outfall)	06/24/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	06/24/2024	TOTAL COLIFORM 1:10		63	MPN/100 ML
CAY16 (north of pier at creek outfall)	06/24/2024	E. COLI 1:10		10	MPN/100 ML
CAY16 (north of pier at creek outfall)	07/01/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	07/01/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
CAY16 (north of pier at creek outfall)	07/01/2024	E. COLI 1:10	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	07/08/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	07/08/2024	TOTAL COLIFORM 1:10		132	MPN/100 ML
CAY16 (north of pier at creek outfall)	07/08/2024	E. COLI 1:10		120	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		6/10/2024 to 7/8/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
<b>HSB23</b>					
HSB23 (100 yds west of the pier - creek outfall)	06/10/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	06/10/2024	TOTAL COLIFORM 1:10		20	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	06/10/2024	E. COLI 1:10		10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	06/17/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	06/17/2024	TOTAL COLIFORM 1:10		52	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	06/17/2024	E. COLI 1:10		10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	06/24/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	06/24/2024	TOTAL COLIFORM 1:10		20	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	06/24/2024	E. COLI 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	07/01/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	07/01/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	07/01/2024	E. COLI 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	07/08/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	07/08/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	07/08/2024	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		6/10/2024 to 7/8/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
<b>MB11</b>					
MB11 (25 yds north of main parking lot)	06/10/2024	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
MB11 (25 yds north of main parking lot)	06/10/2024	TOTAL COLIFORM 1:10		243	MPN/100 ML
MB11 (25 yds north of main parking lot)	06/10/2024	E. COLI 1:10		41	MPN/100 ML
MB11 (25 yds north of main parking lot)	06/17/2024	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
MB11 (25 yds north of main parking lot)	06/17/2024	TOTAL COLIFORM 1:10		122	MPN/100 ML
MB11 (25 yds north of main parking lot)	06/17/2024	E. COLI 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	06/24/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	06/24/2024	TOTAL COLIFORM 1:10		313	MPN/100 ML
MB11 (25 yds north of main parking lot)	06/24/2024	E. COLI 1:10		20	MPN/100 ML
MB11 (25 yds north of main parking lot)	07/01/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	07/01/2024	TOTAL COLIFORM 1:10		97	MPN/100 ML
MB11 (25 yds north of main parking lot)	07/01/2024	E. COLI 1:10		10	MPN/100 ML
MB11 (25 yds north of main parking lot)	07/08/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
MB11 (25 yds north of main parking lot)	07/08/2024	TOTAL COLIFORM 1:10		31	MPN/100 ML
MB11 (25 yds north of main parking lot)	07/08/2024	E. COLI 1:10		10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		6/10/2024 to 7/8/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
<b>MB12</b>					
MB12 (Small prkg lot so side Morro Bay Creek)	06/10/2024	ENTEROCOCCI, MPN 1:10		150	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	06/10/2024	TOTAL COLIFORM 1:10		5475	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	06/10/2024	E. COLI 1:10		490	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	06/11/2024	TOTAL COLIFORM 1:10		107	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	06/11/2024	E. COLI 1:10		30	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	06/11/2024	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	06/11/2024	TOTAL COLIFORM 1:10		107	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	06/11/2024	E. COLI 1:10		30	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	06/11/2024	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	06/17/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	06/17/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	06/17/2024	E. COLI 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	06/24/2024	ENTEROCOCCI, MPN 1:10		137	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	06/24/2024	TOTAL COLIFORM 1:10		41	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	06/24/2024	E. COLI 1:10		20	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	07/01/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	07/01/2024	TOTAL COLIFORM 1:10		63	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	07/01/2024	E. COLI 1:10		10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	07/08/2024	ENTEROCOCCI, MPN 1:10		31	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	07/08/2024	TOTAL COLIFORM 1:10		41	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	07/08/2024	E. COLI 1:10	<	10	MPN/100 ML



Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		6/10/2024 to 7/8/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
<b>MB13</b>					
MB13 (Atascadero Ave)	06/10/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
MB13 (Atascadero Ave)	06/10/2024	TOTAL COLIFORM 1:10	<		10 MPN/100 ML
MB13 (Atascadero Ave)	06/10/2024	E. COLI 1:10	<		10 MPN/100 ML
MB13 (Atascadero Ave)	06/17/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
MB13 (Atascadero Ave)	06/17/2024	TOTAL COLIFORM 1:10	<		10 MPN/100 ML
MB13 (Atascadero Ave)	06/17/2024	E. COLI 1:10	<		10 MPN/100 ML
MB13 (Atascadero Ave)	06/24/2024	ENTEROCOCCI, MPN 1:10			10 MPN/100 ML
MB13 (Atascadero Ave)	06/24/2024	TOTAL COLIFORM 1:10			10 MPN/100 ML
MB13 (Atascadero Ave)	06/24/2024	E. COLI 1:10	<		10 MPN/100 ML
MB13 (Atascadero Ave)	07/01/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
MB13 (Atascadero Ave)	07/01/2024	TOTAL COLIFORM 1:10			63 MPN/100 ML
MB13 (Atascadero Ave)	07/01/2024	E. COLI 1:10	<		10 MPN/100 ML
MB13 (Atascadero Ave)	07/08/2024	ENTEROCOCCI, MPN 1:10			20 MPN/100 ML
MB13 (Atascadero Ave)	07/08/2024	TOTAL COLIFORM 1:10			1169 MPN/100 ML
MB13 (Atascadero Ave)	07/08/2024	E. COLI 1:10			52 MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING					
6/10/2024 to 7/8/2024					
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
<b>MB14</b>					
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	06/10/2024	ENTEROCOCCI, MPN 1:10			20 MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	06/10/2024	TOTAL COLIFORM 1:10			228 MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	06/10/2024	E. COLI 1:10	<		10 MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	06/17/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	06/17/2024	TOTAL COLIFORM 1:10	<		10 MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	06/17/2024	E. COLI 1:10	<		10 MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	06/24/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	06/24/2024	TOTAL COLIFORM 1:10			31 MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	06/24/2024	E. COLI 1:10	<		10 MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	07/01/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	07/01/2024	TOTAL COLIFORM 1:10			6488 MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	07/01/2024	E. COLI 1:10			10 MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	07/08/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	07/08/2024	TOTAL COLIFORM 1:10			9208 MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	07/08/2024	E. COLI 1:10			10 MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		6/10/2024 to 7/8/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
<b>OCB11</b>					
OCB11 (571 yds so Pier Ave end of Strand Way	06/10/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	06/10/2024	TOTAL COLIFORM 1:10			10 MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	06/10/2024	E. COLI 1:10	<		10 MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	06/17/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	06/17/2024	TOTAL COLIFORM 1:10			20 MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	06/17/2024	E. COLI 1:10	<		10 MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	06/24/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	06/24/2024	TOTAL COLIFORM 1:10			20 MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	06/24/2024	E. COLI 1:10			10 MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	07/01/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	07/01/2024	TOTAL COLIFORM 1:10			20 MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	07/01/2024	E. COLI 1:10	<		10 MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		6/10/2024 to 7/8/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
<b>OCB12</b>					
OCB12 (Pier Ave)	06/10/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	06/10/2024	TOTAL COLIFORM 1:10		41	MPN/100 ML
OCB12 (Pier Ave)	06/10/2024	E. COLI 1:10		31	MPN/100 ML
OCB12 (Pier Ave)	06/17/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	06/17/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	06/17/2024	E. COLI 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	06/24/2024	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
OCB12 (Pier Ave)	06/24/2024	TOTAL COLIFORM 1:10		20	MPN/100 ML
OCB12 (Pier Ave)	06/24/2024	E. COLI 1:10		10	MPN/100 ML
OCB12 (Pier Ave)	07/01/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	07/01/2024	TOTAL COLIFORM 1:10		41	MPN/100 ML
OCB12 (Pier Ave)	07/01/2024	E. COLI 1:10	<	10	MPN/100 ML
OCB13	07/01/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB13	07/01/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB13	07/01/2024	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		6/10/2024 to 7/8/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
<b>OCB13</b>					
OCB13 (350 yds no of Pier Ave)	06/10/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	06/10/2024	TOTAL COLIFORM 1:10		98	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	06/10/2024	E. COLI 1:10		10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	06/17/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	06/17/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	06/17/2024	E. COLI 1:10	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	06/24/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	06/24/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	06/24/2024	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		6/10/2024 to 7/8/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
OLDE12					
OLDE12 (131 yds west of lifeguard station/restroom)	06/10/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	06/10/2024	TOTAL COLIFORM 1:10		749	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	06/17/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	06/17/2024	TOTAL COLIFORM 1:10		85	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	06/17/2024	E. COLI 1:10		10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	06/24/2024	ENTEROCOCCI, MPN 1:10		53	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	06/24/2024	TOTAL COLIFORM 1:10		565	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	06/24/2024	E. COLI 1:10		146	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	07/01/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	07/01/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	07/01/2024	E. COLI 1:10	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	07/08/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	07/08/2024	TOTAL COLIFORM 1:10		446	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	07/08/2024	E. COLI 1:10		131	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		6/10/2024 to 7/8/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
<b>PB3</b>					
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	06/10/2024	TOTAL COLIFORM 1:10			10 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	06/10/2024	E. COLI 1:10	<		10 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	06/17/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	06/17/2024	TOTAL COLIFORM 1:10			20 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	06/17/2024	E. COLI 1:10			10 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	06/19/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	06/19/2024	TOTAL COLIFORM 1:10			20 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	06/19/2024	E. COLI 1:10			10 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	06/24/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	06/24/2024	TOTAL COLIFORM 1:10	<		10 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	06/24/2024	E. COLI 1:10	<		10 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	07/01/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	07/01/2024	TOTAL COLIFORM 1:10			31 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	07/01/2024	E. COLI 1:10	<		10 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	07/08/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	07/08/2024	TOTAL COLIFORM 1:10			218 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	07/08/2024	E. COLI 1:10	<		10 MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		6/10/2024 to 7/8/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
<b>PB4</b>					
PB4 (14 yds so of pier)	06/10/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
PB4 (14 yds so of pier)	06/10/2024	E. COLI 1:10	<		10 MPN/100 ML
PB4 (14 yds so of pier)	06/17/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
PB4 (14 yds so of pier)	06/17/2024	TOTAL COLIFORM 1:10			20 MPN/100 ML
PB4 (14 yds so of pier)	06/17/2024	E. COLI 1:10	<		10 MPN/100 ML
PB4 (14 yds so of pier)	06/24/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
PB4 (14 yds so of pier)	06/24/2024	TOTAL COLIFORM 1:10	<		10 MPN/100 ML
PB4 (14 yds so of pier)	06/24/2024	E. COLI 1:10	<		10 MPN/100 ML
PB4 (14 yds so of pier)	07/01/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
PB4 (14 yds so of pier)	07/01/2024	TOTAL COLIFORM 1:10	<		10 MPN/100 ML
PB4 (14 yds so of pier)	07/01/2024	E. COLI 1:10	<		10 MPN/100 ML
PB4 (14 yds so of pier)	07/08/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
PB4 (14 yds so of pier)	07/08/2024	TOTAL COLIFORM 1:10			173 MPN/100 ML
PB4 (14 yds so of pier)	07/08/2024	E. COLI 1:10			31 MPN/100 ML



Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		6/10/2024 to 7/8/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
<b>PB5</b>					
PB5 (338 yds no of pier Edgewater motel blue roof	06/10/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	06/10/2024	TOTAL COLIFORM 1:10			10 MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	06/17/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	06/17/2024	TOTAL COLIFORM 1:10			31 MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	06/17/2024	E. COLI 1:10	<		10 MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	06/24/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	06/24/2024	TOTAL COLIFORM 1:10			63 MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	06/24/2024	E. COLI 1:10			20 MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	07/01/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	07/01/2024	TOTAL COLIFORM 1:10	<		10 MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	07/01/2024	E. COLI 1:10	<		10 MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	07/08/2024	ENTEROCOCCI, MPN 1:10			10 MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	07/08/2024	TOTAL COLIFORM 1:10			417 MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	07/08/2024	E. COLI 1:10			175 MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		6/10/2024 to 7/8/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
<b>PICO23</b>					
PICO23 (Pico Ave, San Simeon out from stairs)	06/10/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	06/10/2024	TOTAL COLIFORM 1:10			20 MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	06/10/2024	E. COLI 1:10	<		10 MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	06/17/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	06/17/2024	TOTAL COLIFORM 1:10	<		10 MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	06/17/2024	E. COLI 1:10	<		10 MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	06/24/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	06/24/2024	TOTAL COLIFORM 1:10	<		10 MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	06/24/2024	E. COLI 1:10	<		10 MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	07/01/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	07/01/2024	TOTAL COLIFORM 1:10	<		10 MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	07/01/2024	E. COLI 1:10	<		10 MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	07/08/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	07/08/2024	TOTAL COLIFORM 1:10	<		10 MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	07/08/2024	E. COLI 1:10	<		10 MPN/100 ML
<b>SEW7</b>					
SEW7 (Silver Shoals Dr)	06/10/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
SEW7 (Silver Shoals Dr)	06/10/2024	TOTAL COLIFORM 1:10			52 MPN/100 ML
SEW7 (Silver Shoals Dr)	06/10/2024	E. COLI 1:10	<		10 MPN/100 ML
SEW7 (Silver Shoals Dr)	06/17/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
SEW7 (Silver Shoals Dr)	06/17/2024	TOTAL COLIFORM 1:10			185 MPN/100 ML
SEW7 (Silver Shoals Dr)	06/17/2024	E. COLI 1:10	<		10 MPN/100 ML
SEW7 (Silver Shoals Dr)	06/24/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
SEW7 (Silver Shoals Dr)	06/24/2024	TOTAL COLIFORM 1:10			52 MPN/100 ML
SEW7 (Silver Shoals Dr)	06/24/2024	E. COLI 1:10	<		10 MPN/100 ML
SEW7 (Silver Shoals Dr)	07/01/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
SEW7 (Silver Shoals Dr)	07/01/2024	TOTAL COLIFORM 1:10			20 MPN/100 ML
SEW7 (Silver Shoals Dr)	07/01/2024	E. COLI 1:10	<		10 MPN/100 ML
SEW7 (Silver Shoals Dr)	07/08/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
SEW7 (Silver Shoals Dr)	07/08/2024	TOTAL COLIFORM 1:10	<		10 MPN/100 ML
SEW7 (Silver Shoals Dr)	07/08/2024	E. COLI 1:10	<		10 MPN/100 ML