

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		04/20/2026 to 05/19/2026			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
AB8					
AB8 (149 YDS E OF PIER)	04/20/2026	TOTAL COLIFORM 1:10		20	MPN/100 ML
AB8 (149 YDS E OF PIER)	04/20/2026	E. COLI 1:10		10	MPN/100 ML
AB8 (149 YDS E OF PIER)	04/27/2026	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
AB8 (149 YDS E OF PIER)	04/27/2026	TOTAL COLIFORM 1:10		189	MPN/100 ML
AB8 (149 YDS E OF PIER)	04/27/2026	E. COLI 1:10		122	MPN/100 ML
AB8 (149 YDS E OF PIER)	05/04/2026	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
AB8 (149 YDS E OF PIER)	05/04/2026	TOTAL COLIFORM 1:10		52	MPN/100 ML
AB8 (149 YDS E OF PIER)	05/04/2026	E. COLI 1:10		31	MPN/100 ML
AB8 (149 YDS E OF PIER)	05/11/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
AB8 (149 YDS E OF PIER)	05/11/2026	TOTAL COLIFORM 1:10		161	MPN/100 ML
AB8 (149 YDS E OF PIER)	05/11/2026	E. COLI 1:10	<	10	MPN/100 ML
AB8 (149 YDS E OF PIER)	05/19/2030	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
AB8 (149 YDS E OF PIER)	05/19/2030	TOTAL COLIFORM 1:10		86	MPN/100 ML
AB8 (149 YDS E OF PIER)	05/19/2030	E. COLI 1:10		41	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		04/20/2026 to 05/19/2026			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
AB10					
AB10 (350 YDS W OF PIER)	04/20/2026	ENTEROCOCCI, MPN 1:10		75	MPN/100 ML
AB10 (350 YDS W OF PIER)	04/20/2026	TOTAL COLIFORM 1:10		4884	MPN/100 ML
AB10 (350 YDS W OF PIER)	04/20/2026	E. COLI 1:10		199	MPN/100 ML
AB10 (350 YDS W OF PIER)	04/27/2026	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
AB10 (350 YDS W OF PIER)	04/27/2026	TOTAL COLIFORM 1:10		52	MPN/100 ML
AB10 (350 YDS W OF PIER)	04/27/2026	E. COLI 1:10		10	MPN/100 ML
AB10 (350 YDS W OF PIER)	05/04/2026	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
AB10 (350 YDS W OF PIER)	05/04/2026	TOTAL COLIFORM 1:10		148	MPN/100 ML
AB10 (350 YDS W OF PIER)	05/04/2026	E. COLI 1:10		10	MPN/100 ML
AB10 (350 YDS W OF PIER)	05/11/2026	TOTAL COLIFORM 1:10	>	24196	MPN/100 ML
AB10 (350 YDS W OF PIER)	05/11/2026	E. COLI 1:10		389	MPN/100 ML
AB10 (350 YDS W OF PIER)	05/11/2026	ENTEROCOCCI, MPN 1:10		87	MPN/100 ML
AB10 (350 YDS W OF PIER)	05/13/2026	TOTAL COLIFORM 1:10		5794	MPN/100 ML
AB10 (350 YDS W OF PIER)	05/13/2026	E. COLI 1:10		52	MPN/100 ML
AB10 (350 YDS W OF PIER)	05/19/2026	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
AB10 (350 YDS W OF PIER)	05/19/2026	TOTAL COLIFORM 1:10		231	MPN/100 ML
AB10 (350 YDS W OF PIER)	05/19/2026	E. COLI 1:10		10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		04/20/2026 to 05/19/2026			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
CAY13					
CAY13 (Studio Dr pkg lot Near D St.)	04/20/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	04/20/2026	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	04/20/2026	E. COLI 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	04/27/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	04/27/2026	TOTAL COLIFORM 1:10		10	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	04/27/2026	E. COLI 1:10		10	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	05/04/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	05/04/2026	TOTAL COLIFORM 1:10		10	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	05/04/2026	E. COLI 1:10		10	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	05/11/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	05/11/2026	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	05/11/2026	E. COLI 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	05/19/2030	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	05/19/2030	TOTAL COLIFORM 1:10		10	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	05/19/2030	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		04/20/2026 to 05/19/2026			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
CAY14					
CAY14 (Farthest swing set near D St.)	04/20/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D St.)	04/20/2026	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D St.)	04/20/2026	E. COLI 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D St.)	04/27/2026	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
CAY14 (Farthest swing set near D St.)	04/27/2026	TOTAL COLIFORM 1:10		75	MPN/100 ML
CAY14 (Farthest swing set near D St.)	04/27/2026	E. COLI 1:10		10	MPN/100 ML
CAY14 (Farthest swing set near D St.)	05/04/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D St.)	05/04/2026	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D St.)	05/04/2026	E. COLI 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D St.)	05/11/2026	E. COLI 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D St.)	05/19/2030	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D St.)	05/19/2030	TOTAL COLIFORM 1:10		121	MPN/100 ML
CAY14 (Farthest swing set near D St.)	05/19/2030	E. COLI 1:10		20	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		04/20/2026 to 05/19/2026			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
CAY16					
CAY16 (North of pier at creek outfall)	04/20/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY16 (North of pier at creek outfall)	04/20/2026	TOTAL COLIFORM 1:10		95	MPN/100 ML
CAY16 (North of pier at creek outfall)	04/20/2026	E. COLI 1:10		72	MPN/100 ML
CAY16 (North of pier at creek outfall)	04/27/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY16 (North of pier at creek outfall)	04/27/2026	TOTAL COLIFORM 1:10		96	MPN/100 ML
CAY16 (North of pier at creek outfall)	04/27/2026	E. COLI 1:10		20	MPN/100 ML
CAY16 (North of pier at creek outfall)	05/04/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY16 (North of pier at creek outfall)	05/04/2026	TOTAL COLIFORM 1:10		10	MPN/100 ML
CAY16 (North of pier at creek outfall)	05/04/2026	E. COLI 1:10	<	10	MPN/100 ML
CAY16 (North of pier at creek outfall)	05/11/2026	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
CAY16 (North of pier at creek outfall)	05/11/2026	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
CAY16 (North of pier at creek outfall)	05/11/2026	E. COLI 1:10	<	10	MPN/100 ML
CAY16 (North of pier at creek outfall)	05/19/2030	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
CAY16 (North of pier at creek outfall)	05/19/2030	TOTAL COLIFORM 1:10		591	MPN/100 ML
CAY16 (North of pier at creek outfall)	05/19/2030	E. COLI 1:10		20	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		04/20/2026 to 05/19/2026			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
HSB23					
HSB23 (100 yds. west of the pier creek outfall)	04/20/2026	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
HSB23 (100 yds. west of the pier creek outfall)	04/20/2026	TOTAL COLIFORM 1:10		20	MPN/100 ML
HSB23 (100 yds. west of the pier creek outfall)	04/20/2026	E. COLI 1:10	<	10	MPN/100 ML
HSB23 (100 yds. west of the pier creek outfall)	04/27/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
HSB23 (100 yds. west of the pier creek outfall)	04/27/2026	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
HSB23 (100 yds. west of the pier creek outfall)	04/27/2026	E. COLI 1:10	<	10	MPN/100 ML
HSB23 (100 yds. west of the pier creek outfall)	05/04/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
HSB23 (100 yds. west of the pier creek outfall)	05/04/2026	TOTAL COLIFORM 1:10		10	MPN/100 ML
HSB23 (100 yds. west of the pier creek outfall)	05/04/2026	E. COLI 1:10	<	10	MPN/100 ML
HSB23 (100 yds. west of the pier creek outfall)	05/11/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
HSB23 (100 yds. west of the pier creek outfall)	05/11/2026	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
HSB23 (100 yds. west of the pier creek outfall)	05/11/2026	E. COLI 1:10	<	10	MPN/100 ML
HSB23 (100 yds. west of the pier creek outfall)	05/19/2030	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
HSB23 (100 yds. west of the pier creek outfall)	05/19/2030	TOTAL COLIFORM 1:10		301	MPN/100 ML
HSB23 (100 yds. west of the pier creek outfall)	05/19/2030	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		04/20/2026 to 05/19/2026			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
MB11					
MB11 (25 yds. north of main parking lot)	04/20/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB11 (25 yds. north of main parking lot)	04/20/2026	TOTAL COLIFORM 1:10		10	MPN/100 ML
MB11 (25 yds. north of main parking lot)	04/20/2026	E. COLI 1:10		10	MPN/100 ML
MB11 (25 yds. north of main parking lot)	04/27/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB11 (25 yds. north of main parking lot)	04/27/2026	TOTAL COLIFORM 1:10		20	MPN/100 ML
MB11 (25 yds. north of main parking lot)	04/27/2026	E. COLI 1:10		10	MPN/100 ML
MB11 (25 yds. north of main parking lot)	05/04/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB11 (25 yds. north of main parking lot)	05/04/2026	TOTAL COLIFORM 1:10		31	MPN/100 ML
MB11 (25 yds. north of main parking lot)	05/04/2026	E. COLI 1:10		20	MPN/100 ML
MB11 (25 yds. north of main parking lot)	05/11/2026	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB11 (25 yds. north of main parking lot)	05/11/2026	E. COLI 1:10	<	10	MPN/100 ML
MB11 (25 yds. north of main parking lot)	05/19/2030	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
MB11 (25 yds. north of main parking lot)	05/19/2030	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB11 (25 yds. north of main parking lot)	05/19/2030	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		04/20/2026 to 05/19/2026			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
MB12					
MB12 (Small parking lot south side of creek)	04/20/2026	ENTEROCOCCI, MPN 1:10		31	MPN/100 ML
MB12 (Small parking lot south side of creek)	04/20/2026	TOTAL COLIFORM 1:10		216	MPN/100 ML
MB12 (Small parking lot south side of creek)	04/20/2026	E. COLI 1:10		52	MPN/100 ML
MB12 (Small parking lot south side of creek)	04/27/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB12 (Small parking lot south side of creek)	04/27/2026	TOTAL COLIFORM 1:10		52	MPN/100 ML
MB12 (Small parking lot south side of creek)	04/27/2026	E. COLI 1:10		20	MPN/100 ML
MB12 (Small parking lot south side of creek)	05/04/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB12 (Small parking lot south side of creek)	05/04/2026	TOTAL COLIFORM 1:10		10	MPN/100 ML
MB12 (Small parking lot south side of creek)	05/04/2026	E. COLI 1:10	<	10	MPN/100 ML
MB12 (Small parking lot south side of creek)	05/11/2026	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
MB12 (Small parking lot south side of creek)	05/11/2026	TOTAL COLIFORM 1:10		20	MPN/100 ML
MB12 (Small parking lot south side of creek)	05/11/2026	E. COLI 1:10		10	MPN/100 ML
MB12 (Small parking lot south side of creek)	05/19/2030	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB12 (Small parking lot south side of creek)	05/19/2030	TOTAL COLIFORM 1:10		146	MPN/100 ML
MB12 (Small parking lot south side of creek)	05/19/2030	E. COLI 1:10		10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		04/20/2026 to 05/19/2026			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
MB13					
MB13 (Atascadero Ave.)	04/20/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave.)	04/20/2026	TOTAL COLIFORM 1:10		10	MPN/100 ML
MB13 (Atascadero Ave.)	04/20/2026	E. COLI 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave.)	04/27/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave.)	04/27/2026	TOTAL COLIFORM 1:10		41	MPN/100 ML
MB13 (Atascadero Ave.)	04/27/2026	E. COLI 1:10		20	MPN/100 ML
MB13 (Atascadero Ave.)	05/04/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave.)	05/04/2026	TOTAL COLIFORM 1:10		199	MPN/100 ML
MB13 (Atascadero Ave.)	05/04/2026	E. COLI 1:10		31	MPN/100 ML
MB13 (Atascadero Ave.)	05/11/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave.)	05/11/2026	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave.)	05/11/2026	E. COLI 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave.)	05/19/2030	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave.)	05/19/2030	TOTAL COLIFORM 1:10		10	MPN/100 ML
MB13 (Atascadero Ave.)	05/19/2030	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		04/20/2026 to 05/19/2026			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
MB14					
MB14 (Alva Paul, Beachcumb Dr. & Luzon)	04/20/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcumb Dr. & Luzon)	04/20/2026	TOTAL COLIFORM 1:10		417	MPN/100 ML
MB14 (Alva Paul, Beachcumb Dr. & Luzon)	04/20/2026	E. COLI 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcumb Dr. & Luzon)	04/27/2026	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
MB14 (Alva Paul, Beachcumb Dr. & Luzon)	04/27/2026	TOTAL COLIFORM 1:10		31	MPN/100 ML
MB14 (Alva Paul, Beachcumb Dr. & Luzon)	04/27/2026	E. COLI 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcumb Dr. & Luzon)	05/04/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcumb Dr. & Luzon)	05/04/2026	TOTAL COLIFORM 1:10		134	MPN/100 ML
MB14 (Alva Paul, Beachcumb Dr. & Luzon)	05/04/2026	E. COLI 1:10		20	MPN/100 ML
MB14 (Alva Paul, Beachcumb Dr. & Luzon)	05/11/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcumb Dr. & Luzon)	05/11/2026	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcumb Dr. & Luzon)	05/11/2026	E. COLI 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcumb Dr. & Luzon)	05/19/2030	ENTEROCOCCI, MPN 1:10		31	MPN/100 ML
MB14 (Alva Paul, Beachcumb Dr. & Luzon)	05/19/2030	TOTAL COLIFORM 1:10		563	MPN/100 ML
MB14 (Alva Paul, Beachcumb Dr. & Luzon)	05/19/2030	E. COLI 1:10		30	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		04/20/2026 to 05/19/2026			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
OCB11					
OCB11 (571 yds. South of Pier Ave.)	04/20/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	04/20/2026	TOTAL COLIFORM 1:10		52	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	04/20/2026	E. COLI 1:10		10	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	04/27/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	04/27/2026	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	04/27/2026	E. COLI 1:10	<	10	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	05/04/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	05/04/2026	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	05/04/2026	E. COLI 1:10	<	10	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	05/11/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	05/11/2026	TOTAL COLIFORM 1:10		10	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	05/11/2026	E. COLI 1:10	<	10	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	05/19/2030	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	05/19/2030	TOTAL COLIFORM 1:10		75	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	05/19/2030	E. COLI 1:10		10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		04/20/2026 to 05/19/2026			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
OCB12					
OCB12 (Pier Ave.)	04/20/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave.)	04/20/2026	TOTAL COLIFORM 1:10		10	MPN/100 ML
OCB12 (Pier Ave.)	04/20/2026	E. COLI 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave.)	04/27/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave.)	04/27/2026	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave.)	04/27/2026	E. COLI 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave.)	05/04/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave.)	05/04/2026	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave.)	05/04/2026	E. COLI 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave.)	05/11/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave.)	05/11/2026	TOTAL COLIFORM 1:10		31	MPN/100 ML
OCB12 (Pier Ave.)	05/11/2026	E. COLI 1:10		10	MPN/100 ML
OCB12 (Pier Ave.)	05/19/2030	ENTEROCOCCI, MPN 1:10		124	MPN/100 ML
OCB12 (Pier Ave.)	05/19/2030	TOTAL COLIFORM 1:10		51	MPN/100 ML
OCB12 (Pier Ave.)	05/19/2030	E. COLI 1:10		30	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		04/20/2026 to 05/19/2026			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
OCB13					
OCB13 (350 yds. north of Pier Ave.)	04/20/2026	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	04/20/2026	TOTAL COLIFORM 1:10		31	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	04/20/2026	E. COLI 1:10	<	10	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	04/27/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	04/27/2026	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	04/27/2026	E. COLI 1:10	<	10	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	05/04/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	05/04/2026	TOTAL COLIFORM 1:10		10	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	05/04/2026	E. COLI 1:10		10	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	05/11/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	05/11/2026	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	05/11/2026	E. COLI 1:10	<	10	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	05/19/2030	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	05/19/2030	TOTAL COLIFORM 1:10		62	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	05/19/2030	E. COLI 1:10		30	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		04/20/2026 to 05/19/2026			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
OLDE12					
OLDE12 (131 yds. west of restrooms)	04/20/2026	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	04/20/2026	TOTAL COLIFORM 1:10		10	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	04/20/2026	E. COLI 1:10		10	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	04/27/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	04/27/2026	TOTAL COLIFORM 1:10		52	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	04/27/2026	E. COLI 1:10		10	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	05/04/2026	ENTEROCOCCI, MPN 1:10		53	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	05/04/2026	TOTAL COLIFORM 1:10		160	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	05/04/2026	E. COLI 1:10		146	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	05/11/2026	ENTEROCOCCI, MPN 1:10		111	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	05/11/2026	TOTAL COLIFORM 1:10		2224	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	05/11/2026	E. COLI 1:10		20	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	05/13/2030	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	05/19/2030	ENTEROCOCCI, MPN 1:10		99	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	05/19/2030	TOTAL COLIFORM 1:10		10	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	05/19/2030	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		04/20/2026 to 05/19/2026			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
PB3					
PB3 (302 yds. south of pier)	04/20/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB3 (302 yds. south of pier)	04/20/2026	TOTAL COLIFORM 1:10		1541	MPN/100 ML
PB3 (302 yds. south of pier)	04/20/2026	E. COLI 1:10		20	MPN/100 ML
PB3 (302 yds. south of pier)	04/27/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB3 (302 yds. south of pier)	04/27/2026	TOTAL COLIFORM 1:10		41	MPN/100 ML
PB3 (302 yds. south of pier)	04/27/2026	E. COLI 1:10		31	MPN/100 ML
PB3 (302 yds. south of pier)	05/04/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB3 (302 yds. south of pier)	05/04/2026	TOTAL COLIFORM 1:10		10	MPN/100 ML
PB3 (302 yds. south of pier)	05/04/2026	E. COLI 1:10		10	MPN/100 ML
PB3 (302 yds. south of pier)	05/11/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB3 (302 yds. south of pier)	05/11/2026	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
PB3 (302 yds. south of pier)	05/11/2026	E. COLI 1:10	<	10	MPN/100 ML
PB3 (302 yds. south of pier)	05/19/2030	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
PB3 (302 yds. south of pier)	05/19/2030	TOTAL COLIFORM 1:10		20	MPN/100 ML
PB3 (302 yds. south of pier)	05/19/2030	E. COLI 1:10		10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		04/20/2026 to 05/19/2026			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
PB4					
PB4 (14 yds. south of pier)	04/20/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB4 (14 yds. south of pier)	04/20/2026	TOTAL COLIFORM 1:10		1723	MPN/100 ML
PB4 (14 yds. south of pier)	04/20/2026	E. COLI 1:10		63	MPN/100 ML
PB4 (14 yds. south of pier)	04/27/2026	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
PB4 (14 yds. south of pier)	04/27/2026	TOTAL COLIFORM 1:10		41	MPN/100 ML
PB4 (14 yds. south of pier)	04/27/2026	E. COLI 1:10		31	MPN/100 ML
PB4 (14 yds. south of pier)	05/04/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB4 (14 yds. south of pier)	05/04/2026	TOTAL COLIFORM 1:10		10	MPN/100 ML
PB4 (14 yds. south of pier)	05/04/2026	E. COLI 1:10	<	10	MPN/100 ML
PB4 (14 yds. south of pier)	05/11/2026	ENTEROCOCCI, MPN 1:10		99	MPN/100 ML
PB4 (14 yds. south of pier)	05/11/2026	TOTAL COLIFORM 1:10		295	MPN/100 ML
PB4 (14 yds. south of pier)	05/11/2026	E. COLI 1:10		203	MPN/100 ML
PB4 (14 yds. south of pier)	05/19/2030	ENTEROCOCCI, MPN 1:10		42	MPN/100 ML
PB4 (14 yds. south of pier)	05/19/2030	TOTAL COLIFORM 1:10		31	MPN/100 ML
PB4 (14 yds. south of pier)	05/19/2030	E. COLI 1:10		10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		04/20/2026 to 05/19/2026			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
PB5					
PB5 (338 yds. north of pier)	04/20/2026	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
PB5 (338 yds. north of pier)	04/20/2026	TOTAL COLIFORM 1:10		1529	MPN/100 ML
PB5 (338 yds. north of pier)	04/20/2026	E. COLI 1:10		41	MPN/100 ML
PB5 (338 yds. north of pier)	04/27/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB5 (338 yds. north of pier)	04/27/2026	TOTAL COLIFORM 1:10		52	MPN/100 ML
PB5 (338 yds. north of pier)	04/27/2026	E. COLI 1:10		31	MPN/100 ML
PB5 (338 yds. north of pier)	05/04/2026	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
PB5 (338 yds. north of pier)	05/04/2026	TOTAL COLIFORM 1:10		31	MPN/100 ML
PB5 (338 yds. north of pier)	05/04/2026	E. COLI 1:10		10	MPN/100 ML
PB5 (338 yds. north of pier)	05/11/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB5 (338 yds. north of pier)	05/11/2026	TOTAL COLIFORM 1:10		20	MPN/100 ML
PB5 (338 yds. north of pier)	05/11/2026	E. COLI 1:10		10	MPN/100 ML
PB5 (338 yds. north of pier)	05/19/2030	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB5 (338 yds. north of pier)	05/19/2030	TOTAL COLIFORM 1:10		10	MPN/100 ML
PB5 (338 yds. north of pier)	05/19/2030	E. COLI 1:10		10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		04/20/2026 to 05/19/2026			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
PICO23					
PICO23 (Pico Ave., San Simeon)	04/20/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	04/20/2026	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	04/20/2026	E. COLI 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	04/27/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	04/27/2026	TOTAL COLIFORM 1:10		20	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	04/27/2026	E. COLI 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	05/04/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	05/04/2026	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	05/04/2026	E. COLI 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	05/11/2026	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	05/11/2026	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	05/11/2026	E. COLI 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	05/19/2030	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	05/19/2030	TOTAL COLIFORM 1:10		109	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	05/19/2030	E. COLI 1:10		10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		04/20/2026 to 05/19/2026			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
SEW7					
SEW7 (Silver Shoals Dr.)	04/20/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr.)	04/20/2026	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr.)	04/20/2026	E. COLI 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr.)	04/27/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr.)	04/27/2026	TOTAL COLIFORM 1:10		201	MPN/100 ML
SEW7 (Silver Shoals Dr.)	04/27/2026	E. COLI 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr.)	05/04/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr.)	05/04/2026	TOTAL COLIFORM 1:10		30	MPN/100 ML
SEW7 (Silver Shoals Dr.)	05/04/2026	E. COLI 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr.)	05/11/2026	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
SEW7 (Silver Shoals Dr.)	05/11/2026	TOTAL COLIFORM 1:10		20	MPN/100 ML
SEW7 (Silver Shoals Dr.)	05/11/2026	E. COLI 1:10		10	MPN/100 ML
SEW7 (Silver Shoals Dr.)	05/19/2030	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr.)	05/19/2030	TOTAL COLIFORM 1:10		41	MPN/100 ML
SEW7 (Silver Shoals Dr.)	05/19/2030	E. COLI 1:10	<	10	MPN/100 ML