

TO: Water Resources Advisory Committee

FROM: Brendan Clark, Supervising Water Resources Engineer

DATE: November 5, 2025

SUBJECT: Ongoing Updates

- a) Rain & Reservoir Report.** See attached 2025-26 current report.
- b) Drought Updates.**
- As part of SB-552, counties are required to have a standing Drought Task Force. Ours is led by the County of SLO Office of Emergency Services (OES).
 - The Drought Task Force has been involved with and reviewing completion of the 2025 Multi-Jurisdictional Hazard Mitigation Plan (MJHMP).
 - The final draft MJHMP has been submitted to FEMA. Once approved, it will be considered for adoption by the County, District and cities.
- c) Groundwater Management Efforts**

On December 18, 2019, the California Department of Water Resources (DWR) released the Final Sustainable Groundwater Management Act (SGMA) 2019 Prioritization¹ that designates each groundwater basin and subbasin (collectively, basins) as high, medium, low or very low priority. Groundwater sustainability agencies (GSAs) are required to develop and implement groundwater sustainability plans (GSPs) for each high or medium priority basin.

Basin Updates:

Basin	Update:
Los Osos Basin	<p>Los Osos Area Subbasin (adjudicated area) is designated as a very low priority basin subject to critical conditions of overdraft. SGMA does not apply to the portions of Los Osos Basin that are adjudicated provided that certain requirements are met (Water Code §10720.8). The fringe areas of the Los Osos Area Subbasin are not subject to the requirements of SGMA due to the DWR very-low prioritization. The Los Osos Basin Management Committee (BMC) oversees implementation of the Los Osos Basin Plan for the area.</p> <ul style="list-style-type: none"> • At its special October 2nd, 2025 BMC Meeting: <ul style="list-style-type: none"> ○ The Board received a presentation on the proposed potential Transient Model Sustainable Yield Adaptive Method Approach methodology and provided direction to the purveyors begin preliminary discussions on the operational feasibility of the pumping distribution required for a Sustainable Yield of 2,020 AFY. ○ The Board received written responses to public comments received on the Draft Transient Model Construction and

¹ <https://water.ca.gov/Programs/Groundwater-Management/Basin-Prioritization>

	<p>Calibration Technical Memorandum presented at the previous BMC meeting.</p> <ul style="list-style-type: none"> At its regularly scheduled October 15th, 2025 BMC Meeting: <ul style="list-style-type: none"> The Board approved the proposed Sustainable Yield estimate of 2,000 AFY for Calendar Year 2026. This is lower than the Sustainable Yield of 2,380 AFY adopted the previous four years. The Board approved of the Draft Los Osos Basin Management 2026 Growth Rate Recommendation Letter and provided Staff direction to send the letter to the County. This letter is for the County's consideration when preparing a recommendation to bring to the County Board of Supervisors on the Growth Management Ordinance for CY 2026 at the December 16, County Board of Supervisors meeting. The recommendation is as follows: "The BMC recommends the County BOS adopt a CY 2026 growth rate of 0% based on the reduced Sustainable Yield estimate predicted utilizing the newly developed Transient Groundwater Model (Transient Model) and the uncertainty of impacts from the growth rate approved for 2025, but not yet implemented. Notwithstanding the foregoing, this recommendation should not be construed as a recommendation with respect to the appropriateness of issuing permits, in accordance with the provisions of the County's Title 26 (Growth Management Ordinance) and Title 19 (Retrofit to Build) Code of Regulations, to property owners that were provided notice regarding allocations for new development in CY 2025." There is a Special Los Osos Basin Management Committee Board of Directors meeting tentatively scheduled for Wednesday, November 12th, 2025 at 2pm. More information will be available closer to the meeting date, including official noticing. The regularly scheduled BMC meeting for Wednesday, November 19th, 2025 has been cancelled. Official noticing will be available on the website closer to the meeting date. Meeting notices, minutes, and recordings are available on the BMC's website: https://www.losososbmc.org/. <p>Meeting notices, minutes, and recordings are available on the BMC's website: https://www.losososbmc.org/.</p>
Atascadero Basin	<p>Atascadero Basin is designated as a very low priority basin and is not subject to the requirements of SGMA due to the DWR prioritization; however, the Atascadero Basin Groundwater Sustainability Agency (GSA) Executive Committee (EC) elected to develop, and submit to DWR, a groundwater sustainability plan</p>

	<p>(GSP) by January 31, 2022. The GSP was submitted on January 30, 2022 and approved by DWR on April 14, 2025. The next EC meeting date has not been scheduled yet.</p> <p>For more information or to view meeting material, visit: www.AtascaderoBasin.com</p>
Santa Maria Basin	<p>Santa Maria Area Subbasin (adjudicated area) is designated as a very low priority basin. The adjudicated areas of the Santa Maria Basin are managed by the Northern Cities Management Area, Nipomo Mesa Management Area, and Santa Maria Valley Management Area. The County is implementing wellhead improvements at coastal monitoring well cluster 11N/36W-12C (Dunes Well 12C). The main purpose of the work is to raise the wellhead, which is covered by dune sand, and to re-equip the well with new, dedicated pumps for water quality monitoring.</p> <p>The Santa Maria Basin Fringe Areas – County of San Luis Obispo GSA is the GSA for the non-adjudicated fringe areas of the basin within the County. This subbasin consists of an adjudicated area and other non-adjudicated fringe areas. However, only the priority of the non-adjudicated fringe areas was assessed, which include the Ziegler Canyon Fringe Area in San Luis Obispo County and other fringe areas in Santa Barbara County.</p> <p>Arroyo Grande Subbasin is designated as a very low priority basin and is not subject to the requirements of SGMA due to the DWR prioritization; however, the County and City of Arroyo Grande as GSAs in the basin have prepared a GSP.</p> <p>For more information, please visit: www.slocounty.ca.gov/santamariabasin or www.slocounty.ca.gov/agbasin</p>
Paso Basin	<p>Paso Basin is designated a high priority basin subject to critical conditions of overdraft. The Paso Basin – County of San Luis Obispo GSA, City of Paso Robles GSA, Estrella-El Pomar-Creston WD GSA, San Miguel CSD GSA, and Shandon San Juan WD GSA, entered into an agreement to develop and implement a single GSP for the basin and coordinate via the Paso Basin Cooperative Committee (PBCC). In April 2025, the County of San Luis Obispo GSA, City of Paso Robles GSA, Estrella-El Pomar-Creston WD GSA, and Shandon San Juan WD GSA formed the Paso Robles Area Groundwater Authority (Paso Authority) through a Joint Powers Agreement (JPA), which supersedes the PBCC and is the new governing body of Paso Basin.</p> <ul style="list-style-type: none"> • The Paso Authority held a regular meeting on October 22, 2025 regarding the following items: <ul style="list-style-type: none"> ○ Presentation from Regional Groundwater Stakeholders Group ○ Approval of 2026 Meeting Calendar

	<ul style="list-style-type: none"> ○ Appoint Hallmark Group as Executive Director through June 30, 2026 • The next Paso Authority regular meeting is scheduled for November 19, 2025 will likely be cancelled, and the board is considering special meeting dates in December. <p>For more information or to view meeting materials, please visit: www.pasoroblesaga.org/</p>
Cuyama Basin	<p>Cuyama Basin is designated as a high priority basin subject to critical conditions of overdraft. The Cuyama Basin GSA was formed through a Joint Powers Agreement (JPA) and is an independent agency governed by a Board of Directors for Cuyama Basin. An amended GSP was submitted to DWR on July 20, 2022 and on March 3, 2023, DWR issued a recommended “approval” of the GSP. The final approval with proposed corrective actions was received on May 25, 2023.</p> <ul style="list-style-type: none"> • The Cuyama Basin GSA Board of Directors and Advisory Committee met on October 30, 2025, and November 5, 2025, respectively, regarding the following items: <ul style="list-style-type: none"> ○ Approval of 2026 Meeting Calendar ○ Plan and Timeline to Evaluate Allocations in the Ventucopa Management Area ○ Tri-County Pistachio Variance Request ○ CMA Allocation Exchanges Policy ○ Adaptive Management Processes ○ Options to Address New Pumping Outside the Management Area • The next regular Cuyama Basin GSA Advisory and Board meetings are proposed for January 8, 2026, and January 14, 2026, respectively. <p>For more information, please visit: www.cuyamabasin.org</p>
San Luis Obispo Basin	<p>San Luis Obispo Basin is designated as a high priority basin. The County and City of San Luis Obispo GSAs, in coordination with other basin stakeholders, formed the Groundwater Sustainability Commission (GSC) to develop and submit a Groundwater Sustainability Plan (GSP) for the SLO Basin to DWR by the January 31, 2022 statutory deadline. The GSP was approved by DWR on April 27, 2023, and per the GSC MOA, the GSC terminated on March 18, 2024. DWR recommended four corrective actions and the County GSA and City GSA will be addressing these ahead of the next GSP periodic evaluation due January 26, 2027. Moving forward, the County GSA will work with local stakeholders to receive relevant feedback on the implementation of the GSP.</p> <p>For more information, please visit: https://www.slocounty.ca.gov/slobasin</p>

<p>Adelaida Area</p>	<p>The Adelaida Area is not a DWR designated groundwater basin; however, the San Luis Obispo County Flood Control and Water Conservation District (District) has been coordinating with the U.S. Geological Survey (USGS) on a hydrogeologic study to increase understanding of the groundwater conditions, availability, and sustainability in the fractured rock area. Currently, the USGS is working to integrate and analyze the hydrogeologic system using data gathered in the initial study tasks, which commenced in 2019, to produce an interpretive report that is anticipated late 2026.</p> <p>For more information, please visit:</p> <ul style="list-style-type: none"> • https://www.slocounty.ca.gov/adelaidastudy • https://www.usgs.gov/centers/ca-water/science/evaluation-groundwater-resources-adelaida-area-san-luis-obispo-county?qt-science_center_objects=0#qt-science_center_objects
-----------------------------	--

d) County Flood Control Zones

The San Luis Obispo Flood Control and Water Conservation District is a resource to help individuals and communities in San Luis Obispo County identify and address flooding problems with the purpose *"to provide for control, disposition and distribution of the flood and storm waters of the district and of streams flowing into the district..."*

Updates by Zone:

Zone	Update:
<p><u>Zone 1/1A</u> Arroyo Grande Creek Channel</p>	<p>Flood Control Zone 1/1A includes the maintenance and operations of the Arroyo Grande and Los Berros Channels to provide flood protection within the Zone located near the City of Arroyo Grande and the community of Oceano.</p> <p>The District has completed its annual woody vegetation clearing from inside the channel in preparation for the winter season.</p> <p>Fall construction activities have also been completed. These included the re-stabilization of the levee slope at the 2023 breach site, extension of turf reinforcement matt into the UPRR right-of-way, and removal of excess sediment built up near and beneath of UPRR bridge.</p> <p>The District has begun its annual Emergency Response Planning for Zone 1/1A to prepare for the upcoming rainy season. This work includes key flood preparedness activities such as inspecting the levee and drainage structures, readying equipment, training staff, and updating communication and evacuation procedures.</p> <p>The Zone 1/1A Advisory Committee cancelled their advisory committee meeting for September 2025. Ongoing updates were distributed via email.</p> <p>The staff report for these topics can be viewed here: https://www.slocounty.ca.gov/Departments/Public-Works/Committees-</p>

	<p>Programs/Flood-Control-Zones/Zone-1-1A-Arroyo-Grande-Creek-Channel/Meeting-Calendar.aspx</p> <p>The next meeting of the Zone 1/1A Advisory Committee is scheduled for Tuesday, December 9th, 2025, at 3:00 PM. Meetings are held at the Sheriff's South Patrol Station, 1681 Front Street, Oceano, CA.</p> <p>For more information, please visit: https://www.slocounty.ca.gov/Zone1-1A</p>
<p>Zone 9 San Luis Obispo Creek</p>	<p>Flood Control Zone 9 provides flood control data and planning for the area encompassing San Luis Obispo Creek and its tributaries. City and County staff are currently planning an update to the Waterway Management Plan, installation of new stream gages and more.</p> <p>The next meeting of the Zone 9 Advisory Committee is scheduled for December 10, 2025, 1:30 PM, at the SLO Vets Hall Lounge Room, 801 Grand Ave, San Luis Obispo, CA 93401</p> <p>For more information, please visit: https://www.slocounty.ca.gov/Zone9</p>

e) Integrated Regional Water Management (IRWM)

On July 8th, the Board of Supervisors directed staff to return to the Board with a proposed project or suite of projects to replace Central Coast Blue in the Prop. 1, Round 2 IRWM Implementation Grant. To that end, the following has taken place:

1. September 3, 2025. Reviewed draft Call for Projects at an RWMG meeting.
2. September 8 – 29, 2025. Call for Projects open (22 days).
3. October 1 – 3, 2025. Eligibility Screening by staff.
4. October 10, 2025. Project Showcase @ RWMG Meeting. Applicants presented projects to members and public stakeholders. Additionally, an RWMG Working Group was formed.
5. October 24, 2025. RWMG Working Group met to finalize scores and prepare an amendment recommendation.

The RWMG is scheduled to meet on November 5th to consider sending the Working Group's recommendation to the Board of Supervisors.

To be notified of the upcoming meetings, visit www.slocounty.ca.gov/irwm.

A summary of open and pending IRWM grants is below:

Prop 1E Stormwater Flood Mgmt Grant (2011)	\$2,797,000	Complete	
Prop 84 Implementation Grant (2011)	\$10,401,000	Complete	
Prop 1 Disadvantaged Community Involvement 2017	\$877,563	Complete	
Prop 1 Implementation Grant, Round 1	\$2,782,130	Complete	
Prop 1 Implementation Grant, Round 2	\$3,782,129	In Progress	
Grant Administration	\$132,374	In Progress	Flood Control District
Indirect Potable Reuse	\$1,200,000	In Progress	City of Morro Bay
Central Coast Blue, Phase 1	\$1,000,000	TBD	City of Pismo Beach

Master Water Report Information System	\$549,755	In Progress	Flood Control District
Water Resource Reliability Projects	\$600,000	In Progress	Oceano CSD
Water Reliability Projects	\$300,000	In Progress	San Miguel CSD

For questions, contact:

Brendan Clark, IRWM Program Manager

Email: bclark@co.slo.ca.us

Phone: (805) 788-2316

f) Master Water Report (MWR) Update

November 2025 Update:

County staff and the consultant team are planning the expansion of the Master Water Report Data and Information Management System (DIMS) to the rest of the County after having started with the Morro Bay Watershed. Focus areas this year have been developing and refining methodologies for integration with SMGA annual reports, the Planning Department's annual housing projections and vulnerability scoring related to SB-552 and the 2021 Regional Water Infrastructure Resiliency Plan.

Background:

On June 7, 2022, the District Board of Supervisors approved a contract with Carollo Engineers, Inc. to develop the Master Water Report Update and Information System. Board Item:

<https://agenda.slocounty.ca.gov/iip/sanluisobispo/agendaitem/details/14655>

For more information, please visit the project website:

<https://www.slocounty.ca.gov/Departments/Public-Works/Current-Public-Works-Projects/Master-Water-Report-and-Data-Information-System.aspx>

g) State Water Project (SWP)

- Current 2025 SWP Water Supply & Demand:

<u>2025 SWP Supply</u>		
The District's "Carryover" water in storage at San Luis Reservoir <u>on January 1, 2025</u> (the start of the new SWP delivery year) was:	<u>6,294 AF</u>	Carryover water
The current SWP allocation % (and date) set by DWR:	<u>50%</u>	<u>(4/29/2025)</u>
The Table A water amount based on the current SWP allocation % applied to the District's 25,000 AF "Table A" contract translates to:	<u>12,500 AF</u>	Table A water
Total Project Water available to the District:	<u>18,794 AF</u>	Total Supply
<u>2025 SWP Demand</u>		
Total Project Water scheduled for delivery to the District within the Coastal Branch (under the District's 4,830 AF capacity share):	<u>2,855 AF</u>	Scheduled Deliveries

<u>2025 SWP Transfer</u>		
Potential water transfers (BOS authorized 10/7/25): Two transfer parties, combined total up to 7,000 AF; temporary, short-term. Transfers pending completion of process with DWR by 12/31/25.	<u>Up to 7,000 AF</u>	
Proposed pilot water storage transfer (in development): One transfer party, 500 AF; temporary, short-term. Pending Board review and authorization (Nov 18) for completion of transfer by 12/31/25.	<u>500 AF</u>	

- **State Water Subcontractors Advisory Committee (SWSAC):** The next regular SWSAC meeting is scheduled for Friday, November 14, 2025. More information, once available, will be posted to the SWSAC website: <https://www.slocounty.ca.gov/Departments/Public-Works/Committees-Programs/State-Water-Project-and-Subcontractors-Advisory-Co.aspx>


h) Desalination Executable Solution and Logistics Plan (DESAL Plan)

Desalination, the process of turning seawater into fresh drinking water, can offer a safe, long-term, droughtproof water supply. With funding support from a U.S. Bureau of Reclamation WaterSMART grant, the District is collaborating with partner agencies, engaging stakeholders, and working with Carollo Engineers to explore potential for a regional desalination project in San Luis Obispo County.

This desalination planning effort, which kicked off in early 2025, will result in a DESAL Plan Feasibility Study that is anticipated to be completed in late 2026. Public outreach is planned throughout development of the study; previous presentations (including at the WRAC's May and October meetings and a Community Engagement Session in September) and the timeline for future engagement opportunities are available at the website below.

For more information, to join the DESAL Plan email list, submit public comments, or view project materials as they become available, please visit the County's DESAL Plan webpage at: <https://www.slocounty.ca.gov/DESAL>

Desalination Executable Solution And Logistics Plan **DESAL Plan***



i) Various County Water Programs, Policies, and Ordinances

The County Department of Planning & Building's website for the water conservation programs in Nipomo Mesa, Paso Basin, and Los Osos: <https://www.slocounty.ca.gov/Departments/Planning-Building/Department-Divisions/Agriculture,-Water,-and-Energy/Water-Programs/Countywide-Water-Conservation-Program.aspx>

Current Los Osos Happenings

In order for the Community of Los Osos to develop, two programs need to be running: the Allocation Program and the Los Osos Habitat Conservation Plan (LOHCP). While there are 25 allocations available to the community of Los Osos in 2025 (19 allocations available within the Community Sewer Service Area, 6 allocations available outside the Community Sewer Service Area), there have been delays with implementation of the LOHCP. This ultimately means Los Osos development is on hold until LOHCP Mitigation Credits are available. Those who own vacant lots can work towards obtaining a Title 19 Retrofit-to-Build certificate (available at [title-19-logwb-retrofit-to-build-requirement 1230 2024-update](#)). This certificate does not expire and is tied to the parcel it is applied for. This certificate is not a requirement to apply, but is a requirement prior to permit issuance.

Additionally, the Waitlist to Build (available to vacant parcels within the Community Sewer Service Area) closed at the end of November. There are 361 parcels on the single-family waitlist and 180 requested units on the multi-family waitlist.

On December 16, 2025, Planning staff will present an annual review of the County Growth Management Ordinance (GMO) allocation and a recommendation for the 2026 Los Osos growth rate to the Board of Supervisors. Timelines for permitting and additional information can be found on the Planning and Building website at [Los Osos](#).

Nipomo Mesa

Offset Programs. The County is continuing to process building permits subject to the County's water offset fees at a 1:1 ratio to fund the Cash for Grass, Washer Rebate, and Plumbing Retrofit Programs, available for both residential and commercial uses. Funding is currently limited for the rebate programs and applications are accepted on a first-come, first-served basis. Applicants in the Nipomo CSD service area may pay the CSD's supplemental water fee to meet the County's offset requirement. For more information, visit: [https://www.slocounty.ca.gov/Departments/Planning-Building/Department-Divisions/Agriculture,-Water,-and-Energy/Water-Programs/Programs-and-Services/Nipomo-Mesa-Water-Conservation-Area-\(NMWCA\).aspx](https://www.slocounty.ca.gov/Departments/Planning-Building/Department-Divisions/Agriculture,-Water,-and-Energy/Water-Programs/Programs-and-Services/Nipomo-Mesa-Water-Conservation-Area-(NMWCA).aspx)

Paso Basin

Offset Programs. In the Paso Robles Groundwater Basin, there are funds available for the Cash for Grass, Washer Rebate, and Plumbing Retrofit Programs, available to both residential and commercial property owners. A well meter is required for compliance with Title 19.

The Ag Offset ordinance requires property owners to verify that new and expanded irrigated commercial crops are not increasing their existing water use on-site, based on a 5 year look back period, with a 5 AFY exemption for sites that do not have existing irrigation and are outside of the area of severe decline. For more information, visit:

[https://www.slocounty.ca.gov/Departments/Planning-Building/Department-Divisions/Agriculture,-Water,-and-Energy/Water-Programs/Programs-and-Services/Paso-Robles-Groundwater-Basin-\(PRGWB\).aspx](https://www.slocounty.ca.gov/Departments/Planning-Building/Department-Divisions/Agriculture,-Water,-and-Energy/Water-Programs/Programs-and-Services/Paso-Robles-Groundwater-Basin-(PRGWB).aspx).

Los Osos

Guide to Planning Information for Development in Los Osos. This website is currently the best resource for FAQ concerning what type of development is currently allowed within Los Osos:

<https://www.slocounty.ca.gov/departments/planning-building/grid-items/community-engagement/communities-villages/los-osos>

Offset Requirement.

The retrofit-to-build program within the community of Los Osos is allowing property owners to retrofit washers and/or hot water recirculation pumps within and outside the prohibition zone to acquire retrofit credits to offset water use for new development at a 2:1 ratio. Program information is available at:

<https://www.slocounty.ca.gov/Departments/Planning-Building/Department-Divisions/Agriculture,-Water,-and-Energy/Water-Programs/Programs-and-Services/Los-Osos-Groundwater-Basin-Plumbing-Retrofit-to-Bu.aspx>

Los Osos Community Plan :

The adopted Los Osos Community Plan can be found here:

<https://www.slocounty.ca.gov/departments/planning-building/grid-items/communities-villages/los-osos>

Please contact waterprograms@co.slo.ca.us for further information or questions.

j) Open Reporting on Water Conservation Opportunities & Information

San Luis Obispo County Flood Control and Water Conservation District
Rainfall and Reservoir Report

Generated: 10/30/2025 12:00

Notes

- All data from automated sensors and preliminary (subject to verification and/or revision).
All rainfall data in inches.
* denotes data not available at time of generation.
1 SLO County FCWCD defines each Water Year from July 1 to the subsequent June 30.
2 Rainfall data for month of generation is partial (only to time of generation).
3 Water Planning Areas as defined by 2018 County IWRM update.
4 Per County Standard Drawing H-1, calculated over 42 year period from WY1955-56 to 1997-98.
5 Elevation datums vary; refer to operating agency materials for detail.
6 Salinas Reservoir was resurveyed in April 2024, with max storage decreasing from 23,843 in 1991. In late May 2024, the elevation datum was updated along with the storage-elevation curve. 2023 values use previous datum and storage-elevation assumptions.
7 n/a (no elevation) is reported for Twitchell when the pool elevation is below 535 feet.



SLO County FCWCD Rain Stations

WPA ³	Station	Water Year 2025-26 ^{1,2}														Average Annual ⁴	Water Year 2024-25	
		July 25	Aug 25	Sep 25	Oct 25	Nov 25	Dec 25	Jan 26	Feb 26	Mar 26	Apr 26	May 26	Jun 26	Year-to-Date	% of Year Avg		% of Year Avg	Total
5 North County	Hog Canyon	0	0	0.72	1.54									2.3	14%	16	40%	6.3
	Rocky Butte	0	0	0.47	3.00									3.5	9%	40	87%	34.9
	Shandon	0	0	0.96	1.74									2.7	23%	12	55%	6.6
	Templeton	0	0	0.25	1.50									1.8	10%	18	52%	9.4
	Creston	0	0	0.11	1.67									1.8	15%	12	26%	3.1
	Atascadero	0	0	0.24	1.45									1.7	9%	18	50%	9.1
	Santa Margarita	0	0	0.42	1.94									2.4	10%	24	55%	13.1
	Salinas Dam	0.01	0	0.38	2.03									2.4	11%	22	68%	14.9
1 San Simeon / Cambria	San Simeon	0.02	0.01	0.38	1.23									1.6	7%	24	51%	12.1
	Santa Rosa at Main	0.03	0	0.50	1.49									2.0	9%	22	60%	13.2
	Hwy 46 W 7 Mile	0.08	0	0.43	1.81									2.3	8%	30	45%	13.4
2 Cayucos / Morro Bay / Los Osos	Morro Toro	0	0	0.35	2.60									3.0	11%	28	68%	19.2
	Canet	0.09	0.02	0.70	1.87									2.7	12%	22	51%	11.3
	Camp San Luis	0.04	0	0.59	1.58									2.2	11%	20	73%	14.5
	Los Osos Landfill	0.17	0.08	0.61	1.75									2.6	15%	18	67%	12.0
	Davis Peak	0.12	0	0.39	1.42									1.9	11%	18	78%	14.1
3 SLO / South County	South Portal	0.13	0.03	0.56	1.69									2.4	9%	28	76%	21.4
	SLO Reservoir	0.02	0.01	0.51	1.66									2.2	9%	24	61%	14.6
	Gas Company	0	0	0.40	1.69									2.1	10%	22	58%	12.8
	Upper Lopez	0	0	0.51	1.34									1.9	6%	30	52%	15.5
	Lopez Rec Area	0	0	0.71	1.56									2.3	10%	22	67%	14.7
	Lopez Dam	0	0	0.55	1.60									2.2	11%	20	76%	15.2
	Lopez WTP	0	0	0.57	1.34									1.9	10%	20	52%	10.4
	Arroyo Grande	0.01	0	0.56	1.39									2.0	11%	18	52%	9.3
	Los Berros	0.16	0.08	0.55	1.53									2.3	12%	20	66%	13.2
	Oceano	0	0	0.55	1.21									1.8	11%	16	57%	9.1
	Nipomo East	0	0.09	0.94	1.76									2.8	16%	18	63%	11.3
	Nipomo South	0	0.02	0.58	1.36									2.0	14%	14	58%	8.1

Non-County Rain Stations

WPA ³	Operating Agency	Station	Water Year 2025-26 ^{1,2}														Average Annual	Water Year 2024-25	
			July 25	Aug 25	Sep 25	Oct 25	Nov 25	Dec 25	Jan 26	Feb 26	Mar 26	Apr 26	May 26	Jun 26	Year-to-Date	% of Year Avg		% of Year Avg	Total
5 North County	City of Paso Robles	Paso Robles	0	0	0.15	1.47									1.6	12%	14	69%	9.7
	Atascadero Mutual Water Company	Atascadero MWC	0	0	0.31	*									0.3	2%	17.5	69%	12.0
2 Cayucos / Morro Bay / Los Osos	City of SLO	Whale Rock	0	*	*	*									0.0	0%	16	*	*

Reservoirs

WPA ³	Operating Agency	Facility	Spillway Elevation ⁵	Data Date	Pool Elevation ⁵	Capacity	Storage [acre-feet]	Max Storage [acre-feet]
North County	Monterey County Water Agency	Nacimiento Reservoir	787.75 - 800.00 (gate-dependent)	10/30/2025	745.10	36%	134,960	377,900
				10/30/2024	765.20	55%	207,450	
		San Antonio Reservoir		10/30/2025	742.55	51%	169,748	335,000
				10/30/2024	759.85	70%	235,563	
	SLO County FCWCD	Salinas Reservoir / Santa Margarita Lake ⁶	1303.59	10/30/2025	1298.14	84%	18,640	22,320
				10/30/2024	1300.79	91%	20,373	
Cayucos / Morro Bay / Los Osos	City of SLO	Whale Rock Reservoir	216.00	10/30/2025	205.9	86%	33,344	38,967
				10/30/2024	209.6	91%	35,342	
SLO / South County	SLO County FCWCD	Lopez Reservoir	522.66	10/30/2025	511.63	81%	39,976	49,476
				10/30/2024	518.68	93%	45,960	
Cuyama	Santa Barbara County FCD	Twitchell Reservoir ⁷	651.50	10/30/2025	n/a	n/a	n/a	194,971
				10/30/2024	*	*	*	