MORRO ROCK MUTUAL COMPANY

2024 Water Quality Report

P.O Box 757, 425 S. Ocean Avenue, Cayucos, CA 93430 (805) 995-3766

PUBLISHED MAY 2025

To our customers: Morro Rock Mutual Water Company is pleased to present this annual report describing the quality of your drinking water.

Este informe contiene informacion muy importatne sobre su agua de beber. Traducalo o hable con alguien que lo entienda bien.

What is the source of my drinking water?

Your water comes from Whale Rock Reservoir and a groundwater well located adjacent to Cayucos on the east side of Highway One. Whale Rock Reservoir has a total capacity of 38,967 acre-feet and is managed by the Whale Rock Commission (City of San Luis Obispo, California Men's Colony, and Cal Poly University). No swimming or other body contact sports are allowed on the reservoir in order to minimize viral contamination from human contact. Water from the reservoir is piped downstream to the Cavucos Water Treatment Plant (WTP) where it is filtered with a percentage of water passing through two granular activated carbon filters. Water is then chlorinated prior to distribution. Treated water is distributed to the Cayucos Area Water Organization (CAWO) which consists of three water purveyors: Cayucos Beach Mutual Water Company (CBMWC), Morro Rock Mutual Water Company (MRMWC) and the County of San Luis Obispo County Service Area 10A (CSA 10A). These three agencies have a combined entitlement of 582 acre-feet per year of Whale Rock Reservoir water plus access to a small amount of groundwater. The Whale Rock watershed is approximately 20.3 square miles in size and is susceptible to the following contamination: wastewater, animal grazing, recreational activities, unauthorized activities, use of pesticides/herbicides, geological formations and hazardous materials spills. The watershed is well managed and these potential sources of contamination are minimized.



Sanitary surveys of the watersheds above and below Whale Rock Reservoir were updated in 2021. The source assessments of selected CAWO wells were also updated in 2021. The surveys and assessments were conducted to locate potential sources of contamination and evaluate the ability of the water treatment plant and wells to handle the contamination. The updated studies included a review of water system information, meetings with water system staff, and field reconnaissance. No significant changes were noted in the watersheds. The source assessments continue to conclude that the wells were most vulnerable to the following activities for which no associated contaminant has been detected in the water supply: Sewer collection system, low-density septic systems, agricultural drainage and an agricultural well.

A copy of the complete assessment is available at: California State Resources Control Board, Division of Drinking Water, 1180 Eugenia Place, Suite 200, Carpinteria, California 93013

or

Morro Rock Mutual Water Company 425 S. Ocean Avenue, Cayucos CA 93430

or

County of San Luis Obispo, Department of Public Works, County Government Center, Room 207, San Luis Obispo, CA 93408.

You may also request a summary of the source assessment report by contacting: Faith Zenker, Water Quality Manager, County of San Luis Obispo (805)781-1576.

Where is the water tested?

Water analyses are performed by the San Luis Obispo County Water Quality Laboratory or contracted to another certified laboratory. The county lab is certified by the CSWRCB-DDW as an environmental testing laboratory for bacteriological and chemical analyses. Federal and State requirements dictate that all regulatory analyses be performed by certified labs following approved procedures. Faith Zenker, Water Quality Manager, can be reached at (805)781-1576.

The water purveyors each monitor their water wells on a regular basis for regulated and unregulated chemicals and evaluate the findings relative to the California Drinking Water Primary and Secondary Maximum Contaminant Level (MCL) Standards. These monitoring results are then submitted to the California State Water Resources Control Board, Division of Drinking Water.

Who operates the distribution system?

Ray Bruno is D3 certified by the California State Water Resources Control Board, Division of Drinking Water (CSWRCB-DDW). Dan Musolff is D1 certified by the CSWRCB-DDW. Ron Boyte, our contract employee who consults as needed, is D2 certified. Both Ron and Ray are knowledgeable professionals who have many years of experience. Dan is working hard to build up his knowledge and is learning a lot from them.

Daily and weekly inspections of the wells, tanks and distribution system are done to ensure a safe and reliable water supply. The CSWRCB-DDW routinely inspect the facilities, operating procedures and water quality monitoring records to verify compliance with state and federal regulatory requirements.

Where can the community participate in decisions regarding water quality or other water issues?

The Cayucos Area Water Organization (CAWO) meets the first Monday of every other month at 1660 Cabrillo Avenue, Cayucos, CA 93430 at 1:30 p.m. (January, March, May, July, September, and November)

The Morro Rock Mutual Water Company Board of Directors meet the first Tuesday of the month at 9:00 a.m. at 425 S. Ocean Avenue.

The Annual Shareholders meeting is held on the first Wednesday following the 15 of March at 7:00p.m. at 425 S. Ocean Avenue, Cayucos, CA 93430.

Sources of Drinking Water

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm water runoff, industrial or domestic wastewater discharges production, mining, or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- Radioactive containments which can be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the United States Environmental Protection Agency (USEPA) and the California State Water Resources Control Board, Division of Drinking Water (CSWRCB-DDW) prescribe regulations which limit the amount of certain contaminants in water provided by public water systems. CSWRCB-DDW regulations also establish limits for contaminants in bottled water which must provide the same protection for public health.

USEPA Office of Ground Water and Drinking Water www.epa.gov/safewater/

California State Water Resources Control Board, Division of Drinking Water

www.swrcb.ca.gov/drinkingwater/programs/indexht

San Luis Obispo County Public Works Department www.slocountywater.org

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the US EPA's Safe Drinking Water Hotline, 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population.

Immune-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. The USEPA and Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline, 1-800-426-4791.

Additionally, the EPA Office of Ground Water and Drinking Water maintains a website with useful information on drinking water. The address is www.epa.gov/safewater/. Information can also be obtained by accessing the American Water Works Association's website at www.awwa.org, the CSWRCB-DDW website at http://www.swrcb.ca.gov/drinking_water/programs/index.shtml, or by calling Faith Zenker, San Luis Obispo County Water Quality Manager, at (805) 781-1576.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing.

The water company is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have it tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline 1-800-426-4791 or at http://www.epa.gov/safewater/lead.

HELP CONSERVE WATER

- 1. Outdoor irrigation of ornamental landscaping or turf with potable water shall be restricted to two days per week: Mondays and Thursdays. Outdoor watering of landscaping with potable water is also prohibited between the hours of 10 a.m. to 5 p.m.
- 2. Do not allow the application of potable water to outdoor landscapes runoff such that water flows onto adjacent property, non-irrigated areas, private and public walkways, roadways, parking lots, or structures.
- 3. The use of a hose that dispenses potable water to wash a vehicle, should have a shut off nozzle or device attached to it that causes it to cease dispensing water immediately when not in use.
- 4. Sweep walkways, driveways, patios and decks do not wash with a hose
- 5. Don't let the water run turn water off when brushing teeth or shaving and shower quickly

Throughout 2024, hundreds of water samples were collected in order to determine the presence or absence of any biological, radioactive, inorganic or organic contaminants in your drinking water. On the next page are the Tables that list all of the drinking water contaminants that were detected from January 2024 through December 2024, unless otherwise noted. The presence of these contaminants in water does not necessarily indicate that the water poses a health risk. The California State Water Resources Control Board, Division of Drinking Water does not require us to monitor for certain contaminants every year because the concentrations of these are not expected to vary significantly from year to year. Some of this data may be more than one year old, but is still representative of the water quality. In these cases, the most recent sample data are included along with the year in which the sample was collected. Below is a list of Key Terms used in this report.

KEY TERMS

AL (**Action Level, Regulatory**): The concentration of a contaminant that, if exceeded, triggers treatment or other requirement which a water system must follow.

CDPH: California Department of Public Health CFU/ML: Colony Forming Units per milliliter

CU: color units

DBP: Disinfection By-Product

LRAA (Locational Running Annual Average): An arithmetic average is computed quarterly for each site and compliance is based on the running average of quarters.

MCL (Maximum Contaminant Level): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are seta as close to the PHGs (or MCLGs) as is economically and technologically feasible.

MCLG (Maximum Contaminant Level Goal): The level of contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the United States Environmental Protection Agency.

MRDL (Maximum Residual Disinfectant Level): The level of a disinfectant added for water treatment that may not be exceeded at the consumer's tap.

MRDLG (Maximum Residual Disinfectant Level Goal): The level of a disinfectant added for water treatment below which there is no known or expected risk to health. MRDLGs are set by the U.S. Environmental Protection Agency.

ND (Not Detected): Contaminant is not detectable at testing limit.

NA: Not Applicable

NL (Notification): The concentration of a contaminate that, if exceeded triggers treatment or other requirement which a water system must follow.

NS: No Standard NTU: Nephelometric Turbidity Unit

PDWS (Primary Drinking Water Standard): MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

PHG (Public Health Goal): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

pCi/L: (picoCuries per liter) a measure of radioactivity. **ppm:** parts per million, or milligrams per liter (mg/L)

ppb: parts per hillion, or micrograms per liter (ug/L)

RAA (Running Annual Average): Average data for last four quarters.

SDWS (Secondary Drinking Water Standard): MCLs for contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect health at the MCL levels.

TON: Threshold Odor Number

TT (Treatment Technique): A required process intended to reduce the level of a contaminant in drinking water.

 μ S/Cm (microSiemens per centimeter): A measure of electrical conductance. (1 S = 1 ohm-1)

щ
酉
₹
>
쏫
È
Σ
$\frac{1}{2}$
ď
۲
â
4
ö
>
ź
Δ
Σ
8
ď
핃
F
≥
H
⋛
5
Ξ
×
8
R
MORRO ROCK MUTUAL WATER COMPANY 2024 DATA SUMMARY TABLE
8
ō
Σ

TON COMPANY DESCRIPTION OF THE PARKS OF THE				DET	ECTION OF F	DETECTION OF PRIMARY DRINKING WATER STANDARDS	NG WATER STA	NDARDS		
					TABLE: 1 M	TABLE: 1 MICROBIOLOGICAL CONTAMINANTS	IL CONTAMINAL	TS		POTESTICAL COLLEGE OF CONTAMINISTICAL
CONTAMINANT otal Coliform	UNITS Present or	YEAR SAMPLED		AVERAGE DETECTED Absent	стер		RAI	RANGE DETECTED Absent		POTENTIAL SOURCE OF CONTAMINATION
coli	Absent Present or			Absent				Absent		Naturally present in the environment
to to O other				4 Phoent				ND -10		numan and animal lecal waste
Heterotrophic Plate Count		2024		Maseur				STACK OF		Naturally present in the environment
CONTAMINANT	UNITS	YEAR SAMPLED	NUMBER OF SAMPLES	TABL 90th PERCENTI	TABLE 2: LEAD A PERCENTILE COLLECTED	TABLE 2: LEAD AND COPPER FROM CONSUMER'S HOMES ACCEPTINE STREED IN PUBLICH	CXCEEDING ACTION	N PUBLIC HEALTH GOAL	È	POTENTIAL SOURCE OF CONTAMINATION
	1	CCCC	COLECTED		S.	ACTION LEVI	EL LEVEL	300	(RANGE)	
Copper	add	7707	2		90	>	2		<u> </u>	Internal corrosion of household plumbing erosion of natural deposits, leaching from wood preservatives
read	qdd	2022	10	Adversion .	1,4	o	15	0.2	9	Internal corrosion of household plumbing;erosion of natural deposits
	THE RESIDENCE OF THE PARTY OF T		TABLE 3: DISINFECTION	ON BYPROL	UCTS, DISIN	FECTANT RESID	UALS, and DISI	VFECTION BYPROD	UCT PRECI	URSORS
CONTAMINANT	UNITS		YEA	AR HIG	SHEST RUNNING NUAL AVERAGE	RANGE DETECTED	MCL [MRDL]			YEAR HIGHEST RUNNING RANGE DETECTED MCL POTENTIAL SOURCE OF CONTAMINATION SAMPLED ANNUAL AVERAGE
otal Trihalomethane	qdd		2024	24	48.2	26.1—87.5		RAA = 80		Byproduct of drinking water chlorination
Haloacetic Acids	qdd		2024	24	13.8	4.0-23.2		RAA = 60		Byproduct of drinking water chlorination
Chlorine Residuals	mdd		2024		1.05 (Annual Average)	0.62-1.45		[4.0 as CI2]		Drinking water disinfectant added for treatment
				350	TABLE 4	TABLE 4: RADIOACTIVE CONTAMINANTS	CONTAMINANT	S	WATER STREET	
CONTAMINANT	UNITS	YEAR SAMPLED	Treated Water Average Detected (Range)	ige Detected	Where	Where Sampled	MCL		MCLG	POTENTIAL SOURCE OF CONTAMINATION
Gross Alpha Particle Activity	pCi/L	2024	3.4		Source	Source Water	15		N/A	Erosion of natural deposits
CALBRIDGE STREET, STRE	0.0000000000000000000000000000000000000	SINGLE SECTION SCOTT			TABLE	TABLE 5: INORGANIC CONTAMINANTS	ONTAMINANTS			
CONTAMINANT	UNITS	YEAR SAMPLED	Average Detected (Range)	ected	W	Where Sampled	MCL		PHG (MCLG)	POTENTIAL SOURCE OF CONTAMINATION
Arsenic	qdd	2024	2.2		Treate	Treated Water	10		0.004	Erosion of natural deposits; funoif from orchards; glass and electronics production wastes.
Fluoride	mdd	2024	0.25		Treate	Treated Water	2		٦	Erosion of natural deposits, water additive that promotes strong teeth; discharge from fertilizer.
Nitrates as NO ₃ (ppm)	mdd	0.00	0.34	u	Source	Source Water	10		10	Runoff and leaching from fertilizer use; leaching from septic tanks and sewane, erosion of natural deposit.
The delivered of the teacher	SOLD STATE OF THE PARTY OF THE	20102	TABLES	DETECTION	OF CONTAM	NANTS WITH A S	SECONDARY DI	SINKING WATER ST,	ANDARD	
CONTAMINANT	STINO	YEAR SAMPLED	Average Dete (Range)	ected	W	nere pled	MCL	Average Detected Where MCL PHG (MCLG) (Range) Sampled	IG (MCLG)	POTENTIAL SOURCE OF CONTAMINATION
Aluminum	mdd	2024	78 ND-160		Treate	Treated Water	200		N/A	Erosion of natural deposits; residue from surface water treatment processes
Color	3	2024	ND ND-2:0		Deli	Delivered	15		N/A	Naturally occuring organic materials
Odor - Threshold	NOT	2024	ND ND-2.0		Deli	Delivered	8		N/A	Naturally occuring organic materials
Specific Conductance	mS/cm	2024	099		Treate	Treated Water	1600		N/A	Substances that form ions when in water, seawater influence
Sulfate	шdd	2024	98		Treate	Treated Water	200		N/A	Runoff/leaching from natural deposits
Fotal Dissolved Solids	шdd	2024	410		Treate	Treated Water	1000		N/A	Runoff/leaching from natural deposits
Turbidity	UTN	2024	0.09	(C)	Deli	Delivered	ις		N/A	Surface waater runoff
SENSONE TREATMENTS			TABLE	E 7: DETEC	TION OF CON	TAMINANTS WIT	HOUT A DRINK	TABLE 7: DETECTION OF CONTAMINANTS WITHOUT A DRINKING WATER STANDARD	ARD	
CONTAMINANT	UNITS	YEAR SAMPLED	Average Dete (Range)	ected	Wi	Where	MCL	ā	1G (MCLG)	POTENTIAL SOURCE OF CONTAMINATION
Alkalinity as CaCO3	mdd	2024	204		Treate	Treated Water	SN		N/A	Runoff/leaching from natural deposits;seawater influence
Calcium	шdd	2024	49 49		Treate	Treated Water	SN		N/A	Runoff/leaching from natural deposits;seawater influence
Hardness as CaCO3	шdd	2024	280		Treate	Treated Water	SN		N/A	Generally found in ground and surface water
Magnesium	шdd	2024	37		Treate	Treated Water	SN		N/A	Runoff/leaching from natural deposits;seawater influence
Hd		2023	36 35		Treate	Treated Water	SN		A/A	Runoff/leaching from natural deposits;seawater influence
Sodium										