STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	**>**	**104**	**MPN/100 ML**
FECAL COLIFORM	**>**	**400**	**MPN/100 ML**
TOTAL COLIFORM	**>**	**10,000**	**MPN/100 ML**

SLO ENV HLTH-OCEAN MONITORING	9/29/2026 to 10/29/2026				
SITE	**COLLECT DATE**	**RESULT NAME**	**QUALIFIER**	**RESULT**	**UNITS**
AB8					
AB8 (149 YDS E OF PIER)	9/29/2026	ENTEROCOCCI, MPN 1:10		137	MPN/100 ML
AB8 (149 YDS E OF PIER)	9/29/2026	E. COLI 1:10		173	MPN/100 ML
AB8 (149 YDS E OF PIER)	9/30/2026	ENTEROCOCCI, MPN 1:10		207	MPN/100 ML
AB8 (149 YDS E OF PIER)	10/1/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
AB8 (149 YDS E OF PIER)	10/6/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
AB8 (149 YDS E OF PIER)	10/6/2026	TOTAL COLIFORM 1:10		52	MPN/100 ML
AB8 (149 YDS E OF PIER)	10/6/2026	E. COLI 1:10		31	MPN/100 ML
AB8 (149 YDS E OF PIER)	10/13/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
AB8 (149 YDS E OF PIER)	10/13/2026	TOTAL COLIFORM 1:10		253	MPN/100 ML
AB8 (149 YDS E OF PIER)	10/13/2026	E. COLI 1:10		72	MPN/100 ML
AB8 (149 YDS E OF PIER)	10/20/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
AB8 (149 YDS E OF PIER)	10/20/2026	TOTAL COLIFORM 1:10		10	MPN/100 ML
AB8 (149 YDS E OF PIER)	10/20/2026	E. COLI 1:10	<	10	MPN/100 ML
AB8 (149 YDS E OF PIER)	10/26/2026	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
AB8 (149 YDS E OF PIER)	10/26/2026	TOTAL COLIFORM 1:10		171	MPN/100 ML
AB8 (149 YDS E OF PIER)	10/26/2026	E. COLI 1:10		120	MPN/100 ML

STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	**>**	**104**	**MPN/100 ML**
FECAL COLIFORM	**>**	**400**	**MPN/100 ML**
TOTAL COLIFORM	**>**	**10,000**	**MPN/100 ML**

SLO ENV HLTH-OCEAN MONITORING	9/29/2026 to 10/29/2026				
SITE	**COLLECT DATE**	**RESULT NAME**	**QUALIFIER**	**RESULT**	**UNITS**
AB10					
AB10 (350 YDS W OF PIER)	9/29/2026	ENTEROCOCCI, MPN 1:10		945	MPN/100 ML
AB10 (350 YDS W OF PIER)	9/30/2026	ENTEROCOCCI, MPN 1:10		207	MPN/100 ML
AB10 (350 YDS W OF PIER)	9/30/2026	TOTAL COLIFORM 1:10		1450	MPN/100 ML
AB10 (350 YDS W OF PIER)	9/30/2026	E. COLI 1:10		860	MPN/100 ML
AB10 (350 YDS W OF PIER)	10/1/2026	ENTEROCOCCI, MPN 1:10		111	MPN/100 ML
AB10 (350 YDS W OF PIER)	10/1/2026	TOTAL COLIFORM 1:10		657	MPN/100 ML
AB10 (350 YDS W OF PIER)	10/1/2026	E. COLI 1:10		384	MPN/100 ML
AB10 (350 YDS W OF PIER)	10/2/2026	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
AB10 (350 YDS W OF PIER)	10/6/2026	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
AB10 (350 YDS W OF PIER)	10/6/2026	TOTAL COLIFORM 1:10		272	MPN/100 ML
AB10 (350 YDS W OF PIER)	10/6/2026	E. COLI 1:10		185	MPN/100 ML
AB10 (350 YDS W OF PIER)	10/13/2026	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
AB10 (350 YDS W OF PIER)	10/13/2026	TOTAL COLIFORM 1:10		132	MPN/100 ML
AB10 (350 YDS W OF PIER)	10/13/2026	E. COLI 1:10		20	MPN/100 ML
AB10 (350 YDS W OF PIER)	10/20/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
AB10 (350 YDS W OF PIER)	10/20/2026	TOTAL COLIFORM 1:10		529	MPN/100 ML
AB10 (350 YDS W OF PIER)	10/20/2026	E. COLI 1:10		20	MPN/100 ML
AB10 (350 YDS W OF PIER)	10/26/2026	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
AB10 (350 YDS W OF PIER)	10/26/2026	TOTAL COLIFORM 1:10		63	MPN/100 ML
AB10 (350 YDS W OF PIER)	10/26/2026	E. COLI 1:10		10	MPN/100 ML

STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	**>**	**104**	**MPN/100 ML**
FECAL COLIFORM	**>**	**400**	**MPN/100 ML**
TOTAL COLIFORM	**>**	**10,000**	**MPN/100 ML**

SLO ENV HLTH-OCEAN MONITORING	**9/29/2026 to 10/29/2026**				
SITE	**COLLECT DATE**	**RESULT NAME**	**QUALIFIER**	**RESULT**	**UNITS**
CAY13					
CAY13 (Studio Dr pkg lot Near D St.)	9/29/2026	ENTEROCOCCI, MPN 1:10		53	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	9/29/2026	TOTAL COLIFORM 1:10		20	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	9/29/2026	E. COLI 1:10		10	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	10/6/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	10/6/2026	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	10/6/2026	E. COLI 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	10/13/2026	ENTEROCOCCI, MPN 1:10		31	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	10/13/2026	TOTAL COLIFORM 1:10		10	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	10/13/2026	E. COLI 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	10/20/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	10/20/2026	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	10/20/2026	E. COLI 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	10/26/2026	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	10/26/2026	TOTAL COLIFORM 1:10		63	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	10/26/2026	E. COLI 1:10		52	MPN/100 ML

STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	**>**	**104**	**MPN/100 ML**
FECAL COLIFORM	**>**	**400**	**MPN/100 ML**
TOTAL COLIFORM	**>**	**10,000**	**MPN/100 ML**

SLO ENV HLTH-OCEAN MONITORING	**9/29/2026 to 10/29/2026**				
SITE	**COLLECT DATE**	**RESULT NAME**	**QUALIFIER**	**RESULT**	**UNITS**
CAY14					
CAY14 (Farthest swing set near D St.)	9/29/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D St.)	9/29/2026	TOTAL COLIFORM 1:10		122	MPN/100 ML
CAY14 (Farthest swing set near D St.)	9/29/2026	E. COLI 1:10		31	MPN/100 ML
CAY14 (Farthest swing set near D St.)	10/6/2026	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
CAY14 (Farthest swing set near D St.)	10/6/2026	TOTAL COLIFORM 1:10		10	MPN/100 ML
CAY14 (Farthest swing set near D St.)	10/6/2026	E. COLI 1:10		10	MPN/100 ML
CAY14 (Farthest swing set near D St.)	10/13/2026	ENTEROCOCCI, MPN 1:10	>	2005	MPN/100 ML
CAY14 (Farthest swing set near D St.)	10/13/2026	TOTAL COLIFORM 1:10		132	MPN/100 ML
CAY14 (Farthest swing set near D St.)	10/13/2026	E. COLI 1:10		98	MPN/100 ML
CAY14 (Farthest swing set near D St.)	10/14/2026	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
CAY14 (Farthest swing set near D St.)	10/20/2026	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
CAY14 (Farthest swing set near D St.)	10/20/2026	E. COLI 1:10		10	MPN/100 ML
CAY14 (Farthest swing set near D St.)	10/26/2026	ENTEROCOCCI, MPN 1:10		31	MPN/100 ML
CAY14 (Farthest swing set near D St.)	10/26/2026	TOTAL COLIFORM 1:10		422	MPN/100 ML
CAY14 (Farthest swing set near D St.)	10/26/2026	E. COLI 1:10		85	MPN/100 ML

STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	**>**	**104**	**MPN/100 ML**
FECAL COLIFORM	**>**	**400**	**MPN/100 ML**
TOTAL COLIFORM	**>**	**10,000**	**MPN/100 ML**

SLO ENV HLTH-OCEAN MONITORING	9/29/2026 to 10/29/2026				
SITE	**COLLECT DATE**	**RESULT NAME**	**QUALIFIER**	**RESULT**	**UNITS**
CAY16					
CAY16 (North of pier at creek outfall)	9/29/2026	ENTEROCOCCI, MPN 1:10		124	MPN/100 ML
CAY16 (North of pier at creek outfall)	9/29/2026	TOTAL COLIFORM 1:10		228	MPN/100 ML
CAY16 (North of pier at creek outfall)	9/29/2026	E. COLI 1:10		20	MPN/100 ML
CAY16 (North of pier at creek outfall)	9/30/2026	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
CAY16 (North of pier at creek outfall)	10/6/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY16 (North of pier at creek outfall)	10/6/2026	TOTAL COLIFORM 1:10		20	MPN/100 ML
CAY16 (North of pier at creek outfall)	10/6/2026	E. COLI 1:10	<	10	MPN/100 ML
CAY16 (North of pier at creek outfall)	10/13/2026	ENTEROCOCCI, MPN 1:10		124	MPN/100 ML
CAY16 (North of pier at creek outfall)	10/13/2026	TOTAL COLIFORM 1:10		1317	MPN/100 ML
CAY16 (North of pier at creek outfall)	10/13/2026	E. COLI 1:10		1317	MPN/100 ML
CAY16 (North of pier at creek outfall)	10/14/2026	TOTAL COLIFORM 1:10		31	MPN/100 ML
CAY16 (North of pier at creek outfall)	10/14/2026	E. COLI 1:10		31	MPN/100 ML
CAY16 (North of pier at creek outfall)	10/20/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY16 (North of pier at creek outfall)	10/26/2026	ENTEROCOCCI, MPN 1:10		238	MPN/100 ML
CAY16 (North of pier at creek outfall)	10/26/2026	TOTAL COLIFORM 1:10		886	MPN/100 ML
CAY16 (North of pier at creek outfall)	10/26/2026	E. COLI 1:10		97	MPN/100 ML
CAY16 (North of pier at creek outfall)	10/27/2026	ENTEROCOCCI, MPN 1:10		42	MPN/100 ML

STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	**>**	**104**	**MPN/100 ML**
FECAL COLIFORM	**>**	**400**	**MPN/100 ML**
TOTAL COLIFORM	**>**	**10,000**	**MPN/100 ML**

SLO ENV HLTH-OCEAN MONITORING	**9/29/2026 to 10/29/2026**				
SITE	**COLLECT DATE**	**RESULT NAME**	**QUALIFIER**	**RESULT**	**UNITS**
HSB23					
HSB23 (100 yds. west of the pier creek outfall)	9/29/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
HSB23 (100 yds. west of the pier creek outfall)	9/29/2026	TOTAL COLIFORM 1:10		41	MPN/100 ML
HSB23 (100 yds. west of the pier creek outfall)	9/29/2026	E. COLI 1:10		20	MPN/100 ML
HSB23 (100 yds. west of the pier creek outfall)	10/6/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
HSB23 (100 yds. west of the pier creek outfall)	10/6/2026	TOTAL COLIFORM 1:10		10	MPN/100 ML
HSB23 (100 yds. west of the pier creek outfall)	10/6/2026	E. COLI 1:10	<	10	MPN/100 ML
HSB23 (100 yds. west of the pier creek outfall)	10/13/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
HSB23 (100 yds. west of the pier creek outfall)	10/13/2026	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
HSB23 (100 yds. west of the pier creek outfall)	10/13/2026	E. COLI 1:10	<	10	MPN/100 ML
HSB23 (100 yds. west of the pier creek outfall)	10/20/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
HSB23 (100 yds. west of the pier creek outfall)	10/20/2026	E. COLI 1:10	<	10	MPN/100 ML
HSB23 (100 yds. west of the pier creek outfall)	10/26/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
HSB23 (100 yds. west of the pier creek outfall)	10/26/2026	TOTAL COLIFORM 1:10		63	MPN/100 ML
HSB23 (100 yds. west of the pier creek outfall)	10/26/2026	E. COLI 1:10		10	MPN/100 ML

STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	**>**	**104**	**MPN/100 ML**
FECAL COLIFORM	**>**	**400**	**MPN/100 ML**
TOTAL COLIFORM	**>**	**10,000**	**MPN/100 ML**

SLO ENV HLTH-OCEAN MONITORING	**9/29/2026 to 10/29/2026**				
SITE	**COLLECT DATE**	**RESULT NAME**	**QUALIFIER**	**RESULT**	**UNITS**
MB11					
MB11 (25 yds. north of main parking lot)	9/29/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB11 (25 yds. north of main parking lot)	9/29/2026	TOTAL COLIFORM 1:10		10	MPN/100 ML
MB11 (25 yds. north of main parking lot)	9/29/2026	E. COLI 1:10	<	10	MPN/100 ML
MB11 (25 yds. north of main parking lot)	10/6/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB11 (25 yds. north of main parking lot)	10/6/2026	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB11 (25 yds. north of main parking lot)	10/6/2026	E. COLI 1:10	<	10	MPN/100 ML
MB11 (25 yds. north of main parking lot)	10/13/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB11 (25 yds. north of main parking lot)	10/13/2026	TOTAL COLIFORM 1:10		10	MPN/100 ML
MB11 (25 yds. north of main parking lot)	10/13/2026	E. COLI 1:10	<	10	MPN/100 ML
MB11 (25 yds. north of main parking lot)	10/20/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB11 (25 yds. north of main parking lot)	10/20/2026	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB11 (25 yds. north of main parking lot)	10/20/2026	E. COLI 1:10	<	10	MPN/100 ML
MB11 (25 yds. north of main parking lot)	10/26/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB11 (25 yds. north of main parking lot)	10/26/2026	TOTAL COLIFORM 1:10		63	MPN/100 ML
MB11 (25 yds. north of main parking lot)	10/26/2026	E. COLI 1:10	<	10	MPN/100 ML

STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	**>**	**104**	**MPN/100 ML**
FECAL COLIFORM	**>**	**400**	**MPN/100 ML**
TOTAL COLIFORM	**>**	**10,000**	**MPN/100 ML**

SLO ENV HLTH-OCEAN MONITORING	**9/29/2026 to 10/29/2026**				
SITE	**COLLECT DATE**	**RESULT NAME**	**QUALIFIER**	**RESULT**	**UNITS**
MB12					
MB12 (Small parking lot south side of creek)	9/29/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB12 (Small parking lot south side of creek)	9/29/2026	TOTAL COLIFORM 1:10		20	MPN/100 ML
MB12 (Small parking lot south side of creek)	9/29/2026	E. COLI 1:10		20	MPN/100 ML
MB12 (Small parking lot south side of creek)	10/6/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB12 (Small parking lot south side of creek)	10/6/2026	TOTAL COLIFORM 1:10		10	MPN/100 ML
MB12 (Small parking lot south side of creek)	10/6/2026	E. COLI 1:10	<	10	MPN/100 ML
MB12 (Small parking lot south side of creek)	10/13/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB12 (Small parking lot south side of creek)	10/13/2026	TOTAL COLIFORM 1:10		20	MPN/100 ML
MB12 (Small parking lot south side of creek)	10/13/2026	E. COLI 1:10	<	10	MPN/100 ML
MB12 (Small parking lot south side of creek)	10/20/2026	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
MB12 (Small parking lot south side of creek)	10/20/2026	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB12 (Small parking lot south side of creek)	10/20/2026	E. COLI 1:10	<	10	MPN/100 ML
MB12 (Small parking lot south side of creek)	10/26/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB12 (Small parking lot south side of creek)	10/26/2026	TOTAL COLIFORM 1:10		52	MPN/100 ML
MB12 (Small parking lot south side of creek)	10/26/2026	E. COLI 1:10	<	10	MPN/100 ML

STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	**>**	**104**	**MPN/100 ML**
FECAL COLIFORM	**>**	**400**	**MPN/100 ML**
TOTAL COLIFORM	**>**	**10,000**	**MPN/100 ML**

SLO ENV HLTH-OCEAN MONITORING	**9/29/2026 to 10/29/2026**				
SITE	**COLLECT DATE**	**RESULT NAME**	**QUALIFIER**	**RESULT**	**UNITS**
MB13					
MB13 (Atascadero Ave.)	9/29/2026	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
MB13 (Atascadero Ave.)	9/29/2026	TOTAL COLIFORM 1:10		20	MPN/100 ML
MB13 (Atascadero Ave.)	9/29/2026	E. COLI 1:10		20	MPN/100 ML
MB13 (Atascadero Ave.)	10/6/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave.)	10/6/2026	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave.)	10/6/2026	E. COLI 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave.)	10/13/2026	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
MB13 (Atascadero Ave.)	10/13/2026	TOTAL COLIFORM 1:10		63	MPN/100 ML
MB13 (Atascadero Ave.)	10/13/2026	E. COLI 1:10		41	MPN/100 ML
MB13 (Atascadero Ave.)	10/20/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave.)	10/20/2026	E. COLI 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave.)	10/26/2026	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
MB13 (Atascadero Ave.)	10/26/2026	TOTAL COLIFORM 1:10		62	MPN/100 ML
MB13 (Atascadero Ave.)	10/26/2026	E. COLI 1:10	<	10	MPN/100 ML

STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	**>**	**104**	**MPN/100 ML**
FECAL COLIFORM	**>**	**400**	**MPN/100 ML**
TOTAL COLIFORM	**>**	**10,000**	**MPN/100 ML**

SLO ENV HLTH-OCEAN MONITORING	**9/29/2026 to 10/29/2026**				
SITE	**COLLECT DATE**	**RESULT NAME**	**QUALIFIER**	**RESULT**	**UNITS**
MB14					
MB14 (Alva Paul, Beachccmb Dr. & Luzon)	9/29/2026	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
MB14 (Alva Paul, Beachccmb Dr. & Luzon)	9/29/2026	TOTAL COLIFORM 1:10		20	MPN/100 ML
MB14 (Alva Paul, Beachccmb Dr. & Luzon)	9/29/2026	E. COLI 1:10		10	MPN/100 ML
MB14 (Alva Paul, Beachccmb Dr. & Luzon)	10/6/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachccmb Dr. & Luzon)	10/6/2026	TOTAL COLIFORM 1:10		20	MPN/100 ML
MB14 (Alva Paul, Beachccmb Dr. & Luzon)	10/6/2026	E. COLI 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachccmb Dr. & Luzon)	10/13/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachccmb Dr. & Luzon)	10/13/2026	TOTAL COLIFORM 1:10		323	MPN/100 ML
MB14 (Alva Paul, Beachccmb Dr. & Luzon)	10/13/2026	E. COLI 1:10		41	MPN/100 ML
MB14 (Alva Paul, Beachccmb Dr. & Luzon)	10/20/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachccmb Dr. & Luzon)	10/26/2026	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
MB14 (Alva Paul, Beachccmb Dr. & Luzon)	10/26/2026	TOTAL COLIFORM 1:10		213	MPN/100 ML
MB14 (Alva Paul, Beachccmb Dr. & Luzon)	10/26/2026	E. COLI 1:10		109	MPN/100 ML

STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	**>**	**104**	**MPN/100 ML**
FECAL COLIFORM	**>**	**400**	**MPN/100 ML**
TOTAL COLIFORM	**>**	**10,000**	**MPN/100 ML**

SLO ENV HLTH-OCEAN MONITORING	**9/29/2026 to 10/29/2026**				
SITE	**COLLECT DATE**	**RESULT NAME**	**QUALIFIER**	**RESULT**	**UNITS**
OCB11					
OCB11 (571 yds. South of Pier Ave.)	9/29/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	9/29/2026	TOTAL COLIFORM 1:10		31	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	9/29/2026	E. COLI 1:10		20	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	10/6/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	10/6/2026	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	10/6/2026	E. COLI 1:10	<	10	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	10/13/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	10/13/2026	TOTAL COLIFORM 1:10		20	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	10/13/2026	E. COLI 1:10	<	10	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	10/20/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	10/20/2026	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	10/20/2026	E. COLI 1:10	<	10	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	10/26/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	10/26/2026	TOTAL COLIFORM 1:10		63	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	10/26/2026	E. COLI 1:10		20	MPN/100 ML

STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	**>**	**104**	**MPN/100 ML**
FECAL COLIFORM	**>**	**400**	**MPN/100 ML**
TOTAL COLIFORM	**>**	**10,000**	**MPN/100 ML**

SLO ENV HLTH-OCEAN MONITORING	**9/29/2026 to 10/29/2026**				
SITE	**COLLECT DATE**	**RESULT NAME**	**QUALIFIER**	**RESULT**	**UNITS**
OCB12					
OCB12 (Pier Ave.)	9/29/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave.)	9/29/2026	TOTAL COLIFORM 1:10		52	MPN/100 ML
OCB12 (Pier Ave.)	9/29/2026	E. COLI 1:10		41	MPN/100 ML
OCB12 (Pier Ave.)	10/6/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave.)	10/6/2026	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave.)	10/6/2026	E. COLI 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave.)	10/13/2026	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
OCB12 (Pier Ave.)	10/13/2026	TOTAL COLIFORM 1:10		31	MPN/100 ML
OCB12 (Pier Ave.)	10/13/2026	E. COLI 1:10		20	MPN/100 ML
OCB12 (Pier Ave.)	10/20/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave.)	10/20/2026	TOTAL COLIFORM 1:10		10	MPN/100 ML
OCB12 (Pier Ave.)	10/20/2026	E. COLI 1:10		10	MPN/100 ML
OCB12 (Pier Ave.)	10/26/2026	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
OCB12 (Pier Ave.)	10/26/2026	TOTAL COLIFORM 1:10		10	MPN/100 ML
OCB12 (Pier Ave.)	10/26/2026	E. COLI 1:10		10	MPN/100 ML

STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	**>**	**104**	**MPN/100 ML**
FECAL COLIFORM	**>**	**400**	**MPN/100 ML**
TOTAL COLIFORM	**>**	**10,000**	**MPN/100 ML**

SLO ENV HLTH-OCEAN MONITORING	**9/29/2026 to 10/29/2026**				
SITE	**COLLECT DATE**	**RESULT NAME**	**QUALIFIER**	**RESULT**	**UNITS**
OCB13					
OCB13 (350 yds. north of Pier Ave.)	9/29/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	9/29/2026	TOTAL COLIFORM 1:10		31	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	9/29/2026	E. COLI 1:10		10	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	10/6/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	10/6/2026	TOTAL COLIFORM 1:10		20	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	10/6/2026	E. COLI 1:10	<	10	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	10/13/2026	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	10/13/2026	TOTAL COLIFORM 1:10		85	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	10/13/2026	E. COLI 1:10		20	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	10/20/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	10/20/2026	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	10/20/2026	E. COLI 1:10	<	10	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	10/26/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	10/26/2026	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	10/26/2026	E. COLI 1:10	<	10	MPN/100 ML

STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	**>**	**104**	**MPN/100 ML**
FECAL COLIFORM	**>**	**400**	**MPN/100 ML**
TOTAL COLIFORM	**>**	**10,000**	**MPN/100 ML**

SLO ENV HLTH-OCEAN MONITORING	**9/29/2026 to 10/29/2026**				
SITE	**COLLECT DATE**	**RESULT NAME**	**QUALIFIER**	**RESULT**	**UNITS**
OLDE12					
OLDE12 (131 yds. west of restrooms)	9/29/2026	ENTEROCOCCI, MPN 1:10		31	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	9/29/2026	E. COLI 1:10		63	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	10/6/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	10/6/2026	TOTAL COLIFORM 1:10		10	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	10/6/2026	E. COLI 1:10	<	10	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	10/13/2026	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	10/13/2026	TOTAL COLIFORM 1:10		31	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	10/13/2026	E. COLI 1:10		10	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	10/20/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	10/20/2026	TOTAL COLIFORM 1:10		63	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	10/20/2026	E. COLI 1:10		31	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	10/26/2026	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	10/26/2026	TOTAL COLIFORM 1:10		158	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	10/26/2026	E. COLI 1:10		74	MPN/100 ML

STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	**>**	**104**	**MPN/100 ML**
FECAL COLIFORM	**>**	**400**	**MPN/100 ML**
TOTAL COLIFORM	**>**	**10,000**	**MPN/100 ML**

SLO ENV HLTH-OCEAN MONITORING	**9/29/2026 to 10/29/2026**				
SITE	**COLLECT DATE**	**RESULT NAME**	**QUALIFIER**	**RESULT**	**UNITS**
PB3					
PB3 (302 yds. south of pier)	9/29/2026	ENTEROCOCCI, MPN 1:10		53	MPN/100 ML
PB3 (302 yds. south of pier)	9/29/2026	TOTAL COLIFORM 1:10		146	MPN/100 ML
PB3 (302 yds. south of pier)	9/29/2026	E. COLI 1:10		86	MPN/100 ML
PB3 (302 yds. south of pier)	10/6/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB3 (302 yds. south of pier)	10/6/2026	TOTAL COLIFORM 1:10		86	MPN/100 ML
PB3 (302 yds. south of pier)	10/6/2026	E. COLI 1:10		86	MPN/100 ML
PB3 (302 yds. south of pier)	10/13/2026	ENTEROCOCCI, MPN 1:10		99	MPN/100 ML
PB3 (302 yds. south of pier)	10/13/2026	TOTAL COLIFORM 1:10		107	MPN/100 ML
PB3 (302 yds. south of pier)	10/13/2026	E. COLI 1:10		41	MPN/100 ML
PB3 (302 yds. south of pier)	10/20/2026	ENTEROCOCCI, MPN 1:10		42	MPN/100 ML
PB3 (302 yds. south of pier)	10/20/2026	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
PB3 (302 yds. south of pier)	10/20/2026	E. COLI 1:10	<	10	MPN/100 ML
PB3 (302 yds. south of pier)	10/26/2026	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
PB3 (302 yds. south of pier)	10/26/2026	TOTAL COLIFORM 1:10		96	MPN/100 ML
PB3 (302 yds. south of pier)	10/26/2026	E. COLI 1:10		31	MPN/100 ML

STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	**>**	**104**	**MPN/100 ML**
FECAL COLIFORM	**>**	**400**	**MPN/100 ML**
TOTAL COLIFORM	**>**	**10,000**	**MPN/100 ML**

SLO ENV HLTH-OCEAN MONITORING	9/29/2026 to 10/29/2026				
SITE	**COLLECT DATE**	**RESULT NAME**	**QUALIFIER**	**RESULT**	**UNITS**
PB4					
PB4 (14 yds. south of pier)	9/29/2026	ENTEROCOCCI, MPN 1:10		478	MPN/100 ML
PB4 (14 yds. south of pier)	9/29/2026	TOTAL COLIFORM 1:10		187	MPN/100 ML
PB4 (14 yds. south of pier)	9/29/2026	E. COLI 1:10		122	MPN/100 ML
PB4 (14 yds. south of pier)	9/30/2026	ENTEROCOCCI, MPN 1:10		64	MPN/100 ML
PB4 (14 yds. south of pier)	10/6/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB4 (14 yds. south of pier)	10/6/2026	TOTAL COLIFORM 1:10		10	MPN/100 ML
PB4 (14 yds. south of pier)	10/6/2026	E. COLI 1:10	<	10	MPN/100 ML
PB4 (14 yds. south of pier)	10/13/2026	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
PB4 (14 yds. south of pier)	10/13/2026	TOTAL COLIFORM 1:10		85	MPN/100 ML
PB4 (14 yds. south of pier)	10/13/2026	E. COLI 1:10		31	MPN/100 ML
PB4 (14 yds. south of pier)	10/20/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB4 (14 yds. south of pier)	10/20/2026	TOTAL COLIFORM 1:10		85	MPN/100 ML
PB4 (14 yds. south of pier)	10/20/2026	E. COLI 1:10		20	MPN/100 ML
PB4 (14 yds. south of pier)	10/26/2026	ENTEROCOCCI, MPN 1:10		222	MPN/100 ML
PB4 (14 yds. south of pier)	10/26/2026	TOTAL COLIFORM 1:10		209	MPN/100 ML
PB4 (14 yds. south of pier)	10/26/2026	E. COLI 1:10		97	MPN/100 ML
PB4 (14 yds. south of pier)	10/27/2026	ENTEROCOCCI, MPN 1:10		111	MPN/100 ML
PB4 (14 yds. south of pier)	10/28/2026	ENTEROCOCCI, MPN 1:10		31	MPN/100 ML

STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	**>**	**104**	**MPN/100 ML**
FECAL COLIFORM	**>**	**400**	**MPN/100 ML**
TOTAL COLIFORM	**>**	**10,000**	**MPN/100 ML**

SLO ENV HLTH-OCEAN MONITORING	9/29/2026 to 10/29/2026				
SITE	**COLLECT DATE**	**RESULT NAME**	**QUALIFIER**	**RESULT**	**UNITS**
PB5					
PB5 (338 yds. north of pier)	9/29/2026	ENTEROCOCCI, MPN 1:10		222	MPN/100 ML
PB5 (338 yds. north of pier)	9/29/2026	TOTAL COLIFORM 1:10		399	MPN/100 ML
PB5 (338 yds. north of pier)	9/29/2026	E. COLI 1:10		197	MPN/100 ML
PB5 (338 yds. north of pier)	9/30/2026	ENTEROCOCCI, MPN 1:10		178	MPN/100 ML
PB5 (338 yds. north of pier)	10/1/2026	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
PB5 (338 yds. north of pier)	10/6/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB5 (338 yds. north of pier)	10/6/2026	TOTAL COLIFORM 1:10		41	MPN/100 ML
PB5 (338 yds. north of pier)	10/6/2026	E. COLI 1:10		20	MPN/100 ML
PB5 (338 yds. north of pier)	10/13/2026	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
PB5 (338 yds. north of pier)	10/13/2026	TOTAL COLIFORM 1:10		30	MPN/100 ML
PB5 (338 yds. north of pier)	10/13/2026	E. COLI 1:10		10	MPN/100 ML
PB5 (338 yds. north of pier)	10/20/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB5 (338 yds. north of pier)	10/20/2026	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
PB5 (338 yds. north of pier)	10/20/2026	E. COLI 1:10	<	10	MPN/100 ML
PB5 (338 yds. north of pier)	10/26/2026	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
PB5 (338 yds. north of pier)	10/26/2026	TOTAL COLIFORM 1:10		146	MPN/100 ML
PB5 (338 yds. north of pier)	10/26/2026	E. COLI 1:10		63	MPN/100 ML

STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	**>**	**104**	**MPN/100 ML**
FECAL COLIFORM	**>**	**400**	**MPN/100 ML**
TOTAL COLIFORM	**>**	**10,000**	**MPN/100 ML**

SLO ENV HLTH-OCEAN MONITORING	**9/29/2026 to 10/29/2026**				
SITE	**COLLECT DATE**	**RESULT NAME**	**QUALIFIER**	**RESULT**	**UNITS**
PICO23					
PICO23 (Pico Ave., San Simeon)	9/29/2026	ENTEROCOCCI, MPN 1:10		53	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	9/29/2026	TOTAL COLIFORM 1:10		85	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	9/29/2026	E. COLI 1:10		31	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	10/6/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	10/6/2026	TOTAL COLIFORM 1:10		10	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	10/6/2026	E. COLI 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	10/13/2026	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	10/13/2026	TOTAL COLIFORM 1:10		52	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	10/13/2026	E. COLI 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	10/20/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	10/20/2026	E. COLI 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	10/26/2026	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	10/26/2026	TOTAL COLIFORM 1:10		84	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	10/26/2026	E. COLI 1:10		20	MPN/100 ML

STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	**>**	**104**	**MPN/100 ML**
FECAL COLIFORM	**>**	**400**	**MPN/100 ML**
TOTAL COLIFORM	**>**	**10,000**	**MPN/100 ML**

SLO ENV HLTH-OCEAN MONITORING	9/29/2026 to 10/29/2026				
SITE	**COLLECT DATE**	**RESULT NAME**	**QUALIFIER**	**RESULT**	**UNITS**
SEW7					
SEW7 (Silver Shoals Dr.)	9/29/2026	ENTEROCOCCI, MPN 1:10		150	MPN/100 ML
SEW7 (Silver Shoals Dr.)	9/29/2026	TOTAL COLIFORM 1:10		631	MPN/100 ML
SEW7 (Silver Shoals Dr.)	9/29/2026	E. COLI 1:10		512	MPN/100 ML
SEW7 (Silver Shoals Dr.)	9/30/2026	ENTEROCOCCI, MPN 1:10		64	MPN/100 ML
SEW7 (Silver Shoals Dr.)	9/30/2026	TOTAL COLIFORM 1:10		31	MPN/100 ML
SEW7 (Silver Shoals Dr.)	9/30/2026	E. COLI 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr.)	10/6/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr.)	10/6/2026	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr.)	10/6/2026	E. COLI 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr.)	10/13/2026	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
SEW7 (Silver Shoals Dr.)	10/13/2026	TOTAL COLIFORM 1:10		84	MPN/100 ML
SEW7 (Silver Shoals Dr.)	10/13/2026	E. COLI 1:10		51	MPN/100 ML
SEW7 (Silver Shoals Dr.)	10/20/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr.)	10/20/2026	TOTAL COLIFORM 1:10		31	MPN/100 ML
SEW7 (Silver Shoals Dr.)	10/20/2026	E. COLI 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr.)	10/26/2026	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr.)	10/26/2026	TOTAL COLIFORM 1:10		31	MPN/100 ML
SEW7 (Silver Shoals Dr.)	10/26/2026	E. COLI 1:10		10	MPN/100 ML