

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		05/19/2026 to 06/16/2026			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
<b>AB8</b>					
AB8 (149 YDS E OF PIER)	05/19/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
AB8 (149 YDS E OF PIER)	05/19/26	TOTAL COLIFORM 1:10		86	MPN/100 ML
AB8 (149 YDS E OF PIER)	05/19/26	E. COLI 1:10		41	MPN/100 ML
AB8 (149 YDS E OF PIER)	05/27/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
AB8 (149 YDS E OF PIER)	05/27/26	TOTAL COLIFORM 1:10		74	MPN/100 ML
AB8 (149 YDS E OF PIER)	05/27/26	E. COLI 1:10	<	10	MPN/100 ML
AB8 (149 YDS E OF PIER)	06/02/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
AB8 (149 YDS E OF PIER)	06/02/26	TOTAL COLIFORM 1:10		63	MPN/100 ML
AB8 (149 YDS E OF PIER)	06/02/26	E. COLI 1:10	<	10	MPN/100 ML
AB8 (149 YDS E OF PIER)	06/09/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
AB8 (149 YDS E OF PIER)	06/09/26	TOTAL COLIFORM 1:10		41	MPN/100 ML
AB8 (149 YDS E OF PIER)	06/09/26	E. COLI 1:10	<	10	MPN/100 ML
AB8 (149 YDS E OF PIER)	06/16/26	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
AB8 (149 YDS E OF PIER)	06/16/26	TOTAL COLIFORM 1:10		41	MPN/100 ML
AB8 (149 YDS E OF PIER)	06/16/26	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		05/19/2026 to 06/16/2026			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
<b>AB10</b>					
AB10 (350 YDS W OF PIER)	05/04/26	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
AB10 (350 YDS W OF PIER)	05/11/26	ENTEROCOCCI, MPN 1:10		87	MPN/100 ML
AB10 (350 YDS W OF PIER)	05/13/26	TOTAL COLIFORM 1:10		5794	MPN/100 ML
AB10 (350 YDS W OF PIER)	05/13/26	E. COLI 1:10		52	MPN/100 ML
AB10 (350 YDS W OF PIER)	05/19/26	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
AB10 (350 YDS W OF PIER)	05/19/26	TOTAL COLIFORM 1:10		231	MPN/100 ML
AB10 (350 YDS W OF PIER)	05/19/26	E. COLI 1:10		10	MPN/100 ML
AB10 (350 YDS W OF PIER)	05/27/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
AB10 (350 YDS W OF PIER)	05/27/26	TOTAL COLIFORM 1:10		109	MPN/100 ML
AB10 (350 YDS W OF PIER)	05/27/26	E. COLI 1:10	<	10	MPN/100 ML
AB10 (350 YDS W OF PIER)	06/02/26	ENTEROCOCCI, MPN 1:10		42	MPN/100 ML
AB10 (350 YDS W OF PIER)	06/02/26	TOTAL COLIFORM 1:10		481	MPN/100 ML
AB10 (350 YDS W OF PIER)	06/02/26	E. COLI 1:10		134	MPN/100 ML
AB10 (350 YDS W OF PIER)	06/09/26	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
AB10 (350 YDS W OF PIER)	06/09/26	TOTAL COLIFORM 1:10		8164	MPN/100 ML
AB10 (350 YDS W OF PIER)	06/09/26	E. COLI 1:10		122	MPN/100 ML
AB10 (350 YDS W OF PIER)	06/16/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
AB10 (350 YDS W OF PIER)	06/16/26	TOTAL COLIFORM 1:10		602	MPN/100 ML
AB10 (350 YDS W OF PIER)	06/16/26	E. COLI 1:10		20	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		05/19/2026 to 06/16/2026			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
<b>CAY13</b>					
CAY13 (Studio Dr pkg lot Near D St.)	05/19/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	05/19/26	TOTAL COLIFORM 1:10		10	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	05/19/26	E. COLI 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	05/27/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	05/27/26	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	05/27/26	E. COLI 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	06/02/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	06/02/26	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	06/02/26	E. COLI 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	06/09/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	06/09/26	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	06/09/26	E. COLI 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	06/16/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	06/16/26	TOTAL COLIFORM 1:10		122	MPN/100 ML
CAY13 (Studio Dr pkg lot Near D St.)	06/16/26	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		05/19/2026 to 06/16/2026			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
<b>CAY14</b>					
CAY14 (Farthest swing set near D St.)	05/19/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D St.)	05/19/26	TOTAL COLIFORM 1:10		121	MPN/100 ML
CAY14 (Farthest swing set near D St.)	05/19/26	E. COLI 1:10		20	MPN/100 ML
CAY14 (Farthest swing set near D St.)	05/27/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D St.)	05/27/26	TOTAL COLIFORM 1:10		10	MPN/100 ML
CAY14 (Farthest swing set near D St.)	05/27/26	E. COLI 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D St.)	06/02/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D St.)	06/02/26	TOTAL COLIFORM 1:10		10	MPN/100 ML
CAY14 (Farthest swing set near D St.)	06/02/26	E. COLI 1:10		10	MPN/100 ML
CAY14 (Farthest swing set near D St.)	06/09/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D St.)	06/09/26	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D St.)	06/09/26	E. COLI 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D St.)	06/16/26	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
CAY14 (Farthest swing set near D St.)	06/16/26	TOTAL COLIFORM 1:10		5475	MPN/100 ML
CAY14 (Farthest swing set near D St.)	06/16/26	E. COLI 1:10		10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		05/19/2026 to 06/16/2026			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
<b>CAY16</b>					
CAY16 (North of pier at creek outfall)	05/19/26	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
CAY16 (North of pier at creek outfall)	05/19/26	TOTAL COLIFORM 1:10		591	MPN/100 ML
CAY16 (North of pier at creek outfall)	05/19/26	E. COLI 1:10		20	MPN/100 ML
CAY16 (North of pier at creek outfall)	05/27/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY16 (North of pier at creek outfall)	05/27/26	TOTAL COLIFORM 1:10		10	MPN/100 ML
CAY16 (North of pier at creek outfall)	05/27/26	E. COLI 1:10	<	10	MPN/100 ML
CAY16 (North of pier at creek outfall)	06/02/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY16 (North of pier at creek outfall)	06/02/26	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
CAY16 (North of pier at creek outfall)	06/02/26	E. COLI 1:10	<	10	MPN/100 ML
CAY16 (North of pier at creek outfall)	06/09/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY16 (North of pier at creek outfall)	06/09/26	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
CAY16 (North of pier at creek outfall)	06/09/26	E. COLI 1:10	<	10	MPN/100 ML
CAY16 (North of pier at creek outfall)	06/16/26	E. COLI 1:10		10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		05/19/2026 to 06/16/2026			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
<b>HSB23</b>					
HSB23 (100 yds. west of the pier creek outfall)	05/19/26	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
HSB23 (100 yds. west of the pier creek outfall)	05/19/26	TOTAL COLIFORM 1:10		301	MPN/100 ML
HSB23 (100 yds. west of the pier creek outfall)	05/19/26	E. COLI 1:10	<	10	MPN/100 ML
HSB23 (100 yds. west of the pier creek outfall)	05/27/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
HSB23 (100 yds. west of the pier creek outfall)	05/27/26	TOTAL COLIFORM 1:10		10	MPN/100 ML
HSB23 (100 yds. west of the pier creek outfall)	05/27/26	E. COLI 1:10		10	MPN/100 ML
HSB23 (100 yds. west of the pier creek outfall)	06/02/26	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
HSB23 (100 yds. west of the pier creek outfall)	06/02/26	TOTAL COLIFORM 1:10		10	MPN/100 ML
HSB23 (100 yds. west of the pier creek outfall)	06/02/26	E. COLI 1:10	<	10	MPN/100 ML
HSB23 (100 yds. west of the pier creek outfall)	06/09/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
HSB23 (100 yds. west of the pier creek outfall)	06/09/26	TOTAL COLIFORM 1:10		20	MPN/100 ML
HSB23 (100 yds. west of the pier creek outfall)	06/09/26	E. COLI 1:10		20	MPN/100 ML
HSB23 (100 yds. west of the pier creek outfall)	06/16/26	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		05/19/2026 to 06/16/2026			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
<b>MB11</b>					
MB11 (25 yds. north of main parking lot)	05/19/26	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
MB11 (25 yds. north of main parking lot)	05/19/26	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB11 (25 yds. north of main parking lot)	05/19/26	E. COLI 1:10	<	10	MPN/100 ML
MB11 (25 yds. north of main parking lot)	05/27/26	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
MB11 (25 yds. north of main parking lot)	05/27/26	TOTAL COLIFORM 1:10		52	MPN/100 ML
MB11 (25 yds. north of main parking lot)	05/27/26	E. COLI 1:10		10	MPN/100 ML
MB11 (25 yds. north of main parking lot)	06/02/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB11 (25 yds. north of main parking lot)	06/02/26	TOTAL COLIFORM 1:10		31	MPN/100 ML
MB11 (25 yds. north of main parking lot)	06/02/26	E. COLI 1:10		31	MPN/100 ML
MB11 (25 yds. north of main parking lot)	06/09/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB11 (25 yds. north of main parking lot)	06/09/26	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB11 (25 yds. north of main parking lot)	06/09/26	E. COLI 1:10	<	10	MPN/100 ML
MB11 (25 yds. north of main parking lot)	06/16/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB11 (25 yds. north of main parking lot)	06/16/26	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB11 (25 yds. north of main parking lot)	06/16/26	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		05/19/2026 to 06/16/2026			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
<b>MB12</b>					
MB12 (Small parking lot south side of creek)	05/19/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB12 (Small parking lot south side of creek)	05/19/26	TOTAL COLIFORM 1:10		146	MPN/100 ML
MB12 (Small parking lot south side of creek)	05/19/26	E. COLI 1:10		10	MPN/100 ML
MB12 (Small parking lot south side of creek)	05/27/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB12 (Small parking lot south side of creek)	05/27/26	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB12 (Small parking lot south side of creek)	05/27/26	E. COLI 1:10	<	10	MPN/100 ML
MB12 (Small parking lot south side of creek)	06/02/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB12 (Small parking lot south side of creek)	06/02/26	TOTAL COLIFORM 1:10		31	MPN/100 ML
MB12 (Small parking lot south side of creek)	06/02/26	E. COLI 1:10		31	MPN/100 ML
MB12 (Small parking lot south side of creek)	06/09/26	TOTAL COLIFORM 1:10		10	MPN/100 ML
MB12 (Small parking lot south side of creek)	06/09/26	E. COLI 1:10		10	MPN/100 ML
MB12 (Small parking lot south side of creek)	06/16/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB12 (Small parking lot south side of creek)	06/16/26	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB12 (Small parking lot south side of creek)	06/16/26	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		05/19/2026 to 06/16/2026			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
<b>MB13</b>					
MB13 (Atascadero Ave.)	05/19/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave.)	05/19/26	TOTAL COLIFORM 1:10		10	MPN/100 ML
MB13 (Atascadero Ave.)	05/19/26	E. COLI 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave.)	05/27/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave.)	05/27/26	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave.)	05/27/26	E. COLI 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave.)	06/02/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave.)	06/02/26	TOTAL COLIFORM 1:10		20	MPN/100 ML
MB13 (Atascadero Ave.)	06/02/26	E. COLI 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave.)	06/09/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave.)	06/09/26	TOTAL COLIFORM 1:10		10	MPN/100 ML
MB13 (Atascadero Ave.)	06/09/26	E. COLI 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave.)	06/16/26	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
MB13 (Atascadero Ave.)	06/16/26	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave.)	06/16/26	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		05/19/2026 to 06/16/2026			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
<b>MB14</b>					
MB14 (Alva Paul, Beachcumb Dr. & Luzon)	05/19/26	ENTEROCOCCI, MPN 1:10		31	MPN/100 ML
MB14 (Alva Paul, Beachcumb Dr. & Luzon)	05/19/26	TOTAL COLIFORM 1:10		563	MPN/100 ML
MB14 (Alva Paul, Beachcumb Dr. & Luzon)	05/19/26	E. COLI 1:10		30	MPN/100 ML
MB14 (Alva Paul, Beachcumb Dr. & Luzon)	05/27/26	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
MB14 (Alva Paul, Beachcumb Dr. & Luzon)	05/27/26	TOTAL COLIFORM 1:10		10	MPN/100 ML
MB14 (Alva Paul, Beachcumb Dr. & Luzon)	05/27/26	E. COLI 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcumb Dr. & Luzon)	06/02/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcumb Dr. & Luzon)	06/02/26	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcumb Dr. & Luzon)	06/02/26	E. COLI 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcumb Dr. & Luzon)	06/09/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcumb Dr. & Luzon)	06/09/26	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcumb Dr. & Luzon)	06/09/26	E. COLI 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcumb Dr. & Luzon)	06/16/26	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
MB14 (Alva Paul, Beachcumb Dr. & Luzon)	06/16/26	TOTAL COLIFORM 1:10		2909	MPN/100 ML
MB14 (Alva Paul, Beachcumb Dr. & Luzon)	06/16/26	E. COLI 1:10		20	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		05/19/2026 to 06/16/2026			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
<b>OCB11</b>					
OCB11 (571 yds. South of Pier Ave.)	05/19/26	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	05/19/26	TOTAL COLIFORM 1:10		75	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	05/19/26	E. COLI 1:10		10	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	05/27/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	05/27/26	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	05/27/26	E. COLI 1:10	<	10	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	06/02/26	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	06/02/26	TOTAL COLIFORM 1:10		75	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	06/02/26	E. COLI 1:10		31	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	06/09/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	06/09/26	TOTAL COLIFORM 1:10		20	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	06/09/26	E. COLI 1:10		20	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	06/16/26	ENTEROCOCCI, MPN 1:10		31	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	06/16/26	TOTAL COLIFORM 1:10		20	MPN/100 ML
OCB11 (571 yds. South of Pier Ave.)	06/16/26	E. COLI 1:10		10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		05/19/2026 to 06/16/2026			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
<b>OCB12</b>					
OCB12 (Pier Ave.)	05/19/26	ENTEROCOCCI, MPN 1:10		124	MPN/100 ML
OCB12 (Pier Ave.)	05/19/26	TOTAL COLIFORM 1:10		51	MPN/100 ML
OCB12 (Pier Ave.)	05/19/26	E. COLI 1:10		30	MPN/100 ML
OCB12 (Pier Ave.)	05/27/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave.)	05/27/26	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave.)	05/27/26	E. COLI 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave.)	06/02/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave.)	06/02/26	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave.)	06/02/26	E. COLI 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave.)	06/09/26	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
OCB12 (Pier Ave.)	06/09/26	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave.)	06/09/26	E. COLI 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave.)	06/16/26	ENTEROCOCCI, MPN 1:10		31	MPN/100 ML
OCB12 (Pier Ave.)	06/16/26	TOTAL COLIFORM 1:10		41	MPN/100 ML
OCB12 (Pier Ave.)	06/16/26	E. COLI 1:10		20	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		05/19/2026 to 06/16/2026			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
<b>OCB13</b>					
OCB13 (350 yds. north of Pier Ave.)	05/19/26	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	05/19/26	TOTAL COLIFORM 1:10		62	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	05/19/26	E. COLI 1:10		30	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	05/27/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	05/27/26	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	05/27/26	E. COLI 1:10	<	10	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	06/02/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	06/02/26	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	06/02/26	E. COLI 1:10	<	10	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	06/09/26	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	06/09/26	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	06/09/26	E. COLI 1:10	<	10	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	06/16/26	ENTEROCOCCI, MPN 1:10		53	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	06/16/26	TOTAL COLIFORM 1:10		74	MPN/100 ML
OCB13 (350 yds. north of Pier Ave.)	06/16/26	E. COLI 1:10		41	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		05/19/2026 to 06/16/2026			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
<b>OLDE12</b>					
OLDE12 (131 yds. west of restrooms)	05/13/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	05/19/26	ENTEROCOCCI, MPN 1:10		99	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	05/19/26	TOTAL COLIFORM 1:10		10	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	05/19/26	E. COLI 1:10	<	10	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	05/27/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	05/27/26	TOTAL COLIFORM 1:10		109	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	05/27/26	E. COLI 1:10	<	10	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	06/02/26	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	06/02/26	TOTAL COLIFORM 1:10		206	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	06/02/26	E. COLI 1:10		41	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	06/09/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	06/09/26	TOTAL COLIFORM 1:10		52	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	06/09/26	E. COLI 1:10		31	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	06/16/26	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	06/16/26	TOTAL COLIFORM 1:10		414	MPN/100 ML
OLDE12 (131 yds. west of restrooms)	06/16/26	E. COLI 1:10		20	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		05/19/2026 to 06/16/2026			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
<b>PB3</b>					
PB3 (302 yds. south of pier)	05/19/26	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
PB3 (302 yds. south of pier)	05/19/26	TOTAL COLIFORM 1:10		20	MPN/100 ML
PB3 (302 yds. south of pier)	05/19/26	E. COLI 1:10		10	MPN/100 ML
PB3 (302 yds. south of pier)	05/27/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB3 (302 yds. south of pier)	05/27/26	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
PB3 (302 yds. south of pier)	05/27/26	E. COLI 1:10	<	10	MPN/100 ML
PB3 (302 yds. south of pier)	06/02/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB3 (302 yds. south of pier)	06/02/26	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
PB3 (302 yds. south of pier)	06/02/26	E. COLI 1:10	<	10	MPN/100 ML
PB3 (302 yds. south of pier)	06/09/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB3 (302 yds. south of pier)	06/09/26	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
PB3 (302 yds. south of pier)	06/09/26	E. COLI 1:10	<	10	MPN/100 ML
PB3 (302 yds. south of pier)	06/16/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB3 (302 yds. south of pier)	06/16/26	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
PB3 (302 yds. south of pier)	06/16/26	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		05/19/2026 to 06/16/2026			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
<b>PB4</b>					
PB4 (14 yds. south of pier)	05/19/26	ENTEROCOCCI, MPN 1:10		42	MPN/100 ML
PB4 (14 yds. south of pier)	05/19/26	TOTAL COLIFORM 1:10		31	MPN/100 ML
PB4 (14 yds. south of pier)	05/19/26	E. COLI 1:10		10	MPN/100 ML
PB4 (14 yds. south of pier)	05/27/26	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
PB4 (14 yds. south of pier)	05/27/26	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
PB4 (14 yds. south of pier)	05/27/26	E. COLI 1:10	<	10	MPN/100 ML
PB4 (14 yds. south of pier)	06/02/26	ENTEROCOCCI, MPN 1:10		31	MPN/100 ML
PB4 (14 yds. south of pier)	06/02/26	TOTAL COLIFORM 1:10		20	MPN/100 ML
PB4 (14 yds. south of pier)	06/02/26	E. COLI 1:10		20	MPN/100 ML
PB4 (14 yds. south of pier)	06/09/26	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
PB4 (14 yds. south of pier)	06/09/26	TOTAL COLIFORM 1:10		160	MPN/100 ML
PB4 (14 yds. south of pier)	06/09/26	E. COLI 1:10		20	MPN/100 ML
PB4 (14 yds. south of pier)	06/16/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB4 (14 yds. south of pier)	06/16/26	TOTAL COLIFORM 1:10		10	MPN/100 ML
PB4 (14 yds. south of pier)	06/16/26	E. COLI 1:10		10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		05/19/2026 to 06/16/2026			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
<b>PB5</b>					
PB5 (338 yds. north of pier)	05/19/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB5 (338 yds. north of pier)	05/19/26	TOTAL COLIFORM 1:10		10	MPN/100 ML
PB5 (338 yds. north of pier)	05/19/26	E. COLI 1:10		10	MPN/100 ML
PB5 (338 yds. north of pier)	05/27/26	ENTEROCOCCI, MPN 1:10		75	MPN/100 ML
PB5 (338 yds. north of pier)	05/27/26	TOTAL COLIFORM 1:10		20	MPN/100 ML
PB5 (338 yds. north of pier)	05/27/26	E. COLI 1:10	<	10	MPN/100 ML
PB5 (338 yds. north of pier)	06/02/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB5 (338 yds. north of pier)	06/02/26	TOTAL COLIFORM 1:10		74	MPN/100 ML
PB5 (338 yds. north of pier)	06/02/26	E. COLI 1:10		41	MPN/100 ML
PB5 (338 yds. north of pier)	06/09/26	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
PB5 (338 yds. north of pier)	06/09/26	TOTAL COLIFORM 1:10		10	MPN/100 ML
PB5 (338 yds. north of pier)	06/09/26	E. COLI 1:10	<	10	MPN/100 ML
PB5 (338 yds. north of pier)	06/16/26	ENTEROCOCCI, MPN 1:10		64	MPN/100 ML
PB5 (338 yds. north of pier)	06/16/26	TOTAL COLIFORM 1:10		63	MPN/100 ML
PB5 (338 yds. north of pier)	06/16/26	E. COLI 1:10		31	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		05/19/2026 to 06/16/2026			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
<b>PICO23</b>					
PICO23 (Pico Ave., San Simeon)	05/19/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	05/19/26	TOTAL COLIFORM 1:10		109	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	05/19/26	E. COLI 1:10		10	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	05/27/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	05/27/26	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	05/27/26	E. COLI 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	06/02/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	06/02/26	TOTAL COLIFORM 1:10		10	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	06/02/26	E. COLI 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	06/09/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	06/09/26	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	06/09/26	E. COLI 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	06/16/26	TOTAL COLIFORM 1:10		41	MPN/100 ML
PICO23 (Pico Ave., San Simeon)	06/16/26	E. COLI 1:10		10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		05/19/2026 to 06/16/2026			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
<b>SEW7</b>					
SEW7 (Silver Shoals Dr.)	05/19/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr.)	05/19/26	TOTAL COLIFORM 1:10		41	MPN/100 ML
SEW7 (Silver Shoals Dr.)	05/19/26	E. COLI 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr.)	05/27/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr.)	05/27/26	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr.)	05/27/26	E. COLI 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr.)	06/02/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr.)	06/02/26	TOTAL COLIFORM 1:10		52	MPN/100 ML
SEW7 (Silver Shoals Dr.)	06/02/26	E. COLI 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr.)	06/09/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr.)	06/09/26	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr.)	06/09/26	E. COLI 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr.)	06/16/26	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr.)	06/16/26	TOTAL COLIFORM 1:10		10	MPN/100 ML
SEW7 (Silver Shoals Dr.)	06/16/26	E. COLI 1:10	<	10	MPN/100 ML