



Safer Gatherings

Tips from Public Health



Get up to date on your vaccines

Getting the updated COVID-19 vaccine and flu shot are the best ways to protect yourself and your loved ones. Vaccines are available from your health care provider, pharmacy, or Public Health clinics. VaccineFinder.org



Stay home if you're sick

Don't risk getting others sick, even if you test negative for COVID-19.



Keep gatherings small

Small, local gatherings continue to be the safest.



Be prepared

Take precautions in crowded, indoor events, like by wearing a high-quality mask (N95 or KN95) to reduce your risk.




Circulate fresh air

Gather outdoors if possible. If indoors, circulate plenty of fresh air with open windows/doors.



Wash your hands and sanitize surfaces

Wash your hands regularly. If soap and water are unavailable, use hand sanitizer. Sanitize frequently-touched items and surfaces.



Test if you are exposed to COVID-19

If you learn later that you've been exposed to COVID-19, test 3-5 days after the day you were exposed. We recommend you take two tests 48 hours apart. Learn where to find more tests: slopulichealth.org/testing





Reuniones más seguras

Consejos de Salud Pública



Póngase al día con sus vacunas

Recibir la vacuna contra el COVID-19 actualizada y la vacuna contra la gripe son las mejores formas de protegerse a usted y a sus seres queridos. Las vacunas están disponibles con su proveedor de atención médica, farmacia o clínicas de salud pública. VaccineFinder.org



Quédese en casa si está enfermo

No se arriesgue a enfermar a otros, incluso si su prueba de COVID-19 es negativa.



Mantenga las reuniones pequeñas

Las reuniones locales y pequeñas continúan siendo las más seguras.



Esté preparado

Tome precauciones en eventos con mucha gente y en lugares cerrados, como usar cubrebocas de alta calidad (N95 o KN95) para reducir su riesgo.




Circula aire fresco

Reúnase al aire libre si es posible. Si está adentro, circule mucho aire fresco con ventanas/puertas abiertas.



Lavarse las manos y desinfecte las superficies

Lavarse las manos regularmente. Si no hay agua y jabón disponibles, use desinfectante para manos. Desinfecte los objetos y las superficies que se tocan con frecuencia.



Hazte la prueba si está expuesto al COVID-19

Si más tarde se entera de que estuvo expuesto al COVID-19, hazte la prueba entre 3 y 5 días después del día en que estuvo expuesto. Le recomendamos realizar dos pruebas con 48 horas de diferencia. Aprenda dónde encontrar más pruebas: slopulichealth.org/testing

